



**Angled Disconnect Tool Set**

39400	
<b>14<sup>99</sup></b>	



**Broken Plug Remover Ford Triton 3 Valve Engines**

- Removes broken spark plugs from 2004 and newer Triton 3 valve per cylinder engines
- Includes: porcelain pusher tool and a tapered left-hand thread remover for removing the broken spark plug without leaving the porcelain in the engine cylinder.

65600	
<b>81<sup>99</sup></b>	



**Magnetic Glove Dispenser**

- Conveniently attaches to your toolbox or any ferrous metal surface, and can be mounted on a wall
- 3 adjusting springs easily hold the various box sizes (50 & 100 packs).

20130	
<b>20<sup>99</sup></b>	




**Spill-Free™ Funnel**

- Eliminates trapped air pockets, controls entering amount of coolant and enables unattended filling of the cooling system, eliminates overflow and protects the environment
- Includes 5 adapters for most domestic and import cars and light trucks (incl. threaded caps on Ford surge tanks and newer GM radiators), straight extension and an additional 45° elbow for hard-to-reach applications.

24680	
<b>29<sup>99</sup></b>	

**Availability at a glance!**



To find out if a product is available in your area, simply glance at the small map shown with each item. A black dot on your area indicates that the product is available through your distribution center. Ask your jobber for more information !





**BATTERY CHARGERS**

Part No	Voltage	CSA Cont. Rating	Cranking Assist Rating	Type	Style	Clamp Rating	Limited Warranty	Battery Type	Price
6002B	6/12/18/24	100/80/50/40	400A	H.D. commercial charger	Wheeled	500A	5 yrs	A	<b>769<sup>99</sup></b>
6006	6/12/24	70/65/30	280	HD commercial fleet charger	Wheeled	500	3	A	<b>503<sup>99</sup></b>
6012	6/12	70/60	250	Professional fast battery charger	Wheeled	400	5	A	<b>378<sup>99</sup></b>
6019	6/12	40/20/10	200	Fast battery charger	Wheeled	400	5	A	<b>337<sup>99</sup></b>
9002	12	1.5	N/A	Automatic charger/maintainer	Under Hood	N/A	2 yrs	A, B, C	<b>40<sup>99</sup></b>
9003	6/12	0.9	N/A	Automatic charger/maintainer	Under Hood	N/A	1	A, B, C	<b>49<sup>99</sup></b>
9004	12	2	N/A	Automatic charger/maintainer	Bench	50A	2 yrs	A, B, C	<b>99<sup>99</sup></b>
9060	6/12	10/10	55	Automatic charger	Bench	75A	2 yrs	A	<b>132<sup>99</sup></b>
9090	6/12	15/15/2	100	Automatic charger/maintainer	Bench	75	1	A, B, C	<b>181<sup>99</sup></b>
ESS6011	12/24	70/35	200A	Intellamatic® charger	Wheeled	500A	3 yrs	A, B, C	<b>721<sup>99</sup></b>
US18	6/12	40/40/10	200A	Upgraded 40A charger	Wheeled	400A	2 yrs	A	<b>220<sup>99</sup></b>
US20	6/12	40/40/10	200A	Boost charger with 90-minute timer	Wheeled	400A	2 yrs	A	<b>240<sup>99</sup></b>

A: Standard, maintenance-free B: Deep-cycle C: AGM and Gel Cell D: Small





6036B-24



6042



6044


**LOAD TESTERS**




Part No	Load	Ammeter	Voltmeter	Leads	Clamp	Limited Warranty	Price
6042	500A	Digital LCD 0-999A	Digital LCD 0-999A	8' 4 AWG	500A	1 yr	<b>1464<sup>99</sup></b>
6044	500A	Digital 999A LED	Digital 0-45.0V LED	8' 4 AWG	500A	1 yr	<b>1310<sup>99</sup></b>
6036B-24	1000A	6" 0-100A	0-32V DC	5" 2 AWG	1000A 15 sec.	1 yr	<b>1354<sup>99</sup></b>



**MULTI-BATTERY CHARGER**



Part No	Ammeter	DC Output	AC Input	Charging Capacity	Charge Rates	DC Leads	Limited Warranty	Price
6082	0-6A	6A, 0-158V	120V, 13A, 60Hz	1 to 60 Cells	Adjustable	8' 10/2 AWG	1 yr	<b>631<sup>99</sup></b>



**Bus Bar Set**

- Set for parallel charging
- 10-battery capacity
- Combine additional bars for added capacity
- 10 pairs DC charging leads, 4 AWG, 36" long with 300 Amp insulated safety clamps
- 3 ft. 4 AWG cables.

6075  
**424<sup>99</sup>**



**ATEC Folding Light**  
- 30 LED, folding head to direct light to job.



12-1007  
**57<sup>99</sup>**







X-1520EW1COMX

**ELECTRIC PRESSURE WASHERS**



X-1115EW1COM

X-2030EW1COM

Part No	X-1115EW1COM	X-1520EW1COMX	X-2030EW1COM
Engine	1.5 HP Baldor	2 HP Baldor	3 HP, 1 Phase
Voltage	110	110	220
Amps	13.2	17	13
Maximum Pressure	1100	1500	2000
Maximum Flow (GPM)	2	2	2.0
Pump	Comet BWD K Triplex	Comet BXD Axial	Comet K2020E
High Pressure Hose	25	25	N/A
Spray Gun / Lance / Chemical Injector	✓	✓	N/A
Cord / Plug / Switch	✓	✓	N/A
Auto On/Off	✓	✓	N/A
Frame	Powder Coated	Powder Coated	N/A
Tires (in)	10	10	N/A
Price	<b>813<sup>99</sup></b>	<b>831<sup>99</sup></b>	<b>895<sup>99</sup></b>

X-2005HWX

X-3170RWX

**PRESSURE WASHERS**



X-4013HWPCOMK

X-4015LWX

Part No	X-2005HWX	X-3170RWX	X-4013HWPCOMK	X-4015LWX
Engine	Honda GC 160	PowerEase	Honda GX 390	PowerEase
Displacement (CC)	160	210	389	420
Low Oil Shutdown	N/A	✓	✓	✓
Maximum Pressure	2 700	3 100	3 700	4 000
Maximum Flow (GPM)	2.3	2.3	4.0	4.0
Pump	RX 705	RX 705	Comet ZWD K4036 Triplex	WT 706
Unloader	N/A	N/A	Int.	N/A
High Pressure Hose (ft)	25	25	50	50
Spray Gun / Lance / Chemical Injector	✓	✓	✓	✓
Frame	Powder Coated	Powder Coated	Steel	Powder Coated
Tires (in)	10	10	13	13
Price	<b>536<sup>99</sup></b>	<b>447<sup>99</sup></b>	<b>1163<sup>99</sup></b>	<b>813<sup>99</sup></b>



**PRESSURE WASHER - HOT WATER**

Part No	X-HW2004GEN
Description	Electric Hot Water
Engine	4HP Baldor
Voltage	220
Amps	18
Voltage Regulator	2,000
Maximum Flow (GPM)	3.0
Pump	General Triplex
High Pressure Hose (ft)	50
Spray Gun / Lance / Chemical Injector	✓
Cord / Plug / Switch	✓
Auto On/Off	
Hose Reel	N/A
Frame	Roll Cage
Tires (in)	10

X-HW2004GEN

36 months	48 months	60 months
<b>112<sup>95</sup></b>	<b>90<sup>23</sup></b>	<b>76<sup>34</sup></b>

BEQ3579CS



**8-Gallon Compressor/Generator**

- Industrial Honda OHV GX 390 engine,
- 2-stage compressor 175PSI , 15.7 CFM
- Splash-lubricated cast iron crank case, cast iron head and cylinder, large canister intake filter
- Brushless industrial 3500W generator with 4x Nema 5-15R receptacles
- Powder-

AC138HB3500W

36 months	48 months	60 months
<b>92<sup>57</sup></b>	<b>78<sup>01</sup></b>	<b>69<sup>63</sup></b>

BEQ2494PP



**8-Gallon Portable Compressor**

- 210CC PowerEase Engine, 5.8 CFM @ 90 PSI.

AC7011RB

**767<sup>99</sup>**





**1 5" / 6" High Performance Grinder with Trigger Grip**  
 - 13.0 A / 2.3HP, 9000 RPM  
 - Dust Ejection System™  
 - One piece brush arm  
 - Jam-pot, low profile gear case  
 - Auto-off brushes  
 - Keyless adjustable guard.

D28065  
**173<sup>99</sup>**

**2 4-1/2" Grinder**  
 - 11,000 RPM, 10AC/DC.

D28402  
**112<sup>99</sup>**

**3 Heavy-Duty 5" (125mm) Medium Angle Grinder**  
 - Powerful and durable 12.0 Amp AC/DC, 10,000 RPM with sealed ball and roller bearings  
 - External brush doors  
 - Includes grinding wheel, wrench, backing flange, clamp nut, keyless adjustable guard and two-position side handle.

DW831  
**122<sup>99</sup>**

**4 Medium Angle Grinder**  
 - 13 A AC/DC, 8,000 rpm motor for 7" grinding applications  
 - High power-to-weight ratio  
 - Rear handle design  
 - Sealed ball and roller bearings.

DW840  
**168<sup>99</sup>**

**5 14" Chop Saw**  
 - 3800 RPM, 15 A  
 - Horizontal handle  
 - Quick release clamp, spindle lock, adjustable spark guard  
 - Metal cutting disc and hex key included  
 - Power input: 2,200 Watts  
 - Power output: 1,350 Watts  
 - No load speed: 3,800 RPM  
 - Wheel diameter: 355 mm.

D28710  
**245<sup>99</sup>**

**6 18V XRP™ Battery 2-Pack**

DC9096-2  
**183<sup>99</sup>**

**7 Cordless 18V Compact Drill/Driver**

DC720KA  
**231<sup>99</sup>**

**8 1/2" (13mm) XRP™ Impact Wrench Kit**  
 - 18 V, cordless  
 - 0-2,700 bpm  
 - Max torque: 1740 in/lb - 145 ft/lb.

DC820KA  
**287<sup>99</sup>**

**9 7.8 A Drill**  
 - 1/2" drive, VSR, 0-850 RPM drill with keyed-chuck, grounded.

DW235G  
**157<sup>99</sup>**

**10 Impact Wrench with Hog Ring Anvil**  
 - 345 ft-lbs of deliverable torque in forward and reverse  
 - Detent pin anvil  
 - AC/DC forward/reverse rocking switch  
 - Soft grip handle for superior ergonomics  
 - Ball bearing construction for increased durability.

DW293  
**264<sup>99</sup>**



**MMD 540H Hybrid Vehicle Multimeter**  
 - CAT safety rated, auto ranging digital multimeter designed for use in diagnostics of electronic circuits

F00E900101  
**243<sup>99</sup>**





1 5.5 oz. Butane Cylinder,  
Model BF55

329853

**4<sup>99</sup>**

2 Self-Igniting Propane Torch,  
Model TS1500T

- Adjustable flame control
- Trigger start
- For use with propane fuel only (not included).

328623

**27<sup>99</sup>**

3 Butane Micro-Torch Kit,  
Model ST2200T

330194

**36<sup>99</sup>**

4 Propane Torch  
Model TS7000T

- Fully adjustable flame control
- Instant on/off trigger
- Durable cast aluminum
- Burns efficiently in any position
- Accepts MAPP gas or propane cylinders.

328625

**66<sup>99</sup>**

5 Trigger-Start Blow Torch,  
Model TS4000T

330216

**53<sup>99</sup>**

6 Self Igniting Torch Model  
TS3000T

- Adjustable flame control knob for ease in switching between different applications
- Instant-on trigger igniter for easy lighting
- Use with propane only.

328856

**33<sup>99</sup>**

7 QuickFire™ Torch Kit,  
Model BZTS3000KC

- Propane cylinder included.

332008

**41<sup>99</sup>**

8 Premium Silver Bearing Lead-Free Rosin Core, 8oz

327794

**14<sup>99</sup>**

9 Butane Micro Torch Kit,  
Model ST250K


- Refillable precision needle point flame torch.
- Kit includes: hot knife tip, chisel point tip, large solder tip, fine point solder tip, hot blower, 0.6 oz. rosin core solder, cleaning sponge and stand.

328630

**23<sup>99</sup>**

10 Fat Boy Propane Fuel Cylinder,  
16.92oz

304184


**4<sup>99</sup>**

11 16.92 oz. Fat Boy Max Power  
Propylene Fuel Cylinder

332478

**7<sup>99</sup>**





**1 Storm Electronic Digital Caliper**  
 - Easy to read LCD display with standard/metric conversion  
 - 0 to 6" (0 to 150mm)  
 - Graduations : 0.0005" (0.01mm)  
 - Use for inside, depth and step measurements.

3C301	
<b>21<sup>99</sup></b>	

**3 Storm™ Digital Drum Gauge**  
 - Electronic digital drum gage with easy to read digital display  
 - Inch / metric conversion  
 - Selectable depth stops for easier use  
 - Range 6" to 20.65" / 150 to 515 mm  
 - Graduations : 0.001" / 0.01mm.

3B530	
<b>205<sup>99</sup></b>	

**5 Wheels-On Drum Gauge**  
 - Range 0-18" / 0-457mm  
 - .001"/.01mm graduations.

3B630	
<b>226<sup>99</sup></b>	

**7 LED Flip Light**  
 - Light swings through 360 degrees  
 - 1 Watt super bright LED's  
 - Rechargeable Lithium-Ion battery  
 - Two light output settings  
 - Magnet in frame and back of hanging hook  
 - Hanging hook.

20005	
<b>33<sup>99</sup></b>	

**2 Carbon Fiber Fractional Digital Caliper**  
 - Composite material for superior reliability  
 - Easy to read digital display with SAE, metric and fractional read out  
 - 0-6" / 0-150mm range with .0005" / .01mm / 1/64" resolution.

3C351	
<b>10<sup>99</sup></b>	

**4 Disc Rotor And Ball Joint Gauge**  
 - Checks ball joint wear and brake rotor run-out.

6450	
<b>199<sup>99</sup></b>	

**6 Storm™ Digital Rotor Gage**  
 - Easy to read display with measure conversion  
 - Range : 0 to 5.6"/0 to 144 mm - Graduations : 0.001"/0.01mm  
 - Deep arms allow full inspection of the rotor face and the pointed anvil to get into the scores for an accurate measurement.

3M430	
<b>51<sup>99</sup></b>	



**Flex Spot LED**  
 - Super-powerful LED light attaches to car or work area with strong base magnet.

111101	
<b>45<sup>99</sup></b>	



**Air Purifier Unit**  
 - Programmable ozone machine that eliminates mold, mildew, bacteria and offensive odours.

170AIR	
<b>227<sup>99</sup></b>	





**Bounce Lite® Work Lights**

- On 25' cord
- Heavy duty 13-watt work light
- Bounces instead of breaking when dropped.
- Features Bounce Bulb technology.

**48<sup>99</sup>**

- 50' 18/2 SJTOW cable.

**58<sup>99</sup>**

- 25' 18/2 SVT cable, on reel.

**85<sup>99</sup>**



**Heavy-Duty 13W Work Light on 40' Cord**

- Features Bounce Bulb technology, bounces instead of breaking when dropped.

12010	
<b>114<sup>99</sup></b>	



**Super Bounce Lite® Work Lights**

- Premium 13 W work light on 25' 18/2 SJEOW cold-weather cord
- Bounces instead of breaking and features Bounce Bulb technology.

Item 121CP **59<sup>99</sup>**

- 13 watt, 18/2 SJTOW, 40' cord with reel
- Patented "Bounce-Bulb" for superior impact protection.

Item 127CP **129<sup>99</sup>**



**13-Watt Rough Service Bulb**


410113RS	
<b>11<sup>99</sup></b>	



113303



114303



223312



123307

123407



223412





**WORK LIGHTS**

Part No	Type	Tap	Length	Rating	Wire	Price
100307	Incandescent	1	23' (7m)	13A	16/3 SJTW	<b>22<sup>99</sup></b>
101307	Incandescent	1	23' (7m)	13A	16/3 SJOW Rubber	<b>34<sup>99</sup></b>
101315	Incandescent	1	50' (15m)	13A	16/3 SJOW Rubber	<b>50<sup>99</sup></b>
111307	13W Fluorescent	1	25' (7.5m)	11A	16/3 SJT	<b>52<sup>99</sup></b>
226315	26W Fluorescent Cord Reel	1	50' (15m)	9.8A	16/3 SJTW	<b>143<sup>99</sup></b>
221308	Tri-Tap Cord Reel	3	30' (9.2m)	10A	16/3 SJTW	<b>81<sup>99</sup></b>
222315	HD Clear Lighted Tri-Tap Cord Reel	3	50' (15m)	15A	12/3 SJTW	<b>153<sup>99</sup></b>
222308	Chrome Cord Reel	3	30' (9.2m)	13A	14/3 SJTW	<b>98<sup>99</sup></b>



**HEMI SERIES WORK LIGHTS**


Part No	Type	Length	Rating	Rechargeable	Price
113303	HemiTech™ 3 LED	N/A	6 W	✓	<b>99<sup>99</sup></b>
114303	HEMIPLUS™ 3 LED	N/A	6 W	✓	<b>120<sup>99</sup></b>
123307	HEMIPRO™ 3 LED	25' (7.5m)	6 W	18/2 SJOW	<b>85<sup>99</sup></b>
123407	HEMIPRO™ 4 LED	25' (7.5m)	8 W	18/2 SJOW	<b>100<sup>99</sup></b>
223312	HemiTech™ 3 LED with Cord Reel	40' (12.2m)	6 W	18/2 SJOW	<b>146<sup>99</sup></b>
223412	HemiTech™ 4 LED with Chrome Cord Reel	40' (12.2m)	8 W	18/2 SJOW	<b>165<sup>99</sup></b>
123107	HemiTech™ 1 LED	40' (12.2m)	N/A	18/2 SJOW	<b>77<sup>99</sup></b>
223112	HemiTech™ 1 LED with Chrome Cord Reel	25' (7.5m)	N/A	18/2 SJOW	<b>148<sup>99</sup></b>








**1 Professional 50' Retractable Reel**  
 - Triple-Tap 14/3  
 Item SL-8903 **112<sup>99</sup>**  
 - Triple-Tap 12/3  
 Item SL-8904 **129<sup>99</sup>**




**2 Multi-Purpose Rechargeable Flashlight**  
 - 61 LED, dual-mode flashlight with floodlight option  
 - HiMH battery, removable hanger and magnet.



**2 120 LED Rechargeable Under-Hood Work light**  
 - Two light levels: 150 or 330 Lumens  
 - Adjustable carrier to 77"  
 - Magnetic or hanger hook mountings  
 - Includes both AC & 12V charging cords.




**3 Pro Series 26W Fluorescent Work Light**  
 - 12 A grounded receptacle and 25-foot cord  
 - Use with versatile double-hang hook or tool hook.




**5 13W Replacement Fluorescent Bulb**  
 SL-103PDQ   
**3<sup>99</sup>**


**6 13-Watt Fluorescent Work Light with Reel**  
 - 40' 16/3 gauge cord on retractable reel  
 - Cool running bulb, high-impact lamp protector, mounting brackets Included.



**7 13-Watt Fluorescent Work Light with Reel**  
 - 50' 18/2 cord on heavy-duty metal retractable reel



**8 Work Lights on Retractable Reel**  
 - (shown)  
 Item SL-840 **51<sup>99</sup>**  
 Item SL-935 **28<sup>99</sup>**



**9 Work Light on Retractable Reel**  
 SL-800   
**49<sup>99</sup>**





### Extension Cords



- Contractor Grade Single Tap  
25' 16/3 Extension Cord  
Item SL-725 **15<sup>99</sup>**

- Single tap, 50', 16/3 SJTWA, 13 A.  
Item SL-750 **29<sup>99</sup>**



- Single tap, 25', 14/3 SJTW, 15 A.  
Item SL-752L **22<sup>99</sup>**

- Single tap, 50', 14/3.  
Item SL-753L **40<sup>99</sup>**



- Blue, 25'  
- 13A rated voltage,  
16/3 SJEOW.  
Item SL-990 **20<sup>99</sup>**

- Blue, 50'  
- 13A rated voltage,  
16/3 SJEOW.  
Item SL-991 **39<sup>99</sup>**




- Prise simple, 25 pi,  
14/3 SJEOW, 15 A.  
Item SL-993 **25<sup>99</sup>**


- Prise simple, 50 pi,  
14/3 SJEOW, 15 A.  
Item SL-994 **48<sup>99</sup>**

- Single tap, 25',  
12/3 SJEOWA, 15 A.  
Item SL-996 **38<sup>99</sup>**

- Single tap, 50',  
12/3 SJEOWA, 15 A.  
Item SL-997 **73<sup>99</sup>**




- Tri-tap, 50', 14/3 SJTWA, 13 A.  
Item SL-741L **42<sup>99</sup>**



- Tri-tap, 6' (2m), 16/3 SJTWA, 13 A.  
Item SL-763 **7<sup>99</sup>**

- Tri-tap, 9' (3m), 16/3 SJTWA, 13 A.  
Item SL-764 **9<sup>99</sup>**

- Tri-tap, 16.4' (5m), 16/3 SJTW.  
Item SL-767 **13<sup>99</sup>**



**500W Portable Halogen Work Light**

SL-1002  
**17<sup>99</sup>**



**Night Stick Head Lamp - 8 LED**

- Spotlight, floodlight and dual-Light
- Super-bright white LEDs- 35,000 hrs life
- Moisture and impact resistant
- Selectable light control
- 90°+ light tilt and non-slip headband
- Batteries included.

NSP-2228  
**14<sup>99</sup>**





**1 Super Bright 9-LED Glow Light**

24-476	
<b>3<sup>99</sup></b>	

---

**2 24-LED Worklight with Magnet and Hook**

24-457	
<b>7<sup>99</sup></b>	

---

**3 33-LED Pivoting Flashlight/Worklight**

24-458	
<b>14<sup>99</sup></b>	

**Pivoting Flashlight**

24-459	
<b>23<sup>99</sup></b>	

**4 Mag LED Flashlight**

24-474	
<b>9<sup>99</sup></b>	

---

**5 LED Flashlight Kit**  
- Inspection mirror and case included.

24-882	
<b>23<sup>99</sup></b>	

---

**6 Mini LED Flashlight**

24-883	
<b>9<sup>99</sup></b>	

**7 Magnetic Pick-Up DEL Tool**

24-888	
<b>13<sup>99</sup></b>	

---

**8 21+6 Super Bright LEDs with Magnetic Base**

24-848	
<b>19<sup>99</sup></b>	

---

**9 Rechargeable 43-LED Spotlight/Lantern**

24-504	
<b>25<sup>99</sup></b>	

**10 Magnetic Pick-Up DEL Tool with Magnetic Base**

24-889	
<b>15<sup>99</sup></b>	

---

**11 60-LED Garage Worklight with 2 Chargers**

24-455	
<b>58<sup>99</sup></b>	

---

**12 Baseball Cap**  
- 5 LED lights.

24-467	
<b>11<sup>99</sup></b>	



**CPS**

112 / CPL



**1 Electronic Leak Detector for R134a and HFO1234YF with Clip on UV Light**  
 - Features E\_MOS™ sensor technology  
 - SAE certified for both refrigerants  
 - 5-year sensor warranty.

LDA1000UV	
<b>220<sup>99</sup></b>	

**2 R134a Brass Manifold Set**  
 - Value priced manifold set comes complete with 6-foot hoses and R134a couplers  
 - For use with all refrigerants, including hydrocarbons.

MB1234	
<b>89<sup>99</sup></b>	

**3 VACROMETER™ Digital Vacuum Gauge**  
 - Provides continual digital readout of evacuation process with 5 digit LCD, selectable to read in Microns, in/hg or mBar  
 - Automatically compensates for ambient changes in the environment  
 - Withstands 400 PSI of positive pressure  
 - Includes carrying case, hanging hook, adapter fitting, 9V battery and is CE approved.

VG200	
<b>183<sup>99</sup></b>	

**4 Automatic RRR Unit**  
 - Fully automatic RRR machine, approved for SAE J2788 standards  
 - Comes complete with 50 lb tank, 6 CFM dual stage vacuum pump, hoses and couplers.

AR2788S		
36 months <b>98<sup>62</sup></b>	48 months <b>78<sup>78</sup></b>	60 months <b>66<sup>66</sup></b>
CPS3125TT		

**5 Recovery Recycling Recharging Unit**  
 - Advanced self diagnostic software actively monitors all mechanical and electronic functions  
 - Easy-to-follow operating and initial setup instructions provided on large LCD screen  
 - High performance 6 CFM 2 stage vacuum pump ensures deep, fast evacuation.

AR2700		
36 months <b>89<sup>17</sup></b>	48 months <b>75<sup>18</sup></b>	60 months <b>67<sup>11</sup></b>
CPS2404TP		

**6 Electronic Leak Detector**  
 - Combines the most advanced microcomputer circuitry with field proven ion-pump sensor technology  
 - Over 100 computer generated tones and a high intensity bar graph  
 - Patented automatic calibration design  
 - Semi-automatic, approved for all refrigerants.

LS790B	
<b>183<sup>99</sup></b>	

**7 Radiator Pressure Test Kit**  
 - Complete radiator pressure test includes adapters for all major domestic, Asian, and European vehicles, including heavy duty  
 - Includes thermometer and case.

TLRAD	
<b>220<sup>99</sup></b>	

**8 Radiator Pressure Test Kit**

TLRADN	
<b>220<sup>99</sup></b>	

**9 Recover Tank-50lb.w/ Switch**

ARX134TS	
<b>271<sup>99</sup></b>	

**10 Portable Recovery, Recycle Unit**  
 - Portable recovery recycle unit with automatic shut-off  
 - Comes complete with access hoses and 50 lb tank with overflow switch.

AR500C	
<b>999<sup>99</sup></b>	

**11 Digital Charging Scale**  
 - 0 to 220 lb, in compact case.

CC220	
<b>235<sup>99</sup></b>	

**12 6 CFM Dual-Stage Vacuum Pump**  
 - Dual stage dual voltage vacuum pump  
 - Can be used as a replacement pump on any machine or as a stand alone.

VP6D	
<b>271<sup>99</sup></b>	

**13 Portable Recovery Only Machine**  
 - Comes complete with hoses, fittings and low side coupler.

CR700CA	
<b>1031<sup>99</sup></b>	

**14 53-LED Rechargeable Work Light**  
 - All aluminum construction, floodlight tip  
 - Comes with 110 V and 12 V chargers, magnetic base and hook.

TLWL53A	
<b>74<sup>99</sup></b>	





**Chicago Pneumatic™**  
690 / CPT



CP7110K



CP717K



CP7111

CP7150

CP717

**IMPACT HAMMERS**

Model No.	Shank	BPM	Avg. Air Consumption	dBA	Price
CP7110K	0,401	3 200	3,5	98,3	<b>117<sup>99</sup></b>
CP7111	0,401	3 000	6,25	100	<b>59<sup>99</sup></b>
CP7150	0,401	2 300	6,25	100	<b>74<sup>99</sup></b>
CP717	0,498	1 800	3,13	94	<b>714<sup>99</sup></b>
CP717K	0,498	1 800	3,13	94	<b>771<sup>99</sup></b>



CP879



CP789HR



CP785H

**DRILLS**

Model No.	Chuck (in)	RPM	Avg. Air Consumption	dBA	Price
CP879	3/8	1 800	5,25	94,9	<b>119<sup>99</sup></b>
CP785H	1/2	500	3	96,3	<b>239<sup>99</sup></b>
CP789HR	1/2 (R)	500	4	99	<b>308<sup>99</sup></b>

CP734H



CP772H



CP724H



CP749



CP7748



CP7733



CP7620

**IMPACT WRENCHES**

Model No.	Drive (in)	Max. Torque (ft.-lbs.)	Avg. Air Consumption	dBA	Price
CP724H	3/8	200	3	93	<b>190<sup>99</sup></b>
CP7729	3/8	415	5	91	<b>222<sup>99</sup></b>
CP734H	1/2	425	3,75	90	<b>181<sup>99</sup></b>
CP749	1/2	625	5,5	95,4	<b>237<sup>99</sup></b>
CP7620	1/2	425	N/A	93	<b>137<sup>99</sup></b>
CP7733	1/2	550	4,8	96	<b>163<sup>99</sup></b>
CP7748	1/2	920	5,2	93	<b>195<sup>99</sup></b>
CP7749	1/2	725	4,7	94	<b>283<sup>99</sup></b>
CP7759Q	1/2	780	4,7	93,2	<b>310<sup>99</sup></b>
CP772H	3/4	1 200	7,5	96	<b>457<sup>99</sup></b>
CP796	1	2 000	13	101	<b>2140<sup>99</sup></b>
CP894	1	2 000	12	99,6	<b>1047<sup>99</sup></b>
CP7774	1	1 750	8,75	100,9	<b>840<sup>99</sup></b>



CP7729



CP7749



CP7759Q



CP796



CP894



CP7774





**SCALER**

Model No.	Stroke (in)	SPM	Avg. Air Consumption	dBA	Price
CP7120	1-1/8	4 600	4,85	93	<b>202<sup>99</sup></b>



CP828



CP886



CP7830Q

**RATCHETS**

Model No.	Drive (in)	Max. Torque (ft.-lbs.)	Avg. Air Consumption	dBA	Price
CP828	3/8	50	3,75	96,5	<b>129<sup>99</sup></b>
CP886	3/8	50	4,25	98,2	<b>83<sup>99</sup></b>
CP7830Q	1/2	90	5	79	<b>238<sup>99</sup></b>



CP870



CP7201P



CP7215



CP7255

**SANDERS**

Model No.	Pad Size (in)	Spindle	RPM	Avg. Air Consumption	dBA	Price
CP870	6	N/A	10 000	5	93	<b>69<sup>99</sup></b>
CP7201P	3	N/A	3 500	18	89	<b>130<sup>99</sup></b>
CP7215	6	N/A	12 000	8	81	<b>182<sup>99</sup></b>
CP7255	6	N/A	12 000	8	81	<b>176<sup>99</sup></b>
CP7268	2-3/4 x 17-1/2	N/A	3 000	8,5	93	<b>140<sup>99</sup></b>



CP7268



CP872



CP876



CP860



CP9106QB

**DIE GRINDERS**

Model No.	Collet / Chuck	RPM	Avg. Air Consumption	dBA	Price
CP860	1/4	24 000	5	90	<b>146<sup>99</sup></b>
CP872	1/4	22 000	13	100,9	<b>70<sup>99</sup></b>
CP876	1/4	28 000	4	101	<b>75<sup>99</sup></b>
CP875	1/4	21 000	4	101	<b>66<sup>99</sup></b>
CP9106QB	1/4	22 000	4,35	80	<b>109<sup>99</sup></b>



CP875

**ANGLE GRINDERS**

Model No.	Pad Size (in)	Spindle	RPM	Avg. Air Consumption	dBA	Price
CP9121BR	5	5/8-11	12 000	13,78	84	<b>237<sup>99</sup></b>







**1 StartingLine HVLV Gravity Painting and Touch-Up Kit**  
 - Full size HVLV spray gun with 1.3mm fluid tip, and mini HVLV detail gun with 1.0mm fluid tip  
 - Air adjusting valve  
 - 1.8mm fluid tip & needle  
 - 20oz/600cc cup & 8.5oz/250cc cup  
 - Molded case & accessories.

802342	
<b>159<sup>99</sup></b>	

**2 StartingLine HVLV Gravity Painting and Priming Kit**  
 - Two full size HVLV spray guns with 1.3mm and 1.5mm fluid tips  
 - Air adjusting valve  
 - 1.8mm primer set-up  
 - 20oz/600cc cup  
 - Molded case & accessories.

802343	
<b>163<sup>99</sup></b>	

**3 24 oz Disposable Cups & Lids**

DPC-601	
<b>52<sup>99</sup></b>	

**4 Disposable Cups & Lids**  
 - 9 oz, 32/box.

DPC-602	
<b>42<sup>99</sup></b>	

**5 Tekna® Copper Spray Gun**  
 - With 1.2 and 1.3 mm tips  
 - Cup not included.

703488	
<b>387<sup>99</sup></b>	

**Tekna® Copper Spray Gun Kit**  
 - With cup, 1.2 and 1.3 mm tips.

703489	
<b>427<sup>99</sup></b>	

**6 Cvi® Waterborne Base Gun and Cup**  
 - Includes HLVP and HE air caps, 1.3mm tip, 1.4mm tip and 20oz acetel cup.

CVI-620GW	
<b>491<sup>99</sup></b>	

**7 Tekna® ProLite with Cup**  
 - 1.2, 1.3 and 1.4mm, with 2 air caps.

703566	
<b>483<sup>99</sup></b>	

**Tekna® ProLite Uncupped**  
 - 1.2, 1.3 and 1.4mm, with 2 air caps.

703567	
<b>443<sup>99</sup></b>	

**8 HVLV Gravity Feed Paint Gun**  
 - Includes aluminum cup, 1.3, 1.4 and 1.5mm tips  
 - 25% larger spray pattern-for fast coverage  
 - Highly efficient HVLV design  
 - Waterborne compatible.

GTI-620G	
<b>419<sup>99</sup></b>	

**9 FinishLine® Solvent-Based Value Kit**

- Multiple fluid tips included
- Cup included
- Air adjusting valve with gauge included (select models)
- Soft, uniform spray patterns
- Waterborne Compatible
- Anodized internal passages
- Easy to clean anodized finish
- High grade stainless steel components.

FLG-670	
<b>204<sup>99</sup></b>	

**FinishLine® Waterborne Kit**  
 - HVLV 1.3, 1.5, 1.8 tips, 20 oz. acetel cup  
 - Applications: waterborne base coats, top coats, and light primers.

FLG-671	
<b>205<sup>99</sup></b>	





**1 DC30 Desiccant Replacement Cartridge**

130504	
<b>74<sup>99</sup></b>	

**3 Dirt Control Floor Coat**  
 - Reduces airborne particles in the spray booth by over 50% and traps them on the floor, not on the vehicle  
 - Water-based, low VOC.

803491	
<b>141<sup>99</sup></b>	

**4 Whirlwind Disposable Air Line Filter**

HAF-507	
<b>7<sup>99</sup></b>	

**5 Light Duty Desiccant Air Dryer & Regulator**

130525	
<b>184<sup>99</sup></b>	

**6 CT Plus™ 5-Stage Compressed Air Treatment and Drying Center**

- First stage filter removes oil, water, and dirt down to 5 microns
- Second stage coalescer removes oil vapors and dirt particles down to .01 microns
- CT30 desiccant tank repeats dirt and oil aerosol removal and eliminates humidity
- Easy maintenance.

130522	
<b>554<sup>99</sup></b>	



**Piston Compressor KT2V26 115-230/1/60 (Portable)**

- 2HP portable single stage piston compressor mounted on a 26gal. vertical tank
- Cast Iron cylinder with stainless steel valves
- 7.1 CFM at 100 PSI, 130 PSI max.
- 15 A, 115-230V/1ph/60Hz.

9710502076	
<b>939<sup>99</sup></b>	



**Piston Compressor KT 3V60 208-230/1/60**

- 3HP single stage piston compressor mounted on a 60gal tank
- Cast Iron cylinder with stainless steel valves
- 12.4cfm at 100 PSI, 130 PSI max.
- 15 A, 208-230V/1ph/60Hz.

9710502077	
<b>1100<sup>99</sup></b>	



**Piston Compressor KT 5V 80 208-230/1/60**

- Two stage, slow speed compressor pump with a built in aftercooler
- True 5 HP unit with a Baldor motor and magnetic starter, mounted on a 80gal tank with vibration pads
- 18.5 CFM at 100 PSI, 16.6 CFM at 175 PSI
- 208-230V/1ph/60Hz.
- Two year bumper to bumper warranty.

9710502003	
<b>2122<sup>99</sup></b>	





UPON REQUEST



IS5-4060-03

IS5-10080 SERIES

IS5-5580 SERIES

IS7-10080 SERIES



IS13-5530



IS10-100120 SERIES

IS5-10080H SERIES



IS7-100120 SERIES

VAV5062-69MS



B5T-03



B7.5TD-03

B10TDVSD



Compressors

Part No.	Model	HP	Pump	Volt/Hz/Ph	CFM	Tank	48-Month Lease
IS5-4060-03	IS5-4060	5	3 Cyl. / 1 Stage	230/60/1	13 @ 125 PSI	60 Vert.	<b>33<sup>37</sup></b>
IS5-5580-03	IS5-5580	5	3 Cyl. / 2 Stage	230/1	15.4 @ 150 PSI	60 Vert.	<b>48<sup>38</sup></b>
IS5-5580-43	IS5-5580	5	3 Cyl. / 2 Stage	230/60/1	15.4 @ 150 PSI	60 Vert.	<b>50<sup>88</sup></b>
IS5-5580-69	IS5-5580	5	3 Cyl. / 2 Stage	575/60/3	15.4 @ 150 PSI	60 Vert.	<b>50<sup>88</sup></b>
IS5-10080-03	IS5-10080	5	4 Cyl. / 2 Stage	230/60/1	18 @ 150 PSI	80 Vert.	<b>60<sup>04</sup></b>
IS5-10080-69	IS5-10080	5	4 Cyl. / 2 Stage	575/60/3	18 @ 150 PSI	80 Vert.	<b>63<sup>42</sup></b>
IS5-10080H03	IS5-10080	5	4 Cyl. / 2 Stage	230/60/1	18 @ 150 PSI	80 Hor.	<b>65<sup>58</sup></b>
IS5-10080H69	IS5-10080	5	4 Cyl. / 2 Stage	575/60/3	18 @ 150 PSI	80 Hor.	<b>69<sup>33</sup></b>
IS7-100120-03	IS7-100120	7.5	4 Cyl. / 2 Stage	230/60/1	22.7 @ 150 PSI	120 Hor.	<b>67<sup>84</sup></b>
IS7-100120-69	IS7-100120	7.5	4 Cyl. / 2 Stage	575/60/3	22.7 @ 150 PSI	120 Hor.	<b>63<sup>35</sup></b>
IS7-10080-03	IS7-10080	7.5	4 Cyl. / 2 Stage	230/60/1	22.7 @ 150 PSI	80 Vert.	<b>71<sup>05</sup></b>
IS7-10080-43	IS7-10080	7.5	4 Cyl. / 2 Stage	230/60/3	22.7 @ 150 PSI	80 Vert.	<b>68<sup>93</sup></b>
IS7-10080-69	IS7-10080	7.5	4 Cyl. / 2 Stage	575/60/3	22.7 @ 150 PSI	80 Vert.	<b>68<sup>93</sup></b>
IS10-10012-43	IS10-10012	10	4 Cyl. / 2 Stage	230/60/3	31 @ 150 PSI	120 Hor.	<b>69<sup>98</sup></b>
IS10-10012-69	IS10-10012	10	4 Cyl. / 2 Stage	575/60/3	31 @ 150 PSI	120 Hor.	<b>69<sup>98</sup></b>
B5T-03	B5T	5	Screw compressor	230/60/1	18 @ 145 PSI	80 Vert.	<b>128<sup>85</sup></b>
B7.5TD-03	S-001766	7.5	Screw compressor with dryer	230/60/1	27 @ 145PSI	80 Hor.	<b>174<sup>04</sup></b>
B10TDVSD	S-001751	10	Screw compressor with dryer	230/60/1	37 @ 145 PSI	80 Hor.	<b>249<sup>01</sup></b>
VAV5062-69MS	VAV5062	15	4 Cyl. / 2 Stage	575/60/3	52.1 @ 150 PSI	120 Hor.	<b>141<sup>20</sup></b>
IS13-5530	IS13-5530	13 (Gas)	3 Cyl. / 2 Stage	N/A	23 @ 150 PSI	30 Hor.	<b>72<sup>52</sup></b>

Air Dryers

Part No.	Dryer	CFM	Volt/Hz/Ph	48-Month Lease
ASD30	ProDry	30	115/60/1	<b>56<sup>66</sup></b>
ASD60	ProDry	60	115/60/1	<b>68<sup>58</sup></b>



**Maintenance Kit**  
 - 2000 hrs/1 year maintenance kit for B5 - 7.5 screw compressors  
 - Includes: 1 gallon of synthetic compressor oil, 1 air/oil separator filter, 2 oil filters and 2 air filters.

MK-B57  
**357<sup>99</sup>**







**1 Vise Grip® Locking Pliers with Wire Cutter**  
- 4", curved jaw capacity of 1-1/4".

1002L3	
<b>9<sup>99</sup></b>	

**2 Vise Grip® Locking Pliers**  
- 7", straight jaw capacity of 1-1/8".

302L3	
<b>11<sup>99</sup></b>	

**3 Vise Grip® Locking Pliers**

- Curved, 10", with wire cutter. Item 502L3 **11<sup>99</sup>**
- Fast Release<sup>MC</sup>  
- Curved, 10", with wire cutter. Item 702L3 **11<sup>99</sup>**
- Curved, 5". Item 902L3 **10<sup>99</sup>**


**4 Vise Grip® Locking Pliers**  
- 10", jaw capacity of 1-7/8".

4935576	
<b>11<sup>99</sup></b>	

**5 Fast Release™ Locking Pliers**  
- Curved, 10", with wire cutter.

5T	
<b>12<sup>99</sup></b>	

**6 Vise Grip® Locking Pliers**  
- 10", straight jaw capacity of 1-5/8".

102L3	
<b>11<sup>99</sup></b>	

**7 Vise Grip® Fast Release™ Locking Pliers**  
- Long nose, 6".

1402L3	
<b>11<sup>99</sup></b>	

**8 Vise Grip® Fast Release™ Locking Pliers**  
- Curved, 10".

1502L3	
<b>14<sup>99</sup></b>	

**9 Vise Grip® The Original™ 20" Locking Chain Clamp**

27ZR	
<b>25<sup>99</sup></b>	

**10 Vise Grip® Fast Release™ Locking C-Clamps**  
- Model 11R with wide-opening jaws for greater versatility in clamping a variety of shapes.

19	
<b>22<sup>99</sup></b>	

**11 Locking C-Clamps with Swivel Pads (11SP)**

20	
<b>24<sup>99</sup></b>	

**12 8-Piece Vise Grip® GrooveLock Plier Set**

2078712	
<b>103<sup>99</sup></b>	

**13 Vise Grip® Locking Pliers**  
- Curved, 7".

8107ZR	
<b>161<sup>99</sup></b>	

**14 10-Piece Vise Grip® Plier Set**

1078TRAY	
<b>122<sup>99</sup></b>	





**1 13-Piece Hanson Bolt Extractor Set**  
- 1/4" to 3/4", 3/8" drive.

54113	
<b>124<sup>99</sup></b>	

**2 5-Piece Hanson Bolt Extractor Sets**  
- 3/4" - 1", 1/2" drive.

54125	
<b>84<sup>99</sup></b>	

**3 Quick Change Folding Utility Knife**

2089100	
<b>11<sup>99</sup></b>	

**4 25-Piece Multi Spline Screw Extractor Set**

53227	
<b>64<sup>99</sup></b>	

**5 10-Piece Hanson Spiral Screw Extractor Set**  
- Aggressive left hand spiral design for extra gripping power  
- Includes spiral flute screw extractors: EX-1, EX-2, EX-3, EX-4, EX-5 and drill bits: 5/64", 7/64", 5/32", 1/4", 19/64" (all size and recommended drill bit etched on each)  
- Metal index case.

11119	
<b>39<sup>99</sup></b>	



**1 CarScan Code Reader**  
- Basic diagnostic and repair verification information for 1996 and newer cars, light trucks, SUVs and minivans, Domestic and Import including C.A.N. & the newest OBD2 compliant diesel and hybrid vehicles  
- Patented all-in-one backlit screen display and 3 color LED display  
- Display shows over 20 pcs of vital diagnostic information at any one time  
- Comes with 15-inspection maintenance monitor coverage.

30203	
<b>56<sup>99</sup></b>	

**3 CarScan + OBD1 & SRS/ABS**  
- Retrieves enhanced and transmission diagnostic codes - OBD2 (1996 and newer) and popular OBD1 (1981 to 1995)  
- Reads & erases ABS & SRS codes on the popular 1996 and newer GM, Ford, Chrysler, Toyota and Honda  
- Displays freeze frame data and records and plays back OBD2 live data graphing on the tool  
- 15-inspection maintenance monitor coverage  
- Shows generic (P0, P2, P3, and U0) manufacturer specific (P1, P3, and U1), global, pending and permanent codes as well as the code which caused the freeze frame data.

31703	
<b>511<sup>99</sup></b>	

**4 CarScan Diagnostic Tool**  
- Freeze frame and live-data stream  
- Enhanced engine and transmission codes for 1996 and newer cars, light trucks, SUVs and minivans - Domestic and Import including the newest OBD2 compliant diesel and hybrid vehicles  
- Patented all-in-one backlit screen display and 3 color LED display  
- 15-inspection maintenance monitor coverage.

31003	
<b>140<sup>99</sup></b>	

**6 OBD2 Scan Tool**  
- OBD2,CAN, Hybrid, Diesel, 1996 and newer cars, light trucks, SUVs and minivans, domestic and Import  
- OBD2 live & freeze frame data  
- Automatic refresh updates data every 30 seconds when connected to the vehicle  
- Internet updateable and upgradeable

3040	
<b>93<sup>99</sup></b>	

**2 CarScan Pro Scan Tool**

31403	
<b>336<sup>99</sup></b>	

**5 ABS and CAN/OBD2<sup>®</sup> Diagnostic Tool**

3150	
<b>255<sup>99</sup></b>	

**7 CanOBD2&1 ToolKit<sup>™</sup>**  
- Retrieves diagnostic codes in all OBD2 (1996 and newer) and some OBD1 (1981 to 1995) vehicles  
- Patented all-in-one screen display (3 languages), flash updateable, memory / battery backup  
- Communicates with all OBD 2 CAN protocols  
- Freeze frame data.

1203	
<b>255<sup>99</sup></b>	





**1 ABS/SRS + OBD2® Scan Tool**  
 - OBD2 Generic Scan Tool, 1996 and newer cars, light trucks, and SUVs – Domestic, Asian and European Import  
 - Reads & erases ABS & SRS codes on the most 1996 and newer GM, Ford, Chrysler, Toyota and Honda vehicles  
 - Displays freeze frame data and records and plays back OBD2 live data graphing  
 - Patented all-in-one backlit screen display and 3 color LED display  
 - 15-inspection maintenance monitor coverage.

31603	
<b>371<sup>99</sup></b>	

**2 Test Light/Circuit Tester**

3410	
<b>10<sup>99</sup></b>	

**3 Smart Test Light / Circuit Tester**

3420	
<b>20<sup>99</sup></b>	

**4 OHC Compression Tester**

3615	
<b>50<sup>99</sup></b>	

**5 Innova® Hands-Free™ DMM (10 MegOhm)**

3310	
<b>20<sup>99</sup></b>	

**6 Auto-Ranging Digital Multimeter, 10 MegOhm**

3320	
<b>25<sup>99</sup></b>	

**7 Automotive Digital Multimeter (10 MegOhm)**

3340	
<b>107<sup>99</sup></b>	

**8 Professional Timing Light**

5568	
<b>150<sup>99</sup></b>	

**9 Inductive Timing Light**

3551	
<b>43<sup>99</sup></b>	

**10 Advance Timing Light**

3555	
<b>71<sup>99</sup></b>	

**11 Digital Timing Light**  
 - Split-screen digital LCD readout, one-handed operation with slim, rotating barrel, detachable leads, metal inductive pickup, patented skip circuitry test up to 9,990 RPM.

3568	
<b>101<sup>99</sup></b>	





**Thermal Imaging Camera**

- Reveals hidden heat-driven processes and problems
- Converts objects' infrared (IR) radiation to visible color images, allowing the detection of very small temperature differences from a distance
- Heat signatures can help diagnose the cause of equipment failures and poor performance due to wear and tear, misalignments and fault conditions.

GTI10			
36 months <b>77<sup>50</sup></b>	48 months <b>65<sup>05</sup></b>	60 months <b>58<sup>07</sup></b>	
GPI2081PS			

**24" Lighted Mechanical Pick-Up Tool**



70396	
<b>11<sup>99</sup></b>	

**12:1 Wide-Range Infrared Thermometer**

- Range: -40° to 1076°F (-40° to 580°C)
- Accuracy: ±3°F (2°C) or ±2% of reading above 32°F (0°C); ±5°F (3°C) or ±2% of reading below 32°F (0°C)
- Response time: 250 msec for 95% response.





IRT657	
<b>56<sup>99</sup></b>	



**Video Inspection Scope**

	DCS200-05	DCS280	DCS400-05	DCS400-09
<b>Detachable Monitor</b>			•	•
<b>Field of View</b>	60°	60°	95°	95°
<b>Adjustable LEDs</b>	2	4	4	4
<b>USB/Video Cables</b>			•	•
<b>2GB Micro SD Memory Card</b>			•	•
<b>Built-in Magnets</b>			•	•
<b>Battery</b>	9V	9V	2 Li-Ion	2 Li-Ion
<b>CA Adapter/Charger</b>			•	•
<b>Accessories</b>				
<b>Magnetic Pick-Up Tool</b>	•	•		•
<b>Pick-Up Hook</b>	•	•		•
<b>Mirror</b>	•	•	•	•
<b>Thread Protector</b>			•	•
<b>Ball Guide</b>			•	
<b>Probe</b>				
<b>12mm Regular Probe</b>		Opt.	Opt.	Opt.
<b>5.5mm Close-Focus</b>	Opt.	•	•	Opt.
<b>9mm Close-Focus</b>	Opt.	Opt.	Opt.	•
<b>12mm Close-Focus</b>	Opt.	Opt.	Opt.	Opt.
<b>12mm Far-Focus</b>	•		Opt.	Opt.
	<b>339<sup>99</sup></b>	<b>149<sup>99</sup></b>	<b>482<sup>99</sup></b>	<b>339<sup>99</sup></b>

- Probe extensions available  
- 3-year limited warranty.



**1-Ton Hoist**  
- 10-feet lift.

101012	
<b>146<sup>99</sup></b>	



**3/4-Ton SUMO Lever Puller**



110402	
<b>264<sup>99</sup></b>	



**1-1/2-Ton SUMO Lever Puller**  
- Industrial grade, grade 100 load chain, 5' lift  
- Cast steel safety latches exceed industry standards.

110403	
<b>332<sup>99</sup></b>	





**1 4-Piece Torque Extension Set**  
- 65, 80, 100 and 120 ft/lb.

30234	
<b>96<sup>99</sup></b>	

**2 Coins d'écartement de talons en bec de canard**

35329	
<b>87<sup>99</sup></b>	

**3 Bead Breaking Wedge**  
- 32" fiberglass handle, 11 lbs.

35429	
<b>100<sup>99</sup></b>	

**4 30" Hickory Wood Replacement Handle**

35129	
<b>23<sup>99</sup></b>	

**5 32" Fibreglass Replacement Handle**

35229	
<b>45<sup>99</sup></b>	

**6 Impact Bead Breaker**  
- 50" (127cm), extended length:  
80" (203cm).

35926	
<b>205<sup>99</sup></b>	

**7 Safety Cage (OTR)**  
- 3 bars  
- 65" x 24" x (26x22").

36004	
<b>799<sup>99</sup></b>	

**8 Tire Inflation Cage**  
- 5 bars  
- 43-1/2 x 20-1/2 x (41x26") (111 x 52 x  
(104x66 cm).

36005	
<b>740<sup>99</sup></b>	

**9 Safety Cage**  
- 3 bars  
- 43-1/2" x 20-1/2"

36006	
<b>451<sup>99</sup></b>	

**10 Blue Cobra Truck Tire Demount Tool**

35440	
<b>316<sup>99</sup></b>	

**11 4-Piece Serpent Tire Changing Set**

35453	
<b>232<sup>99</sup></b>	



**HeliCoil**

483 / HEL



**POPSet Hand Rivet Tool**

- Sets rivets up to 3/16"
- Nosepieces included.

PS15-CS	
<b>22<sup>99</sup></b>	



**Long Lever High-Impact Manual Riveter**

- Sets rivets up to 1/4 inch
- Nosepieces included.

PS45	
<b>97<sup>99</sup></b>	

**IR Ingersoll Rand**

702 / ING



**1 1/4" Mini Air Ratchet**  
- 25 ft/lb max torque, 250 RPM free speed, unique head construction for durability and power.

105-D2	
<b>129<sup>99</sup></b>	

**2 1/4" MAX Mini Air Ratchet**  
- MAX power, MAX control, MAX comfort.

1105MAX-D2	
<b>171<sup>99</sup></b>	

**3 3/8" Standard Air Ratchet**  
- 50 ft/lb max torque, 360° adjustable exhaust.

107XPA	
<b>121<sup>99</sup></b>	

**4 3/8" Ratchet**

109XPA	
<b>184<sup>99</sup></b>	

**5 Standard Duty Needle Scaler**  
- For surface preparation work involving the cleaning or removal of paint, rust, dirt, or weld slag  
- 19 needles, 1/8"/3.2mm  
- Free Speed (rpm) 4,600  
- 1/4" air inlet, avg consumption 8 cfm  
- 99.6 dB.

125	
<b>211<sup>99</sup></b>	

**6 Heavy Duty Air Reciprocating Saw**  
- 10,000 strokes per minute  
- Avg. 8 cfm  
- Sound: 87.3/100.3 dBA.

429	
<b>117<sup>99</sup></b>	

**7 Air Hammer Kit**  
- 3,000 BPM with built-in regulator and trigger control, includes 6 chisels.

121-K6	
<b>140<sup>99</sup></b>	

**8 Grinder/Tire Buffer**

326	
<b>72<sup>99</sup></b>	

**9 Sander**  
- Average air consumption: 4 CFM  
- Dual-action quiet air sander with 6" pad  
- Free speed: 10,000 RPM  
- 0.25 horsepower  
- Sound dBA: 85.6/98.6.

311A	
<b>75<sup>99</sup></b>	

**10 Sander**

4151	
<b>171<sup>99</sup></b>	

**11 Standard Duty Air Hammer Kit with 5 Chisels**  
- Longer stroke piston  
- Up to 2,000 blows per minute  
- Kit includes 4 chisels  
- Stroke length: 3-1/2"  
- Average air consumption: 3 cfm  
- Sound Level dBA: 103.5/116.5.

117K	
<b>87<sup>99</sup></b>	

**12 Drill/Screwdriver**

7803RA	
<b>238<sup>99</sup></b>	





**1 1" Ultra-Duty Air Impact Wrench**

2190TI-6	
<b>867<sup>99</sup></b>	

**2 1" Super-Duty Air Impact Wrench**

280-6	
<b>1789<sup>99</sup></b>	

**3 1" Air Impact Wrench**

285B-6	
<b>653<sup>99</sup></b>	

**4 1" Air Impact Wrench**

295A	
<b>743<sup>99</sup></b>	

**5 1/2" Air Impact Wrench**

231HA-2	
<b>209<sup>99</sup></b>	

**6 Classic Air Impactool™, 1/2" Drive**  
- 600 ft/lb max torque, easy to service, adjustable power.

231C	
<b>181<sup>99</sup></b>	

**1/2" Super-Duty Air Impact Wrench**  
- Enhanced twin hammer impact mechanism  
- 450 ft.-lbs. maximum torque  
- Pressure feed system provides continuous lubrication.

231HA	
<b>181<sup>99</sup></b>	

**7 3/4" Heavy-Duty Air Impact Wrench**

259	
<b>415<sup>99</sup></b>	

**8 3/4" Heavy-Duty Air Impact Wrench**  
- Average air consumption: 9.5 CFM  
- Sound dBA: 101.1/114.1;  
- Maximum Torque: 1,100 ft./lb.

261	
<b>561<sup>99</sup></b>	

**9 3/8" Drive Hammerhead Impact Wrench**  
- 180 ft.-lb (244 Nm) max torque and 7,100 RPM, offers more than twice the power of the leading competitor's ratchet  
- Two-position forward power regulator, and conveniently located forward/reverse ring. Head height under 2"  
- Reactionless torque prevents knuckle rapping.

2015MAX	
<b>339<sup>99</sup></b>	

**1/2" Drive Hammerhead Impact Wrench**  
- 180 ft.-lb (244 Nm) max torque and 7,100 RPM  
- Offers more than twice the power of the leading competitor's ratchet  
- Two-position forward power regulator, and conveniently located forward/reverse ring  
- Head height under 2"  
- Reactionless torque prevents knuckle rapping.

2025MAX	
<b>346<sup>99</sup></b>	

**10 3/4" Drive Super-Duty Air Impact Wrench**

2145QIMAX	
<b>645<sup>99</sup></b>	

**11 3/8" Drive Titanium Ultra-Duty Air Impactool™**  
- Less than six inches long and weighing less than two and a half pounds  
- Max Torque: 300 ft/lb  
- 1,500 BPM  
- Free Speed RPM: 15,000.

2115TIMAX	
<b>319<sup>99</sup></b>	

**12 1/2" Drive Titanium Ultra Duty Air Impactool™**  
- Free speed: 9,800 RPM  
- 1,250 BPM  
- Maximum Torque: 780 ft/lb  
- Nut Busting Torque (NBT): 1,100 ft/lb.

2135QTIMAX	
<b>374<sup>99</sup></b>	

**13 1/2" Drive Titanium Ultra Duty Air Impactool™**  
- Free speed: 9,800 RPM  
- 1,250 BPM  
- Maximum Torque: 780 ft/lb  
- Nut Busting Torque (NBT): 1,100 ft/lb.

2135TIMAX	
<b>358<sup>99</sup></b>	

**14 1/2" Drive Heavy-Duty Impact Wrench**  
- 500 ft./lb. torque at a free speed of 7,000 RPM to get the job done fast  
- Average air consumption: 4.4 CFM  
- Max. torque: 600 ft./lb.

2130	
<b>223<sup>99</sup></b>	





**1 Portable Air Tank**  
 - Temporary portable air supply  
 - Comes complete with pressure gauge, hose, tire chuck, and safety bypass valve with manual override. Maximum pressure is 125 psi.

- 5-gallon  
 Item 013480 **50<sup>99</sup>**

- 11-gallon  
 Item 013485 **70<sup>99</sup>**



**2 Blow Moulded Creeper**  
 - Padded headrest for support  
 - Six 3" PVC ball-bearing casters  
 - 40" x 19" x 4-3/4" (1,016 x 482 x 120mm).

024862  
**55<sup>99</sup>**

**3 Drop Shoulder 6-Wheel Creeper**

024861  
**55<sup>99</sup>**

**4 IDMM-100 Digital Multimeter**  
 - Measures DC current, AC/DC voltage, resistance, and more!

027551  
**18<sup>99</sup>**

**5 1,250 lb U-Shape Engine Stand**  
 - 360° swivel head, 4 swivel casters and stable base.

024841  
**140<sup>99</sup>**



**1 14-Piece Cap Style Filter Wrench Set**  
 - Fits various flute designs on Fram, AC, Casite, Lee, Hastings, Motorcraft, NAPA, Purolator, STP, Pure One, Wix and some Japanese and European made filters.

H3370  
**69<sup>99</sup>**

**2 Ford Spark Plug Repair Kit**  
 - Repairs damaged cylinder heads from spark plug thread erosion and shooting spark plugs out during operations with a patented "alloy steel insert"  
 - For Ford Triton Modular Engines (1996-2003), 4.6L, 5.4L, 6.8L and V10  
 - Takes about 15 minutes for repair.

H3660  
**444<sup>99</sup>**

**3 5-Piece Trim Panel Removal Set**  
 - Assortment of popular body trim panel removal tools.

H3664  
**42<sup>99</sup>**

**4 FORD-Triton Spark Plug Extractor Kit**  
 - Extract frozen or broken spark plug ground electrode shields in Ford Triton engines 2004 to present 4.6LT, 5.4LT, 6.8LT V-10  
 - Kit contains: 1 each: Guide, tap 9mm x 8" L (203.2mm), extractor, nut, washer and 4-rubber stopper caps, all in a blow mold case.

H3661  
**112<sup>99</sup>**

**5 Spark Plug Porcelain Extraction Kit**

H3659  
**31<sup>99</sup>**

**6 14-Piece Drain Plug Socket Set**  
 - Includes: Hex. 8, 9, 10, 12, 14, 17mm, square 7, 8, 11, 13mm, 5/16", 3/8" female square 10mm / male triangle 10mm.

H3700  
**59<sup>99</sup>**

**7 Hacksaw Blade**  
 - 24 TPI.

566232  
**1<sup>99</sup>**

**8 Jet Kut Gold Jobber Drill Set - 29 pieces**  
 - Jobber length.

570142  
**156<sup>99</sup>**

**9 Premium Black and Gold Drill Bit Set, 29 pieces**  
 - 135° split point drill bit set, Jobber length.

570146  
**83<sup>99</sup>**





**1 PowerBlend III T29 Zirconia Flap Disc**

- 4-1/2" x 7/8", Z40, 13,300 RPM. **4<sup>99</sup>**  
Item 503213
- 4-1/2" x 7/8", Z60, 13,300 RPM. **4<sup>99</sup>**  
Item 503215
- 4-1/2" x 7/8", Z80, 13,300 RPM. **4<sup>99</sup>**  
Item 503217



**2 ZX60HP PowerPlus III T1 Cut-Off Wheel**

- 4-1/2 x 3/64 x 7/8" Item 501521 **1<sup>99</sup>**
- 5 x 3/64 x 7/8" Item 501526 **2<sup>99</sup>**
- 4-1/2 x 3/64 x 7/8" A46T. Item 501571 **2<sup>99</sup>**
- 5 x 3/64 x 7/8" A46T. Item 501576 **2<sup>99</sup>**
- 4-1/2 x 1/16 x 7/8" A46T. Item 501622 **2<sup>99</sup>**
- 5 x 1/16 x 7/8" A46T. Item 501627 **2<sup>99</sup>**




**3 T1 Jet Super Chop™ Cut Off Wheels for Metal**

- 12" x 3/32" x 1", A36 grit, 5,100 RPM. **5<sup>99</sup>**  
Item 501143
- 14" x 3/32" x 1", A36 grit, 4,400 RPM. **7<sup>99</sup>**  
Item 501146




**4 Power Abrasive™ Depressed Centre Wheels**


- 5" x 1/4" x 7/8". Item 500720 **1<sup>99</sup>**
- 3 x 1/32 x 3/8". Item 501061 **1<sup>99</sup>**
- 3 x 1/16 x 3/8". Item 501062 **1<sup>99</sup>**



**5 4-Piece Burr Set**




**6 Jet Kut Carbide Burr Kit - 8 Pieces**  
- In wooden box.




**7 Crimped Wire Wheels**


- 6" x 7/8", 6,000 RPM, 0.014" M. Item 550121 **24<sup>99</sup>**
- 8" x 7/8", 4,500 RPM, 0.014" M. Item 550142 **29<sup>99</sup>**




**8 8" Crimped Wire Wheel**




**9 Standard Face Knot Wire Wheel - Unthreaded**  
- 6" x 1/2", 9,000 RPM, 0.020".



**10 Aluminum Oxide Resin Fibre Sanding Disc**  
4-1/2x7/8", 24 Grit




**11 Knot Cup Brush**  
- 3 x 5/8".



**12 Knot Banded Cup Brush**


- 3" x 5/8". Item 553607 **16<sup>99</sup>**
- 4-5/8" x 11NC. Item 553652 **22<sup>99</sup>**




**13 Knot End Brush**  
- 1-1/8", mounted on a 1/4" axle.




**14 1/4" Shaft Mounted Crimped Wire Brush**  
- 3", 1/4" shaft mounted, 25,000 RPM.



**15 Knot RDL End Brush**  
- 3" - Mounted on a 1/4" axle.



**16 A150 Abrasive Cloth Roll (2 x 50 Yards)**







**1 COATS® Wheel Balancer**  
 - Color LED matrix information box  
 - Self-calibration accuracy within 1/100 of an ounce  
 - Handles standard OEM tires up to 34" diameter and 150 lbs  
 - Automatic distance and diameter data entry  
 - Direct Tape-A-Weight placement.

1175-2			
36 months	48 months	60 months	
<b>161<sup>65</sup></b>	<b>128<sup>44</sup></b>	<b>109<sup>06</sup></b>	
HEN5306AC			

**2 Heavy-Duty Balancer**  
 - 1-1/2 HP direct-drive  
 - Automatic distance parameter entry  
 - Operator "A" and "B"  
 - Automatic self-calibration.

**SPECIFICATIONS:**  
 - Balancing Modes: 8  
 - Tire Diameter: Up to 40"  
 - Rim Width: 2" to 19.9"  
 - Max. Tire Weight: 150 lbs.  
 - Shaft Diameter: 40mm  
 - Power: 220v AC 1-3 phase.

1000-D			
36 months	48 months	60 months	
<b>144<sup>85</sup></b>	<b>115<sup>71</sup></b>	<b>97<sup>91</sup></b>	
HEN4590TR			

**3 Light-Duty Balancer**  
 - Balancing Modes: 10  
 - Maximum Tire Diameter: 34" to 40"  
 - Rim Width: 2" to 20"  
 - Rim Diameter: Up to 30"  
 - Shaft Diameter: 40 mm  
 - Motor: 110v, 1Ph.

775			
36 months	48 months	60 months	
<b>105<sup>03</sup></b>	<b>83<sup>90</sup></b>	<b>70<sup>99</sup></b>	
HEN3328ZK			

**4 110-Volt Balancer**  
 - Automatic distance & diameter entry  
 - Automatic measurement of two parameters with manual control back-ups  
 - Auto start hood  
 - Direct Tape-A-Weight placement with audible beep.

875			
36 months	48 months	60 months	
<b>136<sup>36</sup></b>	<b>108<sup>93</sup></b>	<b>92<sup>17</sup></b>	
HEN4590TR			

**5 High-Volume 3D Balancer with LCD Screen**  
 - Tape-A-Weight placement and behind the spoke placement  
 - 3-D automatic offset and diameter measurement with manual control backups  
 - Hood sonar calculates third data parameter (width)  
 - 1.5 HP AC Direct Drive™ motor  
 - Automatically positions and holds for weight installation.

**SPECIFICATIONS**

- Balancing modes 8
- Wheel tire diameter 8 to 30"
- Wheel width range 2" to 20"
- Max. tire diameter Up to 44"
- Max. tire weight 160 lbs
- Shaft diameter 40mm
- Resolution 0.25oz.

1250-3DV			
36 months	48 months	60 months	
<b>229<sup>41</sup></b>	<b>182<sup>27</sup></b>	<b>154<sup>78</sup></b>	
HEN7530EV			

**6 High-Volume 3D Balancer**  
 - Tape-A-Weight placement and behind the spoke placement  
 - 3-D automatic offset and diameter measurement with manual control backups  
 - Hood sonar calculates third data parameter (width)  
 - 1.5 HP AC Direct Drive™ motor  
 - Automatically positions and holds f

1250-3D			
36 months	48 months	60 months	
<b>207<sup>91</sup></b>	<b>165<sup>18</sup></b>	<b>140<sup>27</sup></b>	
HEN6824DQ			

**7 Run-Flat Tire Changer**  
 - Includes Premium set.

70XEH3			
36 months	48 months	60 months	
<b>274<sup>99</sup></b>	<b>218<sup>49</sup></b>	<b>185<sup>53</sup></b>	

**8 ProGuard® Leverless Tire Changer**  
 - One-pass finishing to complete the job faster  
 - Maximum rotor diameter 14.5"  
 - Maximum rotor thickness 1.875"  
 - Brake drum diameter 6" to 28"  
 - Maximum drum depth 6.875".

PROGUARD-L		<b>Special Order</b>
36 months	48 months	60 months
<b>371<sup>94</sup></b>	<b>294<sup>11</sup></b>	<b>248<sup>63</sup></b>
HEN12404TA		

**9 Run-Flat Tire Changer**  
 - Includes extended set.

70XEH2			
36 months	48 months	60 months	
<b>260<sup>70</sup></b>	<b>207<sup>13</sup></b>	<b>175<sup>89</sup></b>	
HEN4081SS			

**10 Tire Changer**  
 - Four self-centering wheel clamps  
 - Bead loosening foot control actuates  
 - 110V, 30A, single phase  
 - Inflation gauge 0 to 60 PSI gauge  
 - Clamping range 10" - 21" external, 12" - 24" internal  
 - Maximum tire width 10.5"  
 - Maximum tire diameter 50".

5040E			
36 months	48 months	60 months	
<b>128<sup>79</sup></b>	<b>102<sup>88</sup></b>	<b>87<sup>05</sup></b>	
HEN4081SS			

**11 Handle Actuated Tire Changer**  
 - Rim diameter 6"-22" external, 8"-24" internal  
 - Maximum tire diameter 50"  
 - Maximum rim width 14"  
 - Wheels handled steel, alloy.

50XEH1			
36 months	48 months	60 months	
<b>197<sup>54</sup></b>	<b>156<sup>95</sup></b>	<b>133<sup>28</sup></b>	
HEN6484SP			





**TPMS Resetter Thru OBDII**

- VT55 OBDII Universal TPMS tool (triggers all currently known sensors), key tester (reads RF signal on your device), compatible with future sensors (Internet upgrade), advanced stream decoding (faster signal recognition)
- Large LCD display, on-screen selection for faster recognition (one touch and your unit is set and ready), rechargeable batteries, ECU reprogramming extension (OBDII Programmer).

TS55-1000	
<b>1096<sup>99</sup></b>	



**TPMS Sensor Checking Box**

- Tests pressure sensor port from possibly being plugged by tire repair sealants
- Verifies that the wrong pressure range has not been applied to the sensor (which produces different readings between gauge and TPMS)
- Checks pressure sensor chamber for leaks or defects.

VB01-0000	
<b>134<sup>99</sup></b>	



**TPMS Sensor Activation Tool**

- For domestic cars that have a "learn mode" (most GM, Chrysler and Ford)
- Ideal for drivers who have two sets of tires and need to register their TPMS sensors when changing from one set to the other
- Compatible with all current TPMS sensors: Schrader, Siemens, Lite-on, Beru, TRW, Pacific, Lear
- VT15 trigger can now be updated through the USB port for future sensors.

VT15-0000	
<b>134<sup>99</sup></b>	



**TPMS Decoder**

- Universal TPMS sensor decoder or activator
- Turns the warning light off for vehicles with TPMS "learn mode" procedures (most domestics)
- Displays sensor information and troubleshoots faulty sensors
- Displays or provides PC print out of: Sensor ID, pressure, battery status, temperature, accelerometer, etc
- Software updates via USB to a PC.

VT30-0000	
<b>220<sup>99</sup></b>	





**1 10" Random Orbit Polisher**  
 - Includes removable applicator and buffing bonnets  
 - Large horizontal D-handle for maximum control  
 - Smooth ball-bearing construction  
 - Speed: 3200 orbit/minute  
 - Weight: 5.1 lbs.

8301	
<b>44<sup>99</sup></b>	

**2 7" Polisher/Sander Kit**  
 - Powerful 11 A motor  
 - Variable speed dial (1,000 - 3,000 RPM)  
 - Comes with 7" polishing backing pad, wool bonnet, sanding hook-and-loop backing pad, hook-and-loop 80 grit sanding paper and wrench.

8369B	
<b>112<sup>99</sup></b>	

**3 18V Cordless Drill Kit**  
 - Heavy duty high torque two speed gear box, 22 torque setting positions, 3/8" Jacobs keyless chuck, reversible 2 position control handle  
 - Features: 1 hour fast charger, 2x18V battery packs, integrated output led light and carrying case.

8018	
<b>104<sup>99</sup></b>	

**4 5-Gallon Wet-Dry Vacuum**  
 - 8 amps  
 - 5 gallon plastic tank  
 - 3.5 peak HP motor.

8520LP	
<b>59<sup>99</sup></b>	

**5 8 Gallon Wet-Dry Vacuum**  
 - Powerful 10 A, 5 peak hp motor  
 - 8-gallon plastic tank  
 - Double filtration system  
 - Waterproof on/off switch  
 - Comes with 6' x 1-1/4" hose, 2-piece plastic extension, 30L dust bag, cartridge filter, re-usable foam filter, 10" floor sweep.

8530LP	
<b>85<sup>99</sup></b>	

**6 10 Gallon Wet-Dry Vacuum**  
 - Powerful 10 A, 5 peak HP motor  
 - 10-gal. corrosion resistant stainless steel tank with drain  
 - Double filtration system  
 - Waterproof on/off switch  
 - Includes 6' x 1-1/4" hose, 2-piece SS extension, 40L dust bag, re-usable foam filter, 10" floor sweep.

8540LST	
<b>134<sup>99</sup></b>	

**7 16-Gallon Wet-Dry Vacuum**  
 - 10.5 A, 6.5 peak HP motor  
 - 16 gallon stainless steel tank.

8560LST	
<b>234<sup>99</sup></b>	

**8 2-Ton Folding Shop Crane**  
 - Includes 8 ton hydraulic jack and swivel hook  
 - Maximum height capacity 105"  
 - Boom extends 42" to 63"  
 - Heavy duty wheels.

KFC2	
<b>317<sup>99</sup></b>	

**9 5 HP Compressor**  
 - 20-gallon air compressor  
 - Durable oil lubricated pump  
 - 125 psi maximum  
 - ASME safety valve  
 - 14.5 AMP  
 - Comes with wheels for easy manoeuvrability.

8498	
<b>352<sup>99</sup></b>	

**10 6.5 HP 60 Gallon Stationary Air Compressor**

KC6160V1	
<b>773<sup>99</sup></b>	

**11 HVLP Gravity Feed Spray Gun Kit**  
 - With 1.4 and 1.7 mm tips.

8190	
<b>59<sup>99</sup></b>	

**12 3,500 Watt Gasoline Generator**

KCG-3500G	
<b>439<sup>99</sup></b>	





**6" Bench Grinder**

- 3500 rpm
- 3.5 amp
- Comes with tool rest, medium grinding wheel, and coarse grinding wheel.

KC690	
<b>55<sup>99</sup></b>	



**8" Heavy Duty Bench Grinder**

- Durable 7 amp motor
- Tool rest, medium and coarse grinding wheels.

KC890	
<b>95<sup>99</sup></b>	



**Parts Washer**

- 20-gallon capacity, durable pump
- Fusible link for cover
- 30-1/2" x 21-1/4" x 10" bassin capacity.

KPW220	
<b>155<sup>99</sup></b>	



**Parts Washer**

- 40-gallon capacity, durable pump included, safety fusible link for cover
- Basin dimension 44-1/2 x 21-1/4 x 10-1/2 in.

KPW240	
<b>234<sup>99</sup></b>	



**LAUNCH**

186 / LTC



**1 X-431 Master Vehicle Scanner**

- OE-level Asian, Euro and Domestic coverage
- Full module coding and bi-directional capabilities
- Key relearning
- Immobilizer
- Throttle body relearns
- Steering angle resets
- Built-in printer.

301020432			
36 months	48 months	60 months	
<b>83<sup>44</sup></b>	<b>66<sup>66</sup></b>	<b>56<sup>40</sup></b>	
LAN2644JK			

**2 X-431 Scanner**

- Vehicle diagnostic device covering 38 manufacturers
- Black and white LCD touch screen (with backlight)
- CAN BUS function
- Operation system: LINUX.

301020364			
36 months	48 months	60 months	
<b>84<sup>72</sup></b>	<b>71<sup>43</sup></b>	<b>63<sup>76</sup></b>	
LAN2284JJ			

**3 Diagon Full Scanner Set**

- Vehicle diagnostic device covering 36 manufacturers
- iPhone-sized unit with LCD Color touch screen with backlight.

301100119			
36 months	48 months	60 months	
<b>91<sup>05</sup></b>	<b>72<sup>73</sup></b>	<b>61<sup>54</sup></b>	
LAN2885JZ			

**4 X-431 Tool Wireless Scanner**

- Vehicle diagnostic device covering 38 manufacturers
- LCD Color touch screen (240\*320) with backlight
- Bluetooth technology - communication distance: 25 m
- CAN BUS function
- Operation system: LINUX.

301100039			
36 months	48 months	60 months	
<b>91<sup>05</sup></b>	<b>72<sup>73</sup></b>	<b>61<sup>54</sup></b>	
LAN2885JX			

**5 X-431GDS Modular PC Scan**

- OE-level Asian, Euro and Domestic coverage
- Full module coding and bidirectional capabilities
- Wi-fi internet capability
- Continuous charge battery
- Large high-resolution WVGA touch screen
- Optional modules available and sold separately: battery tester, scope, and sensor simulator.

301020514			
36 months	48 months	60 months	
<b>86<sup>95</sup></b>	<b>73<sup>31</sup></b>	<b>65<sup>44</sup></b>	
LAN2344JS			





**1 Standard Attachment Lead**  
 - Length - 400mm  
 - Eyelet hole diameter - M6, 6.4mm  
 - Cable cross sectional area - 1mm<sup>2</sup>  
 - Waterproof cover to prevent corrosion of connector plug.

56-260	
<b>4<sup>99</sup></b>	

**Large Attachment Lead**  
 - Length - 400mm  
 - Eyelet hole diameter - M8, 8.4mm  
 - Cable cross sectional area - 1mm<sup>2</sup>  
 - Waterproof cover to prevent corrosion of connector plug.

56-261	
<b>4<sup>99</sup></b>	

**2 Cigarette Lighter Lead**  
 - Quick and easy to use  
 - Quick fit connector to connect to charger.

56-263	
<b>8<sup>99</sup></b>	

**3 US7002 Charger**  
 - Small, fully automatic, suitable for most lead/acid batteries  
 - Reverse-polarity and short-circuit proof, nonsparking  
 - Safe for sensitive electronic equipment  
 - Approved for outdoor use.

56-353	
<b>104<sup>99</sup></b>	

**4 Multi Usage 25000 Charger**  
 - 8-step, fully automatic switch mode with pulse maintenance  
 - Input voltage: AC 100-120VAC, 50-60Hz  
 - Output voltage Nominal: 12V  
 - Efficiency: High 85%  
 - Charging voltage: 14.4V, temperature compensated  
 - Charging current: 25A max  
 - Ambient temperature: 0°F to 120°F  
 - Cooling Fan  
 - For 12V lead-acid batteries (Wet, MF, AGM, GEL and Ca)  
 - Battery capacity: 50-500Ah.

56-674	
<b>220<sup>99</sup></b>	

**5 US300 Multi Battery Charger**  
 - For lead-acid batteries (Wet, MF, Gel and AGM) from 2 Ah to 90 Ah.  
 - Includes two interchangeable connection leads: one with clamps and one with eyelet terminals.

56-158	
<b>56<sup>99</sup></b>	

**6 CTEK Multi Usage 4.3 Charger**  
 - 8 step, fully automatic charging cycle  
 - Water-resistant  
 - Patented maintenance charge and desulphation  
 - Recondition of deep discharged batteries  
 - No sparks, short-circuit proof and reverse-polarity protected  
 - Automatic detection of end-of-life batteries that eliminates surprises (Part No. 56-864)  
 - Charging voltage 14.4 / 14.7 / 15.8 V  
 - Charging current Max 4.3 A  
 - For 12V lead-acid batteries  
 - Battery capacity 1.2 - 110 Ah, up to 160 Ah for maintenance.

56-864	
<b>59<sup>99</sup></b>	



**1 SCA 1 Color Alignment System**  
 - Makes perfect headlamp alignment quick and easy.  
 - ISO Color Technology  
 - Meets J599 and J600 SAE inspection standards  
 - Durable, lightweight, compact and portable  
 - Adjustable height  
 - Laser floor slope  
 - Field calibration.

0101000	
<b>814<sup>99</sup></b>	

**2 CVA 3 EZ ISOCOLOR Headlamp Alignment System**  
 - Heavy-duty construction  
 - Visual Assist Meter  
 - Laser Floor Slope Adjustment  
 - Meets "J599" and "J600" SAE Inspection Standards  
 - User friendly, minimal maintenance, portable  
 - Dimensions (H/W/D): 68" x 26" x 30".

0301000	
<b>932<sup>99</sup></b>	

**3 Bright Solutions Car Care Kit**

75010010	
<b>23<sup>99</sup></b>	

**4 Headlight Cleaner Kit**

75010100	
<b>12<sup>99</sup></b>	

**5 Bright Solutions Headlamp Polishing Professional Kit**  
 - Restores headlamps on 35 vehicles, in 3 easy steps  
 - UV Protection preserves appearance for 2 years or more.

75010030	
<b>77<sup>99</sup></b>	





**1 Heavy-Duty Pistol Grip Grease Gun**  
 - Easy one-hand operation with 18" hose  
 - Exclusive "Flip Over Follower" for superior seal  
 - 3-way loading  
 - Capacity 16oz bulk or 14.5 cartridge.

1133	
<b>37<sup>99</sup></b>	

**2 Grease Gun**  
 - Heavy-duty pistol-grip grease gun with 18" hose and 5" ext. tube  
 - Variable stroke design for both high pressure and volume.

1134	
<b>42<sup>99</sup></b>	

**3 Heavy-Duty Lever Type Grease Gun**  
 - Extra-heavy follower spring insures positive priming and uninterrupted pumping action  
 - Includes 18" whip hose and coupler  
 - Flip-over follower set for cartridge use.

1147	
<b>31<sup>99</sup></b>	

**4 Grease Gun**  
 - Lever-type, heavy-duty gun.

1142	
<b>25<sup>99</sup></b>	

**5 Heavy-Duty Pistol Grip Grease Gun**  
 - Die-cast head with 18" flex hose extension and coupler  
 - One-hand operation is perfect for hard-to-reach places  
 - Uses 14 oz. cartridge or can be bulk filled.

G113	
<b>19<sup>99</sup></b>	

**6 Fully Automatic Grease Gun**  
 - Fully automatic / continuous operation, variable speed trigger, comfortable grip  
 - Pump ratio: 40:1  
 - Max grease pressure: 6,000 PSI (414 BAR).

1162	
<b>84<sup>99</sup></b>	

**7 PowerLuber® 18-Volt Grease Gun**  
 - 18 V, includes 2 batteries.

1844	
<b>319<sup>99</sup></b>	

**8 PowerLuber® Grease Gun Kit**  
 - Battery operated grease gun with one battery and fast charger  
 - Continuous action, delivers up to 6000 PSI of pressure  
 - 12V rechargeable batteries.

1242	
<b>182<sup>99</sup></b>	

**Top Of The Line PowerLuber®**  
 - 12-volt cordless rechargeable gun  
 - Includes 30" flex hose, two batteries, one charger and a carrying case.

1244	
<b>222<sup>99</sup></b>	

**9 18 Volt Li-Ion PowerLuber**  
 - Includes next generation 18V cordless grease gun, one hour fast charger, two (2) 18V 3.0A slide-on Lithium Ion batteries, and heavy-duty carrying case.

1864	
<b>392<sup>99</sup></b>	

**10 PowerLuber® Grease Gun**  
 - 14.4 V, includes 2 batteries.

1444	
<b>299<sup>99</sup></b>	

**11 Replacement Batteries**

- 12 volts Item 1201	<b>73<sup>99</sup></b>
- 14.4 volts Item 1401	<b>74<sup>99</sup></b>
- 18 volts Item 1801	<b>77<sup>99</sup></b>

--	--





**1 Heavy-Duty Grease Pump for #120 Drum**

- 50:1 ratio
- Includes tapered pail follower, 7' hose, universal swivel and #740 control valve.

917	
<b>999<sup>99</sup></b>	

**2 High Pressure Pump Kit**

- 50:1 double acting high-pressure pump, for 120 lb drum barrel (not included).

918	
<b>926<sup>99</sup></b>	

**3 Air Grease Pump Assembly #35**

989	
<b>811<sup>99</sup></b>	

**4 50:1 Air Operated Grease Pump**

6917	
<b>766<sup>99</sup></b>	

**5 Pressurized Used Fluid Receiver - Value Series**

- 45-72 inch bowl height adjustment
- Capacity: 18 gal / 68 L
- Large 14 inch / 2.5 gal telescoping bowl
- Accepts standard shop air up to 150 psi
- Preassembled castors with reinforced supports
- Includes combination evacuation hose / sight gauge, fixed air inlet regulator, pressure relief valve and user manual.

3601	
<b>219<sup>99</sup></b>	

**6 Guardian Rotary Barrel Pump**

G402	
<b>58<sup>99</sup></b>	

**7 PneumatiVac Fluid Evacuator**

- Air operated fluid evacuator
- 2.3-gallon (8.8 L) capacity.

MV7300	
<b>109<sup>99</sup></b>	

**8 Automatic Transmission Refill System**

- Includes 10 adapters for Ford, Toyota, BMW, Honda, Nissan, VW, Audi, Mercedes, and Volvo transmissions
- 1.2-gallon (5-liter) tank, lid, manual pump, gauge, valve, hose, wand, hook and storage case
- MVA5800 ATF refill adapter kit.

MV6410	
<b>279<sup>99</sup></b>	

**9 Suction Gun**

615	
<b>16<sup>99</sup></b>	

**10 Value Series Hose Reel Assembly**

- 3/8" x 50' assembled air hose reel includes bare hose reel, 50' delivery hose and ball stop.

83753	
<b>148<sup>99</sup></b>	

- 1/2" x 50' assembled air hose reel includes bare hose reel, 50' delivery hose and ball stop.

83754	
<b>163<sup>99</sup></b>	

**11 Electronic Meter Valve Litre/Gallon**

905	
<b>534<sup>99</sup></b>	

**12 Control Valve**

740	
<b>114<sup>99</sup></b>	





- 1 Fluid Evacuator**  
 - 2-gallon (7.3 L) capacity, complete with 3-5' dipstick tubes  
 - Great for evacuating engine oil, transmission fluid or brake fluid.

- 2 SilverLine Elite Hand Pump Kit**

- 3 Automotive Tune-up and Brake Bleeding Kit**  
 - For vacuum related engine performance diagnostics and tune-ups, brake bleeding, as well as fluid transfer, evacuation, and sampling.

- 4 Pressure Brake Bleed System**  
 - 7 master cylinder adapters to fit most American, Asian, and European cars and light trucks  
 - Includes: 1.2-gallon (5-liter) fluid reservoir, lid with integrated manual pump, pressure gauge and pressure relief valve, 5' (1.5 m) fluid dispensing hose with

MV7400  
**77<sup>99</sup>**



MV8500  
**72<sup>99</sup>**



MV8000  
**37<sup>99</sup>**



MV6840  
**309<sup>99</sup>**







1



3



2



4



5



6



7

**1 IP Multi Impact & Drill-Driver**  
- 14.4 V  
- Includes 2 x 3.3Ah Lithium-Ion batteries.

EY7542LR2S  
**498<sup>99</sup>**



**3 IP Lithium-Ion Hammer Drill & Driver**  
- 14.4 V  
- Includes 2 x 3.3Ah Lithium-Ion batteries.

EY7940LR2S  
**360<sup>99</sup>**




**2 IP Lithium-Ion Impact Wrench**  
- 18 V, 1,815 in/lb  
- 2 x 3.3 Ah Li-ion Battery Pack  
- Brushless motor and hybrid switch.

EY7551LR2S  
**460<sup>99</sup>**




**4 Lithium-Ion Hammer Drill/Driver**  
- 18 V  
- 2 x 3.3 Ah Li-ion Battery Pack  
- Brushless motor and hybrid switch.

EY7950LR2S  
**426<sup>99</sup>**




**5 Lithium-Ion Metal/Wood Circular Saw**  
- 14.4 V, 3,600 RPM  
- Blade size: 5-3/8 in, cutting depth: 1-13/16 in  
- Electric brake.

EY4542LR2M  
**498<sup>99</sup>**




**6 14.4V Grinder for Bodyshop Work**


EY4640XIP  
**280<sup>99</sup>**



**7 Lithium-Ion Battery Packs**  
- 14.4 volts  
Item EY9L44B **146<sup>99</sup>**  
- 18 volts  
Item EY9L50B **171<sup>99</sup>**







**1 Filter**  
 - 1/4" NPT Item 1018 **39<sup>99</sup>**  
 - 1/2" NPT Item 1020 **40<sup>99</sup>**



**2 1/4" NPT Mini Regulator**

S-1145  
**24<sup>99</sup>**

**3 4" Comfort Grip Blo-Gun Extension**

S-166  
**11<sup>99</sup>**

**4 Regulator 1/4" NPT**

1113  
**39<sup>99</sup>**

**5 OSHA Approved 4' Safety Blow Gun with Rubber Tip**

159  
**22<sup>99</sup>**

**2" Blo-Gun Extension**  
 - Includes safety and rubber tip.

158  
**18<sup>99</sup>**

**6 M-Style Coupler Kit, 5 pieces**

S-211  
**7<sup>99</sup>**

**7 A-Style Coupler Kit, 5 pieces**

S-213  
**8<sup>99</sup>**

**8 Rubber Tip Blo-Gun**

S-153  
**9<sup>99</sup>**

**9 3/8" Hose Mender, 2 per Card**

S-642  
**2<sup>99</sup>**

**10 Siphon Spray Blow Gun Kit**

S-157  
**17<sup>99</sup>**

**11 1/4" Female Air Chuck with Clip**

S-698  
**6<sup>99</sup>**

**12 1/4" Female Air Chuck**

S-699  
**1<sup>99</sup>**

**13 Lever Hook Blo-Gun**

S-148  
**6<sup>99</sup>**





**1 Dual Head Chuck**

S-690	
<b>5<sup>99</sup></b>	

**2 Dual Head Straight Foot Chuck for Inner Duals**

S-693	
<b>8<sup>99</sup></b>	

**3 Inflator Gauge with Dual Head Chuck**

S-522	
<b>35<sup>99</sup></b>	

**4 Window Inflator Gauge Dual Head Chuck**

S-506	
<b>38<sup>99</sup></b>	

**5 Aluminum Tire Tread Depth Gauge**

S-448	
<b>3<sup>99</sup></b>	

**6 Mini-Gauge 1/8" NPT, 0-160 PSI**

1189	
<b>12<sup>99</sup></b>	

**Center Mount Gauge 1/4" NPT, 0-160 PSI**

1191	
<b>10<sup>99</sup></b>	

**7 Dual Head Chuck Service Gauge**

- 4-side nylon indicator bar, 10-160 PSI, 80-110kPa.

S-976	
<b>15<sup>99</sup></b>	

**8 Straight Foot Dual Head Chuck Tire Pressure Gauge**

S-986	
<b>18<sup>99</sup></b>	

**9 Dial-Type Tire Pressure Gauge, 2-60 PSI**

S-902	
<b>18<sup>99</sup></b>	

**10 Tire Gauges**

- Passenger vehicle, 50 PSI  
Item S-921 **4<sup>99</sup>**
- Passenger vehicle, 20-120 PSI  
Item S-925 **4<sup>99</sup>**
- Truck tire gauge, 120 PSI  
Item S-927 **7<sup>99</sup>**
- For tractor air/water filled tires, 5-50 PSI  
Item S-928 **6<sup>99</sup>**

--	--





**1 Cool Smoke Fluid with UV Dye**  
 - Pin-points leaks faster and more accurate than any other leak detection fluid  
 - Environmentally friendly.

400-1054	
<b>41<sup>99</sup></b>	

**2 BrakeVac II Brake Flush/Bleeding System**  
 - Complete brake system flush in only 10 minutes!  
 - Pressure and vacuum assist  
 - One gallon fluid tank and removable waste tank  
 - Drain switch to empty new fluid tank for changing to different brake fluids  
 - 10' pressure hose with quick disconnect coupler  
 - Portable. Operates on 12 Volt DC

500-8100	
<b>2121<sup>99</sup></b>	

**3 CoolantClean III Professional Coolant Exchange and Flush Service Center**  
 - 15-minute coolant exchange  
 - Allows for both static and dynamic operation  
 - New on-board waste tank has a 28 qt capacity  
 - Unique vacuum switch allows for cooling system depressurization  
 - Easy service filter.

500-5100P		
<b>36 months 81<sup>38</sup></b>	<b>48 months 68<sup>61</sup></b>	<b>60 months 61<sup>25</sup></b>
UVW2194CD		

**4 SteerClean 1000 Power Steering Exchange Service**  
 - Complete flush and exchange in 5 minutes  
 - Unit services both pump reservoir and remote reservoir systems  
 - Extra long wand provides easy access  
 - Easy-to-use connections

500-7050	
<b>1342<sup>99</sup></b>	

**5 Cool Smoke Evap Unit**  
 - Heatless high visibility smoke  
 - Using 0.5psi pressure control, highest flow rate of any smoke machine  
 - Instant, high performance vapor enriched with UV dye  
 - Ready for future EVAP Systems  
 - Uses 12 volt DC with only 1 amp draw rate.

500-0100	
<b>780<sup>99</sup></b>	

**6 Coolant System Refill Tool**  
 - Eliminates airlocks in vehicle cooling systems and refills in seconds, including the heater core  
 - Eliminates time consuming bleeding and purging  
 - Check for leaks while under vacuum  
 - Includes Venturi Connector with hose, fill hose with filter, 4 rubber adapters, universal cone adapter and storage case.

550000	
<b>143<sup>99</sup></b>	

**7 Combustion Leak Tester Kit**

560000	
<b>67<sup>99</sup></b>	

**8 Replacement Combustion Leak Tester Fluid, 16oz**

560500	
<b>10<sup>99</sup></b>	





**UVIEW**  
874 / UVS

**1 CarbonClean Professional Fuel System Service and Diagnostic Center**  
 - System runs unattended  
 - Works on port fuel, TBI, CIS and carbureted vehicles  
 - Portable - 12 Volt DC operation.  
 - Improve performance and mileage, and reduce emissions!

500-0245	
36 months <b>99<sup>03</sup></b>	48 months <b>79<sup>11</sup></b>
	60 months <b>66<sup>93</sup></b>
UWV3138XX	

**2 Carbon Clean Fluid**  
 - For diesel fuel systems,  
 12 x 16 oz bottles.  
 Item 400-0010

**154<sup>99</sup>**

- For gasoline fuel systems,  
 12 x 8 oz bottles.  
 Item 400-0020

**98<sup>99</sup>**

- For gasoline fuel systems,  
 4 x 32 oz bottles.  
 Item 400-0126

**117<sup>99</sup>**

- 12 x 8 oz bottles.  
 Item 400-0030

**98<sup>99</sup>**

**3 TransTech® Transmission 2-Step Cleaner and Conditioner**  
 - 6 kits (2 x 8 oz bottles per kit).

400-0137	
<b>88<sup>99</sup></b>	

**4 SteerClean 2-Step Flush and Conditioner**  
 - 6 kits (2 x 8 oz bottles per kit).

400-1045	
<b>78<sup>99</sup></b>	

**5 Universal Automatic Transmission Protectant**  
 - 12 x 10 oz bottles.

400-1030AS	
<b>10<sup>99</sup></b>	

**6 CoolantClean® 2-Step Flush and Lube**  
 - 6 kits (2 x 8 oz bottles per kit).

400-0138	
<b>78<sup>99</sup></b>	

**MEGAPRO®**  
709 / MGA

**15-in-1 Original Driver**

151NAS	
<b>17<sup>99</sup></b>	



**15-in-1 Tamperproof Driver**

151TP	
<b>25<sup>99</sup></b>	



**13-in-1 Automotive Ratcheting Driver**

211R2C36RD	
<b>28<sup>99</sup></b>	



**High Intensity Work Light**

6WORKLIGHT	
<b>10<sup>99</sup></b>	





**PRO-TEK**  
068 / PTK



1 10" Half Round File (pack of 12)

9092	
<b>39<sup>99</sup></b>	

2 Spray Gun Regulator w/Gauge

9069	
<b>10<sup>99</sup></b>	

3 1/8" Double End Drill Bit  
- 12 per pack.

9072	
<b>5<sup>99</sup></b>	

4 17-Piece Master Paint Gun  
Cleaning Kit

6917	
<b>17<sup>99</sup></b>	

5 Spray Gun Filter

D12	
<b>7<sup>99</sup></b>	

6 Undercoating Gun

9110	
<b>28<sup>99</sup></b>	

7 Gravity Fed Spray Gun  
- 1.4 nozzle.

2600-1.4	
<b>88<sup>99</sup></b>	

Gravity Fed Spray Gun  
- 1.7 nozzle.

2600-1.7	
<b>88<sup>99</sup></b>	

8 Pin Stripe Eraser

9295W	
<b>6<sup>99</sup></b>	

9 Spray Gun with 1-Quart  
Aluminum Cup

7635	
<b>54<sup>99</sup></b>	

10 Body Shop Part Rack

BP-001	
<b>204<sup>99</sup></b>	

11 Air Buffing Kit

BK-001	
<b>94<sup>99</sup></b>	

12 Touch-Up Bottle with Brush,  
60ml

BT-1	
<b>63<sup>99</sup></b>	

13 Infrared Light

IR-15T	
<b>295<sup>99</sup></b>	



**PRO-TEK**  
068 / PTK



**1 6" Velcro Pad**

9127V	
<b>8<sup>99</sup></b>	

**Feaderedging Pad**

9127N	
<b>7<sup>99</sup></b>	

**2 3-Piece Plastic Body Filler Applicators**

9028	
<b>1<sup>99</sup></b>	

**3 1/8" Slotted Double End Drill Bit, 10/Pack**

JMC007	
<b>35<sup>99</sup></b>	

**4 Tack Cloth Blue 24/box**

93000B	
<b>18<sup>99</sup></b>	

**5 Gold Tack Cloth, 24/box**

92000B	
<b>18<sup>99</sup></b>	

**6 Gravity Fed Sandblaster**

9175	
<b>40<sup>99</sup></b>	

**7 Auto-Darkening Welding Helmet**

802576	
<b>126<sup>99</sup></b>	

**8 Hand Riveter**  
- 1/4" hand riveter with extra long handles  
- 20-3/4" tool provides excellent leverage.

9062L	
<b>53<sup>99</sup></b>	

**9 Sandblasting Kit**

9170	
<b>27<sup>99</sup></b>	

**10 Heavy-Duty Sandblasting Cabinet**  
- Vacuum included, 68" x 52" x 24".

SBC-420	
<b>1530<sup>99</sup></b>	

**11 10 Gallon Sandblasting Kit**  
- Includes 8" reinforced hose, hard hat hood, funnel, security valve, and 3/32" ceramic nozzle.

SBK-10	
<b>279<sup>99</sup></b>	

**12 Heavy-Duty Work Bench**

PB-2P	
<b>23<sup>99</sup></b>	





**1 CoolTech™ Recovery, Recycle, Recharge Unit**

- Simple operation and superior accuracy!
- Meets SAE J-2788 standards for accuracy: 95% refrigerant recovery and charging to +/- 1/2 oz.

34288			
36 months	48 months	60 months	
<b>110<sup>14</sup></b>	<b>87<sup>98</sup></b>	<b>74<sup>44</sup></b>	
RBN3490SP			

**2 CoolTech™ Premium Recovery, Recycle, Recharge Unit**

- Fully automatic unit combines simple operation with superior accuracy
- Recovers, recycles, evacuates, leak tests, and recharges R-134a quickly and accurately
- Other features and functions: Automatic refrigerant refill, automatic air purge, automatic oil measure and inject, automatic dye inject, A/C system flush, save & print before and after service data
- Fully compliant with SAE J2788 standards.

34988			
36 months	48 months	60 months	
<b>157<sup>27</sup></b>	<b>124<sup>95</sup></b>	<b>106<sup>10</sup></b>	
RBN5162AZ			

**3 CoolTech™ A/C Unit**

- Recovers, recycles, evacuates, leak tests, and recharges R134a quickly and accurately
- Fully automatic
- Other features and functions: Vacuum Leak Test, Automatic Refrigerant Refill, Automatic Air Purge, Automatic Oil Drain, Refrigerant Management, and more
- SAE J2788 compliant.

34788			
36 months	48 months	60 months	
<b>129<sup>77</sup></b>	<b>103<sup>66</sup></b>	<b>87<sup>71</sup></b>	
RBN4112TT			

**4 DiscovR Refrigerant Identifier**

- 95% pass/fail for pure R134a
- Air detection feature.

16009			
<b>606<sup>99</sup></b>			

**5 Spin-On Filter**

- For Robinair 17700, 34134A, 34234, 34700, 34800 and 34900.

34724		
<b>64<sup>99</sup></b>		

**6 CoolTech™ Plus Refrigerant Identifier**

- Displays the actual percentage of R12, R134a, R22, and air in the system or tank
- Air purge, visual and audible hydrocarbon alarm, on-board printer port.

16910		
<b>1899<sup>99</sup></b>		

**7 Coolant Exchanger**

- Operates on 90PSI shop air
- Two medium step adapters (fit hose size 1-1/4", 1-3/8" and 1-1/2") and two large step adapters (fit hose size 1-3/4", 2", and 2-1/4").

75700			
36 months	48 months	60 months	
<b>75<sup>19</sup></b>	<b>63<sup>39</sup></b>	<b>56<sup>59</sup></b>	
RBN2027SM			

**8 Transmission Fluid Exchanger**

- Vehicle in and out of shop in less than 20 minutes!
- Unique approach to exchanging fluid through the transmission dipstick
- Change oil in the pan before it passes through the filter
- Operates through dipstick only, cooler line or combination of the two
- Accurate to 1/4 quart
- 32-quart supply tank and waste tank
- Complete set of cooler line adapters for most foreign and domestic vehicles.

92500			
36 months	48 months	60 months	
<b>152<sup>79</sup></b>	<b>121<sup>41</sup></b>	<b>103<sup>38</sup></b>	
RBN2027SM			



**ROBINAIR**  
002 / RBN



**1 Vacuum Pump**  
- 10 CFM.

15120A	
<b>796<sup>99</sup></b>	

**2 Vacuum Pump**  
- 4 CFM  
- 1/2" ACME and 1/4" MFL intake fitting  
- 2-stage pump.

15434	
<b>396<sup>99</sup></b>	

**3 Vacuum Pump**  
- 6 CFM  
- For automotive A/C systems  
- 20 microns  
- 115V, 1/2 HP, 2 stages  
- 445ml oil capacity  
- Weight: 12kg.

15600	
<b>428<sup>99</sup></b>	

**4 R134a Low Side Service Coupler**

18190A	
<b>38<sup>99</sup></b>	

**R134a High Side Service Coupler**

18191A	
<b>38<sup>99</sup></b>	

**5 Premium High Vacuum Pump Oil**  
- 1 quart.

13203	
<b>6<sup>99</sup></b>	

**6 InfraRed Refrigerant Leak Detector**  
- Three sensitivity levels down to 0.15 oz./year  
- Automatic recalibration  
- Detection of CFC, HFC, and HCFC blend refrigerants  
- 8-hour lithium ion battery  
- Meets NEW SAE J2791 leak detection standard.

22791	
<b>402<sup>99</sup></b>	

**7 Refrigerant Leak Detector**  
- Heated pentode detects at levels below 0,1 oz/yr  
- 25-year warranty.

TIFZX	
<b>324<sup>99</sup></b>	

**8 TruTrak™ Ultrasonic Leak Detector**  
- Ultra-sensitive leak detector  
- Detects average-sized leaks on pressurized or vacuum systems.

16455	
<b>469<sup>99</sup></b>	

**9 Vinyl Dust Cover**  
- Fits most A/C machines.

17492	
<b>77<sup>99</sup></b>	





**1 Coolant and Battery Refractometer (Fahrenheit)**  
- Scale range: 32° F to -60° F.

75240	
<b>58<sup>99</sup></b>	

**2 Recycling Filter-Driers**

34430	
<b>64<sup>99</sup></b>	

**3 A/C Maintenance Kit**  
- Quick change filter-drier and one 16 ounce bottle of premium high vacuum pump oil.

13172	
<b>73<sup>99</sup></b>	

**4 Heater Blanket**  
- Speeds charging by maintaining a constant temperature  
- Fits 30 and 50 pound refrigerant tanks  
- Thermostat is set at 125°F (55°C)  
- Thermal cut-off switch.

10994	
<b>184<sup>99</sup></b>	

**5 Slimline Electronic Refrigerant Charging Scale**  
- Three display modes  
- Can be used with all refrigerants, CE approved  
- Two year warranty.

TIF9010A	
<b>177<sup>99</sup></b>	

**6 R134a Manifold Hose Kit**  
- Brass manifold  
- Rear R134a and 1/2" ACME fittings for holding hoses, 90° manual couplers and 72" R134a hose set (1/2" ACME x 14mm).

45111	
<b>160<sup>99</sup></b>	

**7 Infrared Thermometer**  
- DS ratio: 10:1. Item TIF7610 **53<sup>99</sup>**  
- DS ratio: 12:1. Item TIF7612 **75<sup>99</sup>**


**8 Coolant Test Strips**  
- 50 strips per bottle  
- Shows coolant freezing point and pH level.

75134	
<b>23<sup>99</sup></b>	

**9 Refrigerant Tank**  
- 30 lb. tank for R-134a. Item 34102 **147<sup>99</sup>**  
- 50 lb. refillable tank, D.O.T. approved. Item 34750 **195<sup>99</sup>**






**1** 2-Ton Ultra Low Profile Long Chassis Magic Lift Service Jack  
25023  
**382<sup>99</sup>**

**2** 3-1/2 Ton Jack  
B6350  
**169<sup>99</sup>**

**3** 22-Ton Hydraulic Truck Jack  
23221C  
**592<sup>99</sup>**

**4** Air Actuated Foot Pump  
- Provides up to 10,000 PSI with standard shop air supply of 90-175 PSI  
- Built-in pressure bypass system  
- Efficiently operates any single-acting rams up to 55 ton capacity  
- Includes 91,5 cubic inch oil reservoir.  
22903  
**310<sup>99</sup>**

**5** Service Jack with Foot Pedal, 3 Tons  
21030  
**222<sup>99</sup>**

**5** Service Jack with Foot Pedal, 3 Tons  
21030  
**222<sup>99</sup>**

**6** 2-Ton Ultra Low Profile Long Chassis Magic Lift Service Jack  
29023  
**382<sup>99</sup>**

**7** 12-Ton Side Pump Bottle Jack  
10125C  
**58<sup>99</sup>**

**8** 20-Ton Side Pump Bottle Jack  
10205C  
**95<sup>99</sup>**

**9** 6-Ton Magic Lift Jack Stands  
32066  
**94<sup>99</sup>**

**10** 12-Ton Magic Lift Jack Stands  
32126  
**164<sup>99</sup>**





**1 2-Ton Low Rider Service Jack**  
 - Equipped with a double pump design for better speed and performance  
 - From 2-3/4" to 20".

962	
<b>332<sup>99</sup></b>	

**2 3-1/2 Ton Double Pumper Heavy-Duty Service Jack**  
 - Same great features as the 965GTO  
 - 4" to 19-1/2".

966HO	
<b>378<sup>99</sup></b>	

**3 3-1/2-Ton Professional Service Jack**  
 - Two-piece padded handle, 50-1/4" long  
 - Paddle saddle protector  
 - 4" to 19-1/2".

965GTO	
<b>352<sup>99</sup></b>	

**4 2-1/2-Ton Service Jack with 3-Ton Vehicle Stands**

952B-SP	
<b>208<sup>99</sup></b>	

**5 5-Ton Air/Hydraulic Heavy-Duty Service Jack**  
 - 6" to 22-1/2".

956	
<b>1083<sup>99</sup></b>	

**6 5-Ton Heavy Duty Service Jack**  
 - Lifts from 6" to 22-1/2"  
 - Automatic safety valve and foot pedal control.

955	
<b>824<sup>99</sup></b>	

**7 10-Ton Air/Hydraulic Heavy-Duty Service Jack**  
 - Safety valve, rear-mounted swivel casters  
 - 7" to 23".

959	
<b>1459<sup>99</sup></b>	

**8 4-Ton Body Repair Kit**  
 - Pump has automatic overload protection  
 - Kit includes: Hydraulic pump, standard ram, plastic case, extension tubes (19-1/2", 16-1/2", 8-1/2", 5"), quick connector, serrated saddle, spreader ram, rubber and hedge heads, ram and spreader plunger toes, rubber faced flat base, 90° V-base and hose.

439	
<b>283<sup>99</sup></b>	

**9 Bottle Jack**  
 - 12 tons, regular, 8-1/2 to 17".

312A	
<b>76<sup>99</sup></b>	

**10 Bottle Jack**  
 - 20 tons, regular, 9-5/8 to 18".

320A	
<b>104<sup>99</sup></b>	

**11 Bottle Jack**  
 - 20 tons, short, 7-3/4 to 14-1/4".

322A	
<b>104<sup>99</sup></b>	

**12 20-Ton Air/Hydraulic Bottle Jack**  
 - Heat treated piston, heavy-duty steel saddle  
 - 10-1/2 to 20".

380C	
<b>342<sup>99</sup></b>	

**13 2-Ton Folding Shop Crane**  
 - Features wide base for excellent stability  
 - Swivel hook on boom for better manoeuvrability  
 - Foldable, space saving design  
 - Telescopic boom provides 4 adjustments.

216	
<b>538<sup>99</sup></b>	



**STRONGARM**

484 / SAR



**1 20-Ton Air/Hydraulic Truck Axle Jack**  
- 9-1/4" to 16-1/4".

728C	
<b>779<sup>99</sup></b>	

**2 2-Ton Tripod Stand**  
- Ideal for exhaust and suspension work; stabilizes vehicles that are raised by in-ground or above-ground lifts.  
- 55" to 85-1/2"  
- Base Dimensions 24" x 24" x 24".

874A	
<b>171<sup>99</sup></b>	

**3 6-Ton Safety Stands**

856A	
<b>82<sup>99</sup></b>	

**4 12-Ton Safety Stand**  
- Heavy-duty stands feature notched saddles to accept unitized body configuration.

872B	
<b>195<sup>99</sup></b>	

**5 2-Ton Heavy-Duty Transmission Jack**  
- Adjustable universal saddle and corner supports  
- Height: 8-1/2" to 34"  
- Base size: 26" L x 43" W  
- Tilt: 15° forward, 30° backward, 12° side.

808A	
<b>1588<sup>99</sup></b>	

**6 1/2-Ton Transmission Jack**  
- Large 360° swivel casters  
- Adjustable saddle with corner brackets and safety chain  
- Low height 53", high height 73"  
- Base dimensions 39" sq.

792B	
<b>352<sup>99</sup></b>	

**7 1/2-Ton Two-Stage Transmission Jack**  
- 33-1/2" to 72-1/2"  
- Single stage telescopic ram, universal head, wide base and automatic safety valve.

814A	
<b>987<sup>99</sup></b>	

**8 20-Ton Heavy-Duty Shop Press**  
- Welded frame, protective guard and gauge  
- Combination V block and pressing adapter set included.

SP20T-SHD	
<b>1232<sup>99</sup></b>	

**9 30-Ton Heavy-Duty Shop Press**  
- Welded frame, protective guard and gauge  
- Combination V block and pressing adapter set included.

SP30T-SHD	
<b>1839<sup>99</sup></b>	

**10 50-Ton Heavy-Duty Shop Press**  
- Welded frame, protective guard and gauge  
- Combination V block and pressing adapter set included.

SP50T-SHD		
36 months <b>100<sup>10</sup></b>	48 months <b>79<sup>97</sup></b>	60 months <b>67<sup>66</sup></b>
STG3172RR		

**11 75-Ton Heavy-Duty Shop Press**  
- Welded frame, protective guard and gauge  
- Combination V block and pressing adapter set included.

SP75T-SHD		
36 months <b>146<sup>08</sup></b>	48 months <b>116<sup>70</sup></b>	60 months <b>98<sup>74</sup></b>
STG4629RT		





**1 Heavy-Duty Bench Grinder**  
- 8" wheel, 3/4 HP, 120V motor.

BG8D	
<b>272<sup>99</sup></b>	

**2 Professional Type Circuit Tester**  
- Bendable cord resists intense shop conditions  
- With insulated clamp and cord protector.

TIC0605	
<b>16<sup>99</sup></b>	

**3 10-Ton Master Hydraulic Puller Kit**  
- In a metal case.

GPHK1	
<b>294<sup>99</sup></b>	

**4 Strap Wrench, 36"**

108-5	
<b>25<sup>99</sup></b>	

**5 High Tension Hacksaw**  
- 12" blade.

HS1	
<b>23<sup>99</sup></b>	

**6 24-1/4" Alignment Bar**

PB1	
<b>26<sup>99</sup></b>	

**7 Premium Adjustable Wrench**

- 12" Item AP12 **29<sup>99</sup>**
- 15" Item AP15 **47<sup>99</sup>**
- 18" Item AP18 **83<sup>99</sup>**
- 24" Item AP24 **146<sup>99</sup>**


**8 21-Piece Fully Polished Metric Combination Wrench Set**  
- "Wall Drive" box end  
- Set includes: 8 to 25 mm, 27 mm, 30 mm and 32 mm wrenches in a vinyl pouch.

CPK21M	
<b>152<sup>99</sup></b>	

**9 26-Piece Raised Panel Metric Combination Wrench Set**  
- Contains: 6 to 32 mm  
- Includes vinyl pouch.

CMK26	
<b>184<sup>99</sup></b>	

**10 16-Piece Fully Polished SAE Combination Wrench Set**  
- "Wall Drive" box end  
- Contains: 1/4" to 1-1/4"

CPK16	
<b>217<sup>99</sup></b>	

**11 16-Piece Raised Panel SAE Combination Wrench Set**  
- 1/4 to 1-1/4".

CRK16	
<b>83<sup>99</sup></b>	

**12 18-Piece Raised Panel Metric Combination Wrench Set**  
- Contains: 7 to 24 mm  
- Includes a vinyl pouch.

CRK18M	
<b>83<sup>99</sup></b>	

**13 14-Piece Combination Wrench Set**  
- SAE, 3/8" to 1-1/4".

CWK14R	
<b>115<sup>99</sup></b>	

**14 8-Piece Jumbo Combination Wrench Set - SAE**  
- 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2".

CWK8	
<b>332<sup>99</sup></b>	





**1 19-Piece 1/2" Drive Metric Socket Set**  
 - Metric sockets – 6 point: 12 to 24 mm.  
 - Quick-release ratchet; 16" flex handle; universal joint; 5" extension; 10" extension.  
 - Includes high impact case.

MSK12619	
<b>156<sup>99</sup></b>	

**4 20-Piece Professional Series 3/8" Drive Socket Set - SAE**  
 - Standard 6-point: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"  
 - Deep 6-point: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16"  
 - Quick-release ratchet, flex handle, universal joint, 3" extension and high impact case.

SK3820	
<b>96<sup>99</sup></b>	

**7 33-Piece 1/2" Drive Professional Quality SAE Socket Set**  
 - Standard 12 point: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4  
 - Deep 12 point sockets: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 11/16", 11/8", 13/16", 11/4"  
 - Quick-release ratchet; universal joint; 5" extension; 10" extension; 16" flex handle  
 - Includes high impact case.

SK1233	
<b>203<sup>99</sup></b>	

**9 57-Piece Professional Series 3/8" Drive Socket Set - SAE/Metric**  
 - Standard 6-point: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8" -- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm  
 - Deep 6-point: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8" -- 8 to 16 mm and more.

SK3857	
<b>153<sup>99</sup></b>	

**2 20-Piece 1/2" Drive SAE Socket Set**  
 - Standard 12 points: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1-15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"  
 - Quick-release ratchet; 16" flex handle; universal joint; 5" extension; 10" extension.  
 - Includes high impact case.

SK1220	
<b>113<sup>99</sup></b>	

**5 21-Piece 3/4" Drive Socket Set**  
 - Standard SAE – 12 points: 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-13/16, 1-7/8, 2"  
 - Quick-release ratchet; 18" sliding T-handle; 4" extension; 8" extension; 16" extension  
 - Includes high impact case  
 - Molded case.

SK3421	
<b>325<sup>99</sup></b>	

**8 33-Piece Professional Series 1/2" Drive Socket Set - SAE**  
 - Standard 6-point: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"  
 - Deep 6-point sockets: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"  
 - Includes quick-release ratchet, universal joint, 5" & 10" extensions, 16" flex handle and high impact case.

SK12633	
<b>203<sup>99</sup></b>	

**3 20-Piece Professional Series 1/2" Drive Socket Set - SAE**  
 - 6-point sockets: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"  
 - Quick-release ratchet, 16" flex handle, universal joint, 5" & 10" extensions and high-impact case.

SK12620	
<b>113<sup>99</sup></b>	

**6 24-Piece 1" Drive SAE Socket Set**  
 - Sockets 1-7/16, 1-1/2, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2, 2-1/8, 2-3/16, 2-1/4, 2-3/8, 2-1/2, 2-5/8, 2-3/4, 2-15/16, 3-1/8"  
 - Ratchet head, 6" extension, 22" bar, T-bar head, universal joint  
 - Includes metal box.

SK124	
<b>925<sup>99</sup></b>	

**10 42-Piece 1/4" Drive SAE/Metric Socket Set**  
 - Regular/deep 6-point sockets: 3/16" to 1/2" and 4mm to 12mm.

SKC1442	
<b>96<sup>99</sup></b>	

**11 90-Piece 1/4", 3/8", & 1/2" Drive Professional Socket Set**

SKC90	
<b>213<sup>99</sup></b>	

**12 205-Piece Professional SAE/Metric Socket Set**  
 - 1/4, 3/8, and 1/2" drives.

SKC205	
<b>360<sup>99</sup></b>	





**1 8-Piece 3/8" Drive Hex Bit Socket Set - SAE**  
 - 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8".

HSK3808	
<b>40<sup>99</sup></b>	

**2 12-Piece Tamper-Proof Torx Bit Socket Set**  
 - T10 to T60 bits, 1/4" and 3/8" drives.

SKT12T	
<b>46<sup>99</sup></b>	

**3 10-Piece 1/2" Drive Hex Bit Socket Set - SAE**  
 - 3/16", 7/32", 1/4", 9/32", 5/16", 3/8", 1/2", 9/16" and 5/8".

HSK1210	
<b>66<sup>99</sup></b>	

**4 10-Piece SAE Long Hex Drive Socket Set**  
 - 3/16" to 5/8" bits, 1/2" drive.

HSK1210L	
<b>88<sup>99</sup></b>	

**5 10-Piece Metric Long Hex Drive Socket Set**  
 - 5 to 17mm bits, 1/2" drive.

MHSK1210L	
<b>104<sup>99</sup></b>	

**6 10-Piece 3/4" Drive Deep Impact Socket Set - Metric**  
 - 6 point sockets: 27, 29, 30, 33, 35, 36, 38 and 41 mm  
 - Metal box.

PMDK3410	
<b>238<sup>99</sup></b>	

**7 12-Piece 1/2" Drive SAE Deep Impact Socket Set**  
 - Contains 6-point impact sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1".  
 - Includes case.

PSDK1212	
<b>95<sup>99</sup></b>	

**8 17-Piece 3/4" Drive Impact Socket Set**  
 - 7/8 to 2".

PSK3417	
<b>295<sup>99</sup></b>	

**9 9-Piece 3/4" Drive SAE Deep Impact Socket Set**  
 - 6-point sockets 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-3/8, 1-7/16 and 1-1/2"  
 - Includes a steel case.

PSDK3409	
<b>162<sup>99</sup></b>	

**10 28-Piece 1" Drive SAE Impact Socket Set**  
 - 6 point sockets, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-1/2, 1-5/8, 1-3/4, 17/8, 2, 2-1/8, 2-1/4, 2-3/8, 2-1/2, 2-9/16, 2-5/8, 2-3/4, 2-7/8, 3, 3-1/8, 3-1/4, 3-1/2".  
 - Metal box.

PSK128	
<b>989<sup>99</sup></b>	

**11 17-Piece 1/2" Drive SAE Deep Impact Socket Set**  
 - 6-point sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4 and 1-5/16"  
 - High impact case.

PSDK1217	
<b>173<sup>99</sup></b>	

**12 18-Piece 1/2" Drive Standard Metric Impact Socket Set**  
 - 9 to 26mm

PMK1218	
<b>108<sup>99</sup></b>	

**13 18-Piece 1/2" Drive Impact Socket Set - Metric**  
 - 9 to 26mm

PMDK1218	
<b>170<sup>99</sup></b>	

**14 17-Piece 1/2" Drive SAE Regular Impact Socket Set**  
 - 6-point sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4 and 1-5/16"  
 - High impact case.

PSK1217	
<b>95<sup>99</sup></b>	





<p><b>1 Quick Release Ratchets</b>                  - 9.75", 1/2" drive. Item SA12A <b>47<sup>99</sup></b>                  - 15", 1/2" drive. Item SA12AL <b>62<sup>99</sup></b>                  - 8", 3/8" drive. Item SA38A <b>33<sup>99</sup></b></p>	<p><b>4 Flex Head Ratchet</b>                  - 11-1/2", 3/8" drive.</p> <table border="1"> <tr> <td>SA38AF</td> <td></td> </tr> <tr> <td><b>39<sup>99</sup></b></td> <td></td> </tr> </table>	SA38AF		<b>39<sup>99</sup></b>		<p><b>7 110-Piece Tin Coated Tap and Die Set</b>                  - Alloy steel.</p> <table border="1"> <tr> <td>OK3110T</td> <td></td> </tr> <tr> <td><b>355<sup>99</sup></b></td> <td></td> </tr> </table>	OK3110T		<b>355<sup>99</sup></b>		<p><b>10 20-Piece Torx Socket Set</b></p> <table border="1"> <tr> <td>SKT20</td> <td></td> </tr> <tr> <td><b>87<sup>99</sup></b></td> <td></td> </tr> </table>	SKT20		<b>87<sup>99</sup></b>									
SA38AF																							
<b>39<sup>99</sup></b>																							
OK3110T																							
<b>355<sup>99</sup></b>																							
SKT20																							
<b>87<sup>99</sup></b>																							
<p><b>2 1/4" Drive Ratchet</b></p> <table border="1"> <tr> <td>SA14A</td> <td></td> </tr> <tr> <td><b>25<sup>99</sup></b></td> <td></td> </tr> </table>	SA14A		<b>25<sup>99</sup></b>		<p><b>5 3/4" Drive Flexible Handle</b>                  - 19"</p> <table border="1"> <tr> <td>SAH3419</td> <td></td> </tr> <tr> <td><b>53<sup>99</sup></b></td> <td></td> </tr> </table>	SAH3419		<b>53<sup>99</sup></b>		<p><b>8 25-Piece Punch and Chisel Set</b></p> <table border="1"> <tr> <td>WPC25R</td> <td></td> </tr> <tr> <td><b>92<sup>99</sup></b></td> <td></td> </tr> </table>	WPC25R		<b>92<sup>99</sup></b>		<p><b>11 7-Piece Screw Extractor Set</b>                  - Metric.</p> <table border="1"> <tr> <td>SEK1830</td> <td></td> </tr> <tr> <td><b>52<sup>99</sup></b></td> <td></td> </tr> </table>	SEK1830		<b>52<sup>99</sup></b>					
SA14A																							
<b>25<sup>99</sup></b>																							
SAH3419																							
<b>53<sup>99</sup></b>																							
WPC25R																							
<b>92<sup>99</sup></b>																							
SEK1830																							
<b>52<sup>99</sup></b>																							
<p><b>3 3/4" Drive Heavy-Duty Ratchet, 20"</b></p> <table border="1"> <tr> <td>SA3400</td> <td></td> </tr> <tr> <td><b>110<sup>99</sup></b></td> <td></td> </tr> </table>	SA3400		<b>110<sup>99</sup></b>		<p><b>6 110-Piece Tap and Die Set</b>                  - Alloy steel.</p> <table border="1"> <tr> <td>OK3110</td> <td></td> </tr> <tr> <td><b>342<sup>99</sup></b></td> <td></td> </tr> </table>	OK3110		<b>342<sup>99</sup></b>		<p><b>9 Screwdriver Set, 12 Pieces</b>                  - Comes in blow-molded case.</p> <table border="1"> <tr> <td>SDK12</td> <td></td> </tr> <tr> <td><b>59<sup>99</sup></b></td> <td></td> </tr> </table>	SDK12		<b>59<sup>99</sup></b>		<p><b>12 5-Piece Plier Set</b></p> <table border="1"> <tr> <td>SJK1</td> <td></td> </tr> <tr> <td><b>70<sup>99</sup></b></td> <td></td> </tr> </table> <p><b>13 Pro-Series Screwdriver Set, 10 Pieces</b></p> <table border="1"> <tr> <td>SK10</td> <td></td> </tr> <tr> <td><b>67<sup>99</sup></b></td> <td></td> </tr> </table>	SJK1		<b>70<sup>99</sup></b>		SK10		<b>67<sup>99</sup></b>	
SA3400																							
<b>110<sup>99</sup></b>																							
OK3110																							
<b>342<sup>99</sup></b>																							
SDK12																							
<b>59<sup>99</sup></b>																							
SJK1																							
<b>70<sup>99</sup></b>																							
SK10																							
<b>67<sup>99</sup></b>																							





**1 500-Piece Tool Kit**  
 - Extensive selection of tools for the serious professional  
 - Fully polished combination wrench design grips fasteners on the side  
 - Screwdrivers and pliers with ergonomically designed comfort grip handles  
 - 6-drawer Westward Racing tool chest and 3-drawer roller cabinet.

SKC500			
36 months	48 months	60 months	
<b>83<sup>47</sup></b>	<b>66<sup>68</sup></b>	<b>56<sup>42</sup></b>	
WES2645WX			

**2 205-Piece Tool Kit**

SKC250			
<b>1572<sup>99</sup></b>			

**3 90-Piece Tool Kit and Service Cart**

SKC91			
<b>248<sup>99</sup></b>			

**4 646-Piece Professional Tool Kit**  
 - 18" deep 26" wide tool chest and cabinet with ball bearing drawer slides  
 - Complete selection of SAE and Metric sockets in 1/4", 3/8" and 1/2" drives  
 - Fully polished SAE and Metric wrenches  
 - 110 piece tap and die set  
 - Full selection of pliers including insulated handles  
 - Pro series screwdrivers and hex keys  
 - Punches, chisels, shears and gasket scrapers  
 - Torque wrench, pipe wrench and holesaw kit  
 - Many more specialty tools.

SKC650			
36 months	48 months	60 months	
<b>135<sup>76</sup></b>	<b>108<sup>45</sup></b>	<b>91<sup>76</sup></b>	
WES4302WA			

**5 92-Piece Mechanic's Tool Set**

SKC92			
<b>102<sup>99</sup></b>			

**6 155-Piece Black Chrome Tool Kit**

BKC155	
<b>210<sup>99</sup></b>	

**7 189-Piece Mechanic's Tool Set**

SKC189	
<b>150<sup>99</sup></b>	

**8 155-Piece Mechanic's Tool Kit**  
 - Includes a variety of regular and deep sockets in 6-point design, 1/4", 3/8" and 1/2" drive ratchets and attachments, 12 long length wrenches and hex keys in popular SAE and metric sizes, and screwdriver complete with 44 bits  
 - Handy magnetic tray and heavy-duty storage case  
 - Meets or exceeds CGSB and ANSI standards.

3-155			
<b>140<sup>99</sup></b>			

**9 646-Piece Tool Kit with 42" Cabinet & Chest**  
 - 41.5" heavy-duty roll cabinet with 41.4" tool box.  
 - Ball bearing drawer slides.  
 - Complete selection of SAE and Metric sockets in 1/4", 3/8" and 1/2" drives  
 - Fully polished SAE and Metric wrenches  
 - 110 piece tap and die set  
 - Full selection of pliers including insulated handles  
 - Pro series screwdrivers and hex keys  
 - Punches, chisels, shears and gasket scrapers  
 - Torque wrench, pipe wrench and holesaw kit  
 - Many more specialty tools.

SKC700			
36 months	48 months	60 months	
<b>149<sup>68</sup></b>	<b>119<sup>57</sup></b>	<b>101<sup>17</sup></b>	
WES4743WP			



**TOPRING**  
502 / TRG



**1 Rilsan Nylon Coiled Hose**  
- 1/4" x 25' x 1/4" NPT(M).

11-441	
<b>21<sup>99</sup></b>	

**2 Maxair Poly Air Hose**  
- 1/4" x 25' x 1/4" NPT(M).

14-620	
<b>19<sup>99</sup></b>	

**3 Flexcoil Polyurethane Hose**

- 1/4" x 25' x 1/4" NPT(M). **31<sup>99</sup>**  
Item 17-620  
- 3/8" x 25' x 1/4" (M) NPT. **65<sup>99</sup>**  
Item 17-724


**4 Airflex Rubber Air Hose**

- 3/8" x 25' x 1/4(M) NPT. **28<sup>99</sup>**  
Item 71-315  
- 3/8" x 50' x 1/4(M) NPT. **50<sup>99</sup>**  
Item 71-319  
- 1/2" x 50' x 1/2(M) NPT. **71<sup>99</sup>**  
Item 71-418  
- 1/2" x 50' x 3/8(M)NPT. **70<sup>99</sup>**  
Item 71-419


**5 Thermoflex Air Hose**

- 3/8" x 25' x 1/4" NPT(M). **23<sup>99</sup>**  
Item 72-315  
- 3/8" x 50' x 1/4" NPT(M). **37<sup>99</sup>**  
Item 72-319


**6 Easyflex PVC Air Hose**

- 3/8" x 50' x 1/4(M) NPT, red. **47<sup>99</sup>**  
Item 72-328  
- 3/8" x 25' x 1/4(M) NPT, yellow. **26<sup>99</sup>**  
Item 72-364  
- 3/8" x 50' x 1/4(M) NPT, yellow. **47<sup>99</sup>**  
Item 72-368


**7 Superflex Hose**

- 3/8" x 50' x 1/4(M) NPT. **75<sup>99</sup>**  
Item 75-319  
- 3/4" x 50' x 3/4(M) NPT. **147<sup>99</sup>**  
Item 75-560


**8 Topflex Hose**

- 3/8" x 35' x 1/4(M) NPT. **60<sup>99</sup>**  
Item 77-346  
- 3/8" x 50' x 1/4(M) NPT. **84<sup>99</sup>**  
Item 77-348






**1 Genisys® 2012 Super Bundle Productivity Kit**  
 - USA 2012 Domestic/Asian with ABS, European 2011 and Code-Assist experienced-based confirmed fixes from Identifix  
 - Also included: System 5.0 software with pre-loaded high speed commercial grade 4 GB memory card for fast installation.

3421-141	
<b>870<sup>99</sup></b>	

**2 Genisys® 2012 Software Loyalty Kit**  
 - For System 4.0 or newer software  
 - Includes most vehicle coverage ever released at a value price — USA 2012 Domestic/Asian with ABS, European 2011 with Code-Assist and Repair-Trac experienced-based confirmed fixes from Identifix.

3421-145	
<b>678<sup>99</sup></b>	

**3 Genisys® Heavy-Duty Software and Cable Kit**  
 - Class 4 to Class 8 truck coverage  
 - HD J1587 / J1708 and J1939 CAN, engine, transmission/ABS coverage  
 - Live vehicle data includes engine parameters, voltage and air temperature  
 - View and clear diagnostic trouble codes.

3421-79	
<b>722<sup>99</sup></b>	

**4 Tire Pressure Monitor Tool Kit for Genisys®**  
 - Universal kit includes TPR handheld DB25 wireless adapter, carry case, registration card and Genisys interface.

3834	
<b>507<sup>99</sup></b>	

**5 Deluxe Genisys® 'Touch' Diagnostic Platform Kit**  
 - Features Automated System Test™, All System DTC Scan™, Embedded Training Videos, AutoDetect™ software and Software Wi-Fi updates  
 - Use with OTC J2534 communication device included, or pair up with the optional PC-based 2-Channel Tech-Scope® or TPR Tool via long-range Class 1 Bluetooth®  
 - Includes all makes coverage kit, all required OEM adapters from 1996 to 2012, ruggedized 10" high resolution display tablet, J2534-1 / -2 compliant Vehicle Communications Interface (VCI), OBD II cable & USB cable, 12V power cable, AC power supply and carrying case.

3895		
<b>36 months 110<sup>45</sup></b>	<b>48 months 88<sup>24</sup></b>	<b>60 months 74<sup>66</sup></b>
OTC3500TR		

**6 Genisys® OBD II Smart Cable**  
 - The new OBD II Smart Cable has the combined power of over 50 System Smart Inserts and is essentially "plug and play"  
 - Eliminates the need for many current and future System Smart Inserts  
 - Provides improved test capability and accuracy, resulting in faster diagnosis for higher technician productivity.

3421-88	
<b>386<sup>99</sup></b>	

**7 Genisys EVO® USA 2011 Kit**  
 - Includes the NEW Genisys EVO featuring System 5E0 with Code-Assist™ experienced-based Confirmed Fixes™ from Identifix™, NEW USA 2011 Domestic / Asian with ABS software including Pathfinder, Repair-Trac™, Fast Fixes™ information, BONUS USA 2010 European software, InfoTech Component Information software, Automated System Test™, OBD II Smart Cable, manuals, Smart Cards, and carrying case.

3875C	
<b>1842<sup>99</sup></b>	

**8 Genisys® Scope Module with InfoTech Driveability Software Kit**

3688	
<b>1578<sup>99</sup></b>	

**9 Genisys EVO® USA 2011 Deluxe with Heavy-Duty Standard Kit**  
 - Class 4 – Class 8 truck coverage  
 - HD J1587 / J1708 and J1939 CAN, Engine, Transmission/ABS coverage and more!  
 - Live vehicle data  
 - Includes 9-pin Deutsch cable, 6-pin Deutsch cable, one system smart insert, one heavy-duty Smart Card and PC software CD.

3874HD		
<b>36 months 97<sup>87</sup></b>	<b>48 months 78<sup>21</sup></b>	<b>60 months 66<sup>17</sup></b>
OTC3102TA		

**10 Genisys EVO® USA 2011 Kit w/Domestic & ABS/Air Bag Cables**

3874		
<b>36 months 89<sup>66</sup></b>	<b>48 months 75<sup>59</sup></b>	<b>60 months 67<sup>48</sup></b>
OTC2417TD		

**11 Genisys EVO® USA 2011 Kit with Tire Pressure Reset Tool**  
 - Includes System 5.0 with Code-Assist™, OBD II Smart Cable, Automated System Test™, 2011 Domestic/Asian with ABS and European 2010 software including Pathfinder, Repair-Trac™, Fast Fixes™, InfoTech component information software, USA domestic and ABS/airbag OEM vehicle cables, carrying case and tire pressure reset tool.

3874TPR		
<b>36 months 86<sup>15</sup></b>	<b>48 months 68<sup>82</sup></b>	<b>60 months 58<sup>23</sup></b>
OTC2730TF		





**1 TPR Tool with EZ-Sensor™ Programming**  
 - Fast and simple programming without scan tool  
 - No relearn procedures when replacing sensors  
 - Replaces over 90% of current TPMS sensors  
 - Includes: TPR handheld, DB25 wireless adapter, EZ-sensor Proximity boot, EZ-sensor Software, carry case, registration card, user manual for TPR and Genisys® interface.

3834EZ	
<b>781<sup>99</sup></b>	

**2 EZ-Sensor™ Update Kit**  
 - For existing TPR owners.  
 - Includes EZ-Sensor Proximity boot, software, USB cable and user manual.

3834EZ-01	
<b>253<sup>99</sup></b>	

**3 Pegisys®**  
 - Air bridge wireless connectivity, at the fender diagnostics, SpeedScroll control, touch screen, high-speed scope, multimedia, provides 28 years of vehicle coverage and so much more.

3825J	<b>Special Order</b>	
36 months	48 months	60 months
<b>194<sup>89</sup></b>	<b>154<sup>85</sup></b>	<b>131<sup>49</sup></b>

**4 Ready Scan™ Readiness Monitor**  
 - Designed as a post-repair diagnostic tool that informs the driver performing the drive cycle under normal driving conditions when the readiness monitors have been reset to a Ready position.

3358	
<b>143<sup>99</sup></b>	

**5 Autoboss V30 European Scanner, Without Printer**  
 - OE level coverage for European, Asian and some USA domestic cars  
 - DTC's, Datastream and service reset, actuations, adaptations & controller coding  
 - Frequent internet based software updates with 1 year free.

3100DLXC	
<b>1301<sup>99</sup></b>	

**6 Heavy-Duty Code Reader**  
 - The perfect tool for technicians that need a fast "Toolbox Tool" to read and clear heavy-duty DTC's, heavy-duty shops that need a second tool in the shop and for their mobile repair trucks, or aftermarket general repair shops that are looking for a cost effective solution for Heavy-Duty Standard coverage.  
 - Includes HD reader tool, 6 and 9-pin Deutsch cable, operation manual and soft nylon carrying case  
 - 3-year warranty.

3418	
<b>506<sup>99</sup></b>	

**7 Trilingual Scan Tool OBD II, CAN, ABS & Airbag**  
 - CodeConnect top reported fixes  
 - Record and playback LIVE engine data  
 - Display LIVE real time data  
 - Compatible with all 1996 and newer cars and light trucks  
 - OBD II & CAN (Domestic, Asian, European)  
 - 2010 MY coverage for HD, Hybrid and Diesel vehicles  
 - Acronym library  
 - Custom data list for LIVE data  
 - Dual graphing - Graph two PIDs at the same time for comparison  
 - Displays all modes of global OBD II data and enhanced code definitions.

3111PRO	
<b>293<sup>99</sup></b>	

**8 OBD II & CAN Scan Tool**  
 - Live, real time engine data  
 - On-screen code definitions  
 - Provides VIN# and freeze frame data and automatically reads DTCs.

3108N	
<b>55<sup>99</sup></b>	

**9 Trilingual OBD II/EODB & CAN Scan Tool**  
 - AutoIDTM - 2000 and newer vehicles  
 - Component Locator  
 - Additional PIDs for freeze frame and View Data  
 - All I/M Monitors (emissions)  
 - Graph live data and LIVE sensor data  
 - Acronym library  
 - Meets new 2010+ requirements (15 monitors, HD, Diesel, Hybrid Coverage)  
 - OBD II information available  
 - Generic and enhanced definitions  
 - MIL status  
 - Erases diagnostic trouble codes  
 - Read and display I/M monitors (emissions)  
 - Pending and permanent DTCs  
 - VIN number, CVN and Cal ID  
 - Displays State OBD check / OBD II Drive Cycle Mode / O2 Monitor Test  
 - Diagnostic Monitor Test  
 - On Board Systems.

3109N	
<b>118<sup>99</sup></b>	

**10 MinuteMan Plus Multi Purpose Electrical System Tester**  
 - Tests batteries, alternators, regulators, and starters  
 - Direct-from-battery tachometer feature gives RPM readings without complicated hookups to ignition system  
 - Evaluates discharged or charged batteries in one minute  
 - Has its own internal battery; no external power source needed  
 - Cart and shelves included.

3131AGM		
36 months	48 months	60 months
<b>87<sup>73</sup></b>	<b>73<sup>96</sup></b>	<b>66<sup>03</sup></b>



OTC

001 / OTC



- 1 Pro Master Fuel Injection Service Kit**  
 - Kit includes pressure gauge, 47 adapters with quick-connect Schrader valve, 1997-2008 fuel injection service application manual and replacement seal kit.

6550PRO

**447<sup>99</sup>**

- 2 Digital Battery Tester**  
 - Tests 12V batteries (125-1400 CCAs)  
 - Includes a live voltmeter for easy starting/charging system testing, bright, 4 digit LED display for good/bad status, voltage, and available CCAs  
 - Fast, accurate, reliable, even compensates for cold temperatures!

3183

**165<sup>99</sup>**

- 3 Professional Digital Timing Light**  
 - LED tachometer display reads 0-9999 RPM  
 - Unique flashlight feature  
 - 2/4 cycle and RPM/advance lights  
 - Up and down scroll buttons  
 - All-metal inductive pickup  
 - Removable leads with positive twist lock connector  
 - Heat-resistant over molding on battery clips.

3367

**154<sup>99</sup>**

- 4 Smoke Check 1667 Diesel Emission Tester Regular Unit with 20' Cable and Sensor**  
 - Determine immediately if truck will pass standards and emission programs  
 - Completely portable, no warm-up time needed; perfect for random roadside testing  
 - Partial flowmeter clips inside any smokestack; testing can be performed in any weather.


RM1020CPCL

**Special Order****36 months**  
237<sup>79</sup>**48 months**  
188<sup>93</sup>**60 months**  
160<sup>43</sup>

OTC7805TP

- 5 Master Fuel Injection Kit**  
 - Tests most import and domestic vehicles, and works on asian and european cars  
 - Includes 0-100 PSI fuel pressure gauge and 35 of the popular OTC fuel injection adapters, each equipped with a quick-connect Schrader valve for safety  
 - Replacement seal kit also included.

6550

**347<sup>99</sup>**

- 6 Heavy-Duty Power Steering Pump Analyzer**

5079

**751<sup>99</sup>**

- 7 Antizap Auto Surge Protector**  
 - Prevents damage to sensitive electronic systems and other key vehicle components.

3386

**109<sup>99</sup>**

- 8 Pro Inject-R Kleen**  
 - Thoroughly cleans injectors to restore spray pattern, prevent recurring deposits, and reduce intake valve and port deposits. Safe around catalytic converters and O2 sensors (does NOT go in gas tank).

7000A

**94<sup>99</sup>**

- 9 2-Channel Automotive Scope**  
 - Glitch snare captures, displays, and saves abnormal signal patterns  
 - Preset tests for majority of sensors, actuators, and systems  
 - Built-in reference information  
 - Secondary ignition function  
 - Diesel function  
 - USB interface  
 - Includes: test leads, ground lead, 3- and 5-way alligator clips, various probes, update cable/software, soft carrying case, and user manual.

3840F

**1279<sup>99</sup>**

- 10 Phototach, W/ Spaceman Radi**  
 - The phototach is equipped with a laser pointer for accurate targeting  
 - Reflective tape placed on a revolving object can be measured at distances from 2" to 12"  
 - 2.5 to 99,999RPM with a large 5 digit display, auto ranging, min/max memory storage  
 - Non-contact design results in no torque for true precision.

3660

**114<sup>99</sup>**

- 11 Leak Tamer™ Plus EVAP**  
 - Evaporate emission system tester to diagnose vehicle EVAP system leaks  
 - Can also locate vacuum and exhaust leaks.

6522

**1040<sup>99</sup>**

- 12 Fuel Injector Canister-Type Cleaner**

7448

**154<sup>99</sup>**





**1 Low Profile Transfer Tanker**  
 - Only 7-1/2" from floor to top of reservoir  
 - Comes equipped with an electric pump and a 15-gallon tank.

5077  
**686<sup>99</sup>**

**2 Heavy-Duty U-Joint Puller**  
 - Quickly and easily removes sealed u-joint cups without the need for hammering or heat  
 - Will not damage the driveshaft, yoke, bearing cups or joints.

5190  
**285<sup>99</sup>**

**3 ISO Bubble Flaring Tool Kit**  
 - Designed for crack-free bubble flares on soft steel tubing used in automotive brake systems.

4504  
**31<sup>99</sup>**

**4 Double Flaring Tool Kit**  
 - Designed for double or single flaring copper, aluminium, soft steel, brake lines and brass tubing.

4503  
**31<sup>99</sup>**

**5 Amp Clamp / Multimeter**  
 - Suited for testing starting/charging circuit  
 - Provides easy access to current, voltage and other key automotive measurements  
 - AC/DC voltage 600 V AC/DC Current 1000A.

3908  
**143<sup>99</sup>**

**6 Ball Joint Super Set**  
 - Combining the most popular sets in one!

6530  
**409<sup>99</sup>**

**7 StrutTamer™ Extreme Spring Compressor**  
 - Simply the most effective compressor for virtually any straight, conical, or offset spring  
 - Four-point locking jaws, open-ended design, adjustable arms (in and out 2-1/2" to 10" in diameter, up and down 2-1/2" to 24" vertical stroke  
 - Stand included.

6592  
**867<sup>99</sup>**

**8 Chrysler, Volkswagen Dip Stick**  
 - Designed for Chrysler, Dodge, Jeep® and Volkswagen vehicles with NAG1, 42RLE, continuously variable transmissions (CVT) and 62TE transaxles.

MLR-9336A  
**78<sup>99</sup>**

**9 StrutTamer™ Extreme**  
 - Extreme-duty to handle the heavier springs found on mid and some full-size truck strut assemblies  
 - Open-ended design, adjustable arms  
 - Easy to transport when mounted on optional stand (No. 6592 – StrutTamer Extreme with stand; No. 6582 – stand only)  
 - Comes with No. 6583 bridge accessory for springs that cannot be compressed enough to remove the retaining nut.

6591  
**795<sup>99</sup>**

**10 Ball Joint Master Service Kit**  
 - Complete coverage of car and truck/van/SUV applications, with 70+ adapters, c-frame and application guide.

6559  
**812<sup>99</sup>**

**11 Truck/Van/SUV Ball Joint Master Kit, 55 Pieces**  
 - The most comprehensive and complete kit available on the market  
 - Covers press-in ball joints on numerous trucks, vans and SUVs.

6539  
**708<sup>99</sup>**

**12 Ball Joint Service Kit**  
 - Removes and installs press-fit parts such as ball joints, universal joints, and truck brake anchor pins  
 - Contains: 3 receiver tubes, installing cup, receiving cup, installing adapter.

7249  
**146<sup>99</sup>**

**13 Hub Grappler™ Kit**  
 - Services wheel hubs and bearings on the vehicle without removing the steering components or knuckle  
 - Eliminates unnecessary alignments or the use of a shop press, cutting service time dramatically.

6575  
**558<sup>99</sup>**





- 1 Inline Spark Tester**  
- Quickly diagnose problems with all ignition systems. One straight boot and a 90° boot. With the engine running, the tool flashes a mirror image of ignition spark.

20610	
<b>11<sup>99</sup></b>	

- 2 Plastic Fastener Remover**  
- Removes various types of plastic fasteners (weather stripping, radiator shrouds, fender linings, air dams and other plastic or rubber parts)  
- Equipped with a sliding urethane button for extra leverage.

35260	
<b>9<sup>99</sup></b>	

- 3 Automatic Center Punch**  
- Automatic action fires to create a dimple, no hammer needed  
- Works on metal, plastic, wood and other materials  
- Length 5-1/2".

30280	
<b>13<sup>99</sup></b>	

- 4 Handy Packer® Bearing Packer**  
- Bearings up to 3-1/2" O.D. Can be used in a vise.

34550	
<b>21<sup>99</sup></b>	

- 5 Wheel Stud Installer**  
- Use with a ratchet or impact wrench to pull the new stud securely in place  
- Works on most all automotive and light-duty truck wheel studs, foreign and domestic  
- NOTE: The bearing will wear with use and is not warranted.

22800	
<b>27<sup>99</sup></b>	

- 6 Window Belt Molding Tool**  
- Quickly removes the belt molding without damage to the window or the molding  
- Fits most domestic and import vehicles.

35150	
<b>12<sup>99</sup></b>	

- 7 Speedy Brake Pad Spreader**  
- Compresses brake pistons in seconds.

24300	
<b>36<sup>99</sup></b>	

- 8 Dual Piston Caliper Compressor**  
- Compresses both pistons simultaneously.

25750	
<b>44<sup>99</sup></b>	

- 9 4-Piece 12-Point Bit Set**  
- Triple Square bits to fit 6, 8, 10 and 12mm sizes; all on 1/2" hex drives  
- Fits some head bolts, retaining bolts, disc brake calipers and other applications.

60750	
<b>12<sup>99</sup></b>	

- 10 8-Piece Tap Socket Set**  
- For use where a T-handle won't fit  
- Set of 8 sockets fits all number and fractional M.C.T.I. standard taps thru 1/2"; also fits 1/8" NPT taps and metric taps thru 12mm manufactured to M.C.T.I. standards.

70500	
<b>34<sup>99</sup></b>	

- 11 9-Piece Master Triple Square Set**  
- For head bolts, brake caliper bolts, door handle screws, axle bolts and other applications  
- 4 and 5mm bits have 5/16" hex drive  
- 6, 8, 10 and 12mm bits have 1/2" hex drive  
- 14 and 16mm bits have 5/8" hex drive  
- 18mm bit has 3/4" hex drive.

60850	
<b>36<sup>99</sup></b>	





- 1 Pickle Fork Kit**  
 - For separating ball joints, tie rods, Pitman Arms and other uses  
 - Includes: 3 forks and 2 handles; one for hammering, the other for use with an air hammer (.401" shank).

41500	
<b>49<sup>99</sup></b>	

- 2 Main Fuel Line Disconnect for Toyota and Nissan**  
 - Hinged and tapered end for quick and easy insertion into fuel line quick connector  
 - Works on Toyota Echo, Scion xB, xA, TC, Solara, Corolla, Sequoia, Celica, RAV 4, Prius, Camry, MR2, Matrix, Tundra and Highlander, as well as 2004 and newer Nissan models with a 5/16" fuel rail.

39210	
<b>16<sup>99</sup></b>	

- 3 Heater Hose Coupler Remover**  
 - Removes broken heater hose couplers  
 - Turn it out with a 5/8" socket or wrench.

62200	
<b>7<sup>99</sup></b>	

- 4 Master Disconnect Set**  
 - Contains 8 popular disconnect tools for A/C & fuel lines.

39900	
<b>54<sup>99</sup></b>	

- 5 Air Conditioning / Fuel Line Disconnect Tool Set**  
 - Disconnects the spring lock couplings on Ford and Chrysler air conditioning lines  
 - Works on fuel line quick connect couplings found on GM, Ford and Chrysler  
 - 5/16" size fits on push lock connectors on Ford radiators and transmission lines  
 - Set includes six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8".

37000	
<b>7<sup>99</sup></b>	

- 6 Ford Transmission Oil Cooling Line Disconnect Set**  
 - 3/8" for '03 - '10 Ford V8 Explorer, '04 and later Ford F150 and Cadillac CS  
 - 1/2" for Ford Super Duty Trucks, F250, F350 and F450.

39960	
<b>7<sup>99</sup></b>	

- 7 Small Cylinder Hone**  
 - For 1-3/4" to 2-3/4" (44.5 - 69.9mm) cylinders  
 - 3-1/2" stones are available in four grits  
 - Comes complete with 16410, 16420 and 16430 medium grit stone sets.

16000	
<b>199<sup>99</sup></b>	

- 8 Deutsch Terminal Tool**  
 - Works on OEM electrical connectors such as Caterpillar, Kenworth, Peterbilt, Freightliner, Mack & more; also used on some Harley Davidson and industrial equipment connectors  
 - Stainless steel slotted tubes.

59600	
<b>24<sup>99</sup></b>	

- 9 Terminal Tool for GM**  
 - For pack-con and weather-pack terminals on GM C3 systems  
 - Tool can also retrieve trouble codes from engine computer on late model GM vehicles.

14900	
<b>13<sup>99</sup></b>	



- 10 Tailpipe Stretcher**  
 - Use with an impact wrench  
 - Collet sets expand pipes from 1-5/8" to 4-1/4".

34400	
<b>115<sup>99</sup></b>	

- 11 Tire / Tube Test Tank**  
 - Reinforced ribs for extra support  
 - Handles passenger tire sizes to wide oval and light duty truck tires. ID: 31" x 12" x 12".

19822	
<b>51<sup>99</sup></b>	





**1 EFI Pressure Tester**

3386	
<b>108<sup>99</sup></b>	

**2 Brake Spring Pliers**

298	
<b>18<sup>99</sup></b>	

**3 Compression Tester**

2428	
<b>33<sup>99</sup></b>	

**4 Universal Vacuum Sensor Puller**

3259	
<b>18<sup>99</sup></b>	

**5 Pivoting Radiator Hose Pliers**

145	
<b>18<sup>99</sup></b>	

**6 Wheel Weight Pliers**

3358	
<b>31<sup>99</sup></b>	

**7 Large Convertible Internal/External Snap Ring Plier**

3151	
<b>27<sup>99</sup></b>	

**8 Deluxe Wire Stripper**  
- Includes a pliers-type nose, crimper, wire cutter, stripper and bolt cutter.

2162	
<b>17<sup>99</sup></b>	

**9 MacPherson Strut Spring Compressor**  
- Maximum capacity: 6" OD  
- Wire diameter: 5/8".

3387	
<b>58<sup>99</sup></b>	

**10 Deluxe Feeler Gauge**  
- Gauge measures clearances from 0.0015 to 0.035" (0.038 to 0.889mm)  
- It also includes one 0.010" brass blade to use with electronic ignitions.

161	
<b>7<sup>99</sup></b>	

**11 Harmonic Balancer Puller**

2286	
<b>21<sup>99</sup></b>	

**12 Disc Brake Piston Tool**

3163	
<b>8<sup>99</sup></b>	

**13 Pitman Arm Puller**  
- Universal puller adapts to the majority of cars and light trucks.

2289	
<b>27<sup>99</sup></b>	

**14 Pulley Puller**  
- Remove pressed-on alternator and power steering pulleys on late-model GM, Ford and Chrysler engines (will not work on 3.3-L and 3.5-L Chrysler engines).

2897	
<b>59<sup>99</sup></b>	





**1 Hand Bearing Packer**

2775	
<b>24<sup>99</sup></b>	

**3 Nylon Strap Oil Filter Wrench**

- Up to 6" (152mm) diameter  
- Use with 1/2" square drive tools.

3149	
<b>7<sup>99</sup></b>	

**5 Swivoil™ Filter Wrench**

- 2-1/2" to 3"

3324	
<b>7<sup>99</sup></b>	

**8 Universal 3-Jaw Oil Filter Wrench**

- 2-1/2 to 3-3/4", 3/8" square drive.

3288	
<b>12<sup>99</sup></b>	

**2 Engine Cylinder Hone**

2833	
<b>24<sup>99</sup></b>	

**4 65mm Toyota End Cap Oil Filter Wrench**

3253	
<b>6<sup>99</sup></b>	

**6 Swivoil™ Filter Wrench**

- 3-1/2 to 3-7/8"

3082	
<b>7<sup>99</sup></b>	

**7 Fuel Line Quick Disconnect**

3321	
<b>15<sup>99</sup></b>	

**9 10-Piece Fractional GearWrench Standard & Stubby Combination Set**

- SAE combination set  
- Stubby: 3/8", 7/16", 1/2", 9/16", 5/8"  
- Standard: 3/8", 7/16", 1/2", 9/16", 5/8"

9420P	
<b>43<sup>99</sup></b>	



**1 Booster Clamps**  
- 400 amps

400PN	
<b>16<sup>99</sup></b>	

**2 Super Heavy-Duty Booster Clamps**

- 600 amps, 0.062" solid copper wires.  
Item 600PN **30<sup>99</sup>**  
  
- 800 amps, 0.083" solid copper wires.  
Item 800PN **38<sup>99</sup>**

--	--

**3 Booster**

- Delivers up to 600 A in 12 V mode  
- Two sets of 35' cables  
- Instant power at the push of a button  
- Operates on 12 and 24 volts direct.

747		
36 months <b>149<sup>55</sup></b>	48 months <b>119<sup>47</sup></b>	60 months <b>101<sup>88</sup></b>

RED4739RX

**4 Revolt® Charger/Booster**

- Delivers up to 300 A in 12 V mode (35' boosting cables)  
- Instant power at the push of a button  
- Two-mode operation 12 & 24 V direct.

SP74		
36 months <b>80<sup>54</sup></b>	48 months <b>64<sup>34</sup></b>	60 months <b>54<sup>43</sup></b>


RED2552RV






**1 Super Heavy-Duty Cabinet**

- 12 drawers on ballbearing slides, blue  
- 53-1/2" x 24-1/2" x 43".  
Item SRB-5412BU **1819<sup>99</sup>**
- 12 drawers on ballbearing slides, red  
- 53-1/2" x 24-1/2" x 43".  
Item SRB-5412RD **1819<sup>99</sup>**
- 21 drawers on ballbearing slides, blue  
- 72-7/8" x 24-1/2" x 34-7/8".  
Item SRB-7321BU **2908<sup>99</sup>**



**2 General Utility Toolbox**

- 16" x 6" x 6-1/2"  
Item HBB-1600RD **18<sup>99</sup>**
- 19" x 6" x 6-1/2"  
Item HBB-1900RD **18<sup>99</sup>**
- 20" x 7" x 8"  
Item HBB-2100RD **32<sup>99</sup>**
- 26" x 8-3/4" x 9"  
Item HBB-2600RD **44<sup>99</sup>**
- 20" x 7" x 8"  
Item HBH-2000RD **28<sup>99</sup>**



**3 Classic Series Mechanic's Tool Chest**


- 10 drawers, red  
- 26" x 17-7/8" x 20-1/2".

CFT-2710RD  
**285<sup>99</sup>**



**4 Classic Series Roller Cabinet**


- 5 drawers, red  
- 27" x 18-3/4" x 35-5/8".  
Item CFB-2705RD **290<sup>99</sup>**
- 11 drawers, red  
- 27" x 18-3/4" x 42-3/8".  
Item CFB-2711RD **400<sup>99</sup>**



**5 Roller Cabinet, Pro Series**

- 8 drawers on ballbearing slides, red  
- 27" x 18-3/4" x 42-3/8".

PRB-4213RD  
**1064<sup>99</sup>**



**6 Roller Cabinet, Value Series**

- 11 drawers, black  
- 41-1/2" x 18" x 39-7/8".  
Item VRB-4211BK **587<sup>99</sup>**
- 11 drawers, red  
- 41-1/2" x 18" x 39-7/8".  
Item VRB-4211RD **587<sup>99</sup>**
- 10 drawers, blue  
- 56-1/2" x 24" x 39-1/2".  
Item VRB5610BK **880<sup>99</sup>**
- 10 drawers, blue  
- 56-1/2" x 24" x 39-1/2".  
Item VRB5610BU **880<sup>99</sup>**
- 10 drawers, red  
- 56-1/2" x 24" x 39-1/2".  
Item VRB-5610RD **880<sup>99</sup>**
- 15 drawers, black  
- 75-1/4" x 24-1/2" x 39-1/2".  
Item VRB-7515BK **1451<sup>99</sup>**
- 15 drawers, red  
- 75-1/4" x 24-1/2" x 39-1/2".  
Item VRB-7515RD **1451<sup>99</sup>**







**1 Two-Person Full Face Opti-Fit Supplied Air System**

3800-30	
<b>860<sup>99</sup></b>	

**3 NSX Safety Glasses - Clear Lens**

5340	
<b>3<sup>99</sup></b>	

**2 Portable Eyewash Station**  
- Protect employees, required by law  
- Unit measures 25-1/2" x 20" x 9 1/2"

5135	
<b>257<sup>99</sup></b>	

**4 Thickster Latex Gloves**

Item 6602 - Medium  
Item 6603 - Large  
Item 6604 - XLarge  
Item 6605 -XXLarge

<b>17<sup>99</sup></b>	
------------------------	--

**5 Derma-Lite 5 mil Nitrile Gloves**

Item 6606 - Small  
Item 6607 - Medium  
Item 6608 - Large  
Item 6609 - XLarge

<b>13<sup>99</sup></b>	
------------------------	--

**6 Raven Nitrile Gloves, Black**

Item 66516 - Medium  
Item 66517 - Large  
Item 66518 - XLarge  
Item 66519 -XXLarge

<b>15<sup>99</sup></b>	
------------------------	--





342 / MXW

**1 FastFit® Gloves**

- Clarino synthetic leather palm, Lycra panels between the fingers, two-way stretch Spandex padded back and taller cuff
- Machine washable.

Item MFF-05-009 Black, Medium (9)  
 Item MFF-05-010 Black, Large (10)  
 Item MFF-05-011 Black, XLarge (11)

**12<sup>99</sup>****2 Women's Original Gloves, Pink, Medium**

MG-72-520

**16<sup>99</sup>****3 Original® Gloves**

- Best multi-purpose glove, providing superior fit, control and protection
- Machine washable.
- Worn by the best pit crews at Nascar Racing!

Item MG-03-009 Blue, Medium (9)  
 Item MG-03-010 Blue, Large (10)  
 Item MG-03-011 Blue, XLarge (11)  
 Item MG-03-012 Blue, XX Large (12)

Item MG-05-009 Black, Medium (9)  
 Item MG-05-010 Black, Large (10)  
 Item MG-05-011 Black, XLarge (11)  
 Item MG-05-012 Black, XX Large (12)

**16<sup>99</sup>****4 M-Pact® 2 Gloves, Black**

- Double-layer synthetic leather palm padded top layer to lessen hand fatigue and reduce vibration
- High density padded knuckles to blunt impact
- Reinforced thumb and finger tips
- Machine washable.

Item MP2-05-009 Black, Medium  
 Item MP2-05-010 Black, Large  
 Item MP2-05-011 Black, XLarge

**27<sup>99</sup>****5 M-Pact® High-Dexterity Gloves**

- Honeycomb exoskeleton integrated with rubber knuckle ribbing for top-of-hand protection, 2-stage palm of thinner 0.5mm dimpled Clarino Septon in the fingers and dual-layer EVA foam palm panels for impact protection.

Item MPT-58-009 Black/Grey, Medium  
 Item MPT-58-010 Black/Grey, Large  
 Item MPT-58-011 Black/Grey, XLarge

**23<sup>99</sup>**



# INDEX

	PAGES		PAGES
American Tool	19-20	Ken-Tool	23
Associated	2-3	King Canada	30-31
ATEQ	29	Launch	32
Bayco	10-11	Lincoln	34-36
BE Pressure	4	Lisle	1, 60-61, 66
Bernzomatic	6	Mechanix Wear	66
Bosch	5	MegaPro	41
Central	7-8	Milton	38-39
Chicago Pneumatic	14-15	OTC	56-59
Cliplight	7-9	Panasonic	37
CPS	13	Primeline	12
CTEK	33	Pro-Tek	42-43
DeVilbiss	16-17	Reid Electric	63
DeWalt	5	Robinair	44-46
DV Systems	18	SAS Safety	65
Equus	21	Shinn-Fu	47
General	22	SPG	64
Helicoil	24	Stewart Warner	66
Hennessy	28	Strongarm	48-49
Ingersoll Rand	24-25	Symtech	33
ITC	26	Topring	55
Jet Equipment	27	U-View	40-41
KD-Tools	62-63	Westward	50-54

We are striving to maintain enough quantities of advertised items to supply the demand. However, if an item is sold out, please accept our apologies. Some items may not be as illustrated. Some part numbers may differ from one region to another, but they represent the same product or an equivalent quality product. Some quantities are limited. We are not responsible for any error or omissions in this document or in any corresponding price list. Freight charges may apply on some items.

All leasing contracts have a 10% buy-back at end of term.

Valid from July 1 to September 30, 2013.  
Prices may change without notice.



**NATIONAL  
LEASING**

*Financing is advantageous  
for everyone.*

*Think about it!*





**14.4-Volt Battery Powered Grease Gun**

- Patented automatic universal follower
- Powerful 1.9 Ampere-hour battery
- One fully charged battery delivers up to 17 cartridges of grease at free flow.

585-B1	
<b>298<sup>99</sup></b>	



**Lever Grease Guns**

- 10,000 PSI, 1 oz/21 strokes, 16 oz capacity
- Includes rigid extension, coupler and loader fitting.
- Item 500

**35<sup>99</sup>**

- 7,500 PSI, 1 oz/30 strokes (high volume mode) 16 oz capacity
- Includes 18" flexible hose and coupler.
- Item 555-E

**47<sup>99</sup>**




**Stretch Belt Remover / Installer**

- Combination tool for most stretch belt applications found on many accessory drive systems
- Unique magnetic faces
- Helps prevent damage to belt or pulley during removal or installation
- Compact, one-piece tool can be used on the front or back side of the pulley.



59370	
<b>18<sup>99</sup></b>	



**Stepped Pickle Fork Kit**

- Step design helps keep tool from bouncing back when separating ball joints, steering dampeners, tie rods, Pitman arms and other applications
- 3 forks and 2 handles.

41400	
<b>56<sup>99</sup></b>	



**Master Inner Tie Rod Tool Set**

- Works on tie rods with inaccessible flats
- 9 crows feet to engage the wrench flats
- Inner tie rod can be removed and installed without removing the rack.

46800	
<b>123<sup>99</sup></b>	



AVAILABLE AT PARTICIPATING STORES

