



TIRE PRODUCTS

CHROME WHEEL NUTS

- Designed and constructed to strict engineering quality standards, and manufactured with high corrosion resistance
- Easy to install
- Available in different quantities and packaging options
- Covers, chrome wheel nut & lock kits available (where applicable)

#	Type	Thread Size	Hex Size
711-101	Acom 2-Pc / Borgne 2 pc	7/16"-20	13/16" po
711-102	Crager SST Mag	7/16"-20	13/16"
711-1028	Acom Nut	M14-2.0	
711-105	Bulge Seat Acorn Cap	7/16"-20	13/16"
711-106	Bulge Seat Open End	7/16"-20	3/4"
711-107	Short Shank mag		7/16"
711-108	Std Mag 2-Pc	7/16"-20	13/16"
711-109	Acom 1-Pc	7/16"-20	13/16"
711-110	Std Mag 1-Pc	7/16"-20	13/16"
711-111	Acom 2-Pc		7/16"
711-112	Et Conical Nut		7/16"
711-121	Acom		7/16"
711-122	Crager SST mag		7/16"
711-126	Bulge seat open end		7/16"
711-127	Short shank mag		7/16"
711-128	Std Mag		7/16"
711-141	Acom 2-Pc	7/16"-20	13/16"
711-148	Std Mag 2-Pc	7/16"-20	13/16"
711-201	Acom 2-Pc	1/2"-20	13/16"
711-202	Crager SST Mag	1/2"-20	13/16"
711-203	Duplex Mag	1/2"-20	7/8"
711-204	Acom 2-Pc Black	1/2"-20	13/16"
711-205	Bulge Seat Acorn Cap	1/2"-20	13/16"
711-206	Bulge Seat Open End	1/2"-20	3/4"
711-207	Short Shank Mag	1/2"-20	13/16"
711-208	Std Mag 2-Pc	1/2"-20	13/16"
711-209	Acom 1-Pc	1/2"-20	13/16"
711-210	Std mag 1-PC		1/2"
711-211	Acom 2-Pc Black	1/2"-20	13/16"
711-212	Et Conical Nut	1/2"-20	13/16"
711-221	Acom	1/2"-20	60 Degree Seat
711-222	Crager SST Mag	1/2"-20	
711-224	Duplex Acorn		1/2"
711-225	Tuner	1/2"-20	
711-226	Bulge Seat Open End	1/2"-20	Spline Drive
711-227	Short Shank Mag	1/2"-20	Mag
711-228	Std Mag	1/2"-20	Lock Set
711-241	Acom	1/2"-20	13/16"
711-245	Tuner	1/2"-20	
711-248	Std Mag	1/2"-20	13/16"





CHROME WHEEL NUTS (CONT'D)

#	Type	Thread Size	Hex Size
711-255	Spline Drive	1/2"-20	
711-301	Acorn 2-Pc	M12-1.50	13/16"
711-302	Crager SST Mag	M12-1.50	13/16"
711-305	Bulge Seat Acorn Cap	M12-1.50	21mm
711-306	Bulge Seat Open End	M12-1.50	3/4"
711-307	Short Shank Mag	M12-1.50	13/16"
711-308	Std Mag 2-Pc	M12-1.50	13/16"
711-309	Acorn 1-Pc	M12-1.50	13/16"
711-310	Std Mag 1-Pc	M12-1.50	13/16"
711-311	Acorn 2-Pc	M12-1.50	
711-312	Et Conical Nut	M12-1.50	13/16"
711-321	Acorn	M12-1.50	
711-322	Crager SST Mag	M12-1.50	
711-325	Tuner	M12-1.50	
711-326	Tuner	M12-1.50	
711-327	Short Shank Mag	M12-1.50	
711-328	Std Mag	M12-1.50	
711-341	Acorn 2-Pc	M12-1.50	13/16"
711-342	Acorn	M12-1.50	3/4"
711-343	Acorn	M12-1.50	
711-344	Acorn	M12-1.50	
711-345	Tuner	M12-1.50	
711-346	Acorn	M12-1.50	3/4"
711-348	Std Mag 2-Pc	M12-1.50	13/16"
711-355	Spline Drive	M12-1.50	
711-401	Acorn 2-Pc	M12-1.25	13/16"
711-402	Crager SST Mag	M12-1.25	13/16"
711-405	Bulge Seat Acorn Cap	M12-1.25	13/16"
711-406	Bulge Seat Open End	M12-1.25	3/4"
711-407	Short Shank Mag	M12-1.25	13/16"
711-408	Std Mag 2-Pc	M12-1.25	13/16"
711-409	Acorn 1-Pc	M12-1.25	13/16"
711-410	Std Mag 1-Pc	M12-1.25	13/16"
711-411	Acorn 2-Pc Black	M12-1.25	13/16"
711-412	Et Conical Nut	M12-1.25	13/16"
711-421	Acorn	M12-1.25	3/4"
711-422	Crager SST Mag	M12-1.25	13/16"
711-425	Tuner	M12-1.25	21mm
711-426	Bulge Seat Open End	M12-1.25	13/16"
711-427	Short Shank Mag	M12-1.25	3/4"
711-445	Tuner	M12-1.25	21mm
711-448	Std Mag 2-Pc	M12-1.25	
711-455	Spline Drive	M12-1.25	13/16"
711-503	Duplex Mag	9/16"-18	7/8"
711-504	Duplex Acorn	9/16"-18	7/8"





TIRE PRODUCTS

CHROME WHEEL NUTS (CONT'D)

#	Type	Thread Size	Hex Size
711-514	Duplex Acorn Extra Long	9/16"-18	7/8"
711-523	Duplex Mag	9/16"-18	21mm
711-524	DUPLIX ACORN	9/16"	
711-542	Acorn	1/2"-20	
711-543	Acorn	1/2"-20	
711-552	Add-On Nut Set Blue	1/2"-20	
711-553	Add-On Nut Set Red	1/2"-20	
711-601	Acorn 2-Pc	M14-1.50	13/16"
711-603	Duplex Mag	M14-1.50	7/8"
711-604	Duplex Acorn	M14-1.50	7/8"
711-605	Bulge Seat Acorn Cap	M14-1.50	13/16"
711-606	Bulge Seat Open End	M14-1.50	3/4"
711-609	Acorn 1-Pc	M14-1.50	13/16"
711-621	Acorn	M14-1.50	3/4"
711-623	Duplex Mag	M14-1.50	13/16"
711-624	Duplex Acorn	M14-1.50	21mm
711-626	Bulge Seat Open End	M14-1.50	13/16"
711-641	Acorn 2-Pc	M14-1.50	21mm
711-705	Bulge Seat Acorn Cap	M12-1.75	13/16"
711-728	Bulge Seat Acorn Cap	M12-1.75	13/16"
711-830	OEM Style	7/16"-20	3/4"
711-831	OEM Style	1/2"-20	
711-832	OEM Style	M12-1.50	19mm
711-833	OEM Style	M12-1.25	3/4"
711-834	OEM Style	M14-1.50	21mm



142
MTM



WHEEL WEIGHTS TN4023

- Lead-free, flexible, and conformable weight used to balance tires
- Corrosion and stain free
- 4 mm thick and 23 mm wide – which you can cut to exact fit !

#.....61405



130
MMM

SNAP-IN VALVES FOR .453 RIM HOLES

- 0.453" diameter rim hole
- Maximum inflation pressure 60 PSI

#	Description	Qty/Box
30-412-50	TR 412 7/8" Effective length	50
30-412-500	TR 412 7/8" Effective length	500
30-413-10	TR 413 1-1/4" Effective length	10
30-413-50	TR 413 1-1/4" Effective length	50
30-413-500	TR 413 1-1/4" Effective length	500
30-414-10	TR 414 1-1/2" Effective length	10
30-414-50	TR 414 1-1/2" Effective length	50
30-414-500	TR 414 1-1/2" Effective length	500
30-418-10	TR 418 2" Effective length	10
30-418-50	TR 418 2" Effective length	50
30-418-500	TR 418 2" Effective length	500
30-423-4	TR 423 2-1/2" Effective length	4
30-423-10	TR 423 2-1/2" Effective length	10
30-423-50	TR 423 2-1/2" Effective length	50
30-423-500	TR 423 2-1/2" Effective length	500
30-415-10	TR 415 1-1/4" Effective length	10
30-415-50	TR 415 1-1/4" Effective length	50
30-415-500	TR 415 1-1/4" Effective length	500
30-425-50	TR 425 2" Effective length	50



808
GAT

CLAMP-IN TUBELESS TIRE VALVES

- Nickel plated metal
- Fits .453" or .625" valve holes
- Maximum inflation pressure is 130 PSI
- Includes 2 rubber grommets
- TR416, 1-1/4"

#	Description
30-463	Unit
30-463-50	50/box



808
GAT



TIRE PRODUCTS

TR600HP HIGH PRESSURE SNAP-IN VALVES

- Rated to 80 PSI
- Fits .453" rim holes
- Not for rims over .205" thick
- Effective length 1.27"

..... 30-600-50



808

GAT



TUBE TYPE PASSENGER VALVES

- Special compound cushion gum base allows bonding of valve to the tube using hot or cold (chemical bond)
- 5/box

#	Description
31-013-5	TR 13, .406 Shank diameter: 1-3/8"
31-015-5	TR 15, .651 Shank diameter: 1-3/8"



808

GAT



TRUCK TUBELESS VALVES

- Designed for use with 9.7cm (.328") rim holes
- Designed specifically for use in aluminum
- TR 545D, 3.5"
- 60° bend

..... 32-547-10



808

GAT



STRAIGHT CLAMP-IN VALVE

- For use in one-piece drop center rims with 5/8" diameter side-mount valve holes

#	Description
32-200-10	TR 500, 2"
32-201-10	TR 570, 3-1/8"
32-202-10	TR 571, 3-3/8"
32-203-10	TR 572, 3-3/4"
32-204-10	TR 573, 4-3/8"
32-205-10	TR 501, 1-1/2"



808

GAT



TUBELESS TRACTOR VALVE

- Removable core housing
- Complete with core housing, valve core, cap, hex nut, and washer and rubber grommet
- TR 618A, 1-7/8" length

..... 34-221-5



808

GAT



FLUID ADAPTER FOR BALLAST

- Screws onto .482"-26 threads of all air/liquid valves
- Bushing to fit .305"-32 valve cap threads of standard tire valves
- Additional bushing to fit .406"-26 threads of old style air liquid valves



808

GAT

..... 34-955





VALVE ADAPTER

- Converts large bore to standard bore
- Uses inner valve threads

..... 37-096



808
GAT



VALVE ADAPTER

..... 37-080



808
GAT



AIR-LIQUID CORE HOUSING

- Screws into air-liquid valves and extensions
- Features O-ring seal
- TR-CH-3

..... 34-963-10



808
GAT



CHROME-PLATED BRASS EXTENSIONS

..... Description

38-314-4 3/4" (4-pack)

38-315-4 1-1/4" (4-pack)



808
GAT



VALVE EXTENSIONS

..... Description

38-324-4 Black Nylon 3/4" Extensions, 4/pack

38-325-4 Black Nylon 1-1/4" Extensions, 4/pack

38-325-50 Black Nylon 1-1/4" Extensions, 50/box

38-326-4 Black Plastic 1-1/2" Extensions, 4/pack



808
GAT



DUAL WHEEL VALVE EXTENSIONS

- These rubber 6.3" flexible extensions provide easy access to inner dual wheels on motor homes and other vehicles with small dual wheels
- Includes clamp to secure hose to wheel
- Installs with simple hand tools in minutes

#	Size (in)	Qty/Box
38-430-10	3-1/16	10
38-432-10	6-1/16	10
38-436-10	5-1/16	10
38-472-10	1-3/8	10
38-474-10	4-7/16	10
38-475-10	1-13/32	10
38-476-10	2-7/32	10
38-400	7	2
38-400-10	7	10



808
GAT



TIRE PRODUCTS

PLASTIC CAPS VC8

#	Qty/ Box
38-505	4
38-505-100	100
38-505-500	500



808
GAT



SCREWDRIVER CAPS VC2

- Fit .305" -32 threads on standard type valves

#	Qty/ Box
38-600-4	4
38-600-100	100



808
GAT



STANDARD VALVE CAPS VC3

#	Qty/ Box
38-772-4	4
38-772-100	100



808
GAT



VALVE CAPS

- Use with compressed air tanks for rapid filling or deflation of air tanks and
- air lines. Maximum pressure 200 PSI. Includes cap and core
- 29/32" length
- 1/8" NPT

#	Qty/ Box
38-900-10	10



808
GAT



VALVE CORES

- These valve cores all have .206"-36 threads and are compatible with existing U.S.A. and E.T.R.T.O. housing standards as well as I.S.O. standards
- General purpose valve use, meets specifications ZZ-V-25 and TR-C-1.

#	Qty/ Box
38-790-4	4
38-790-100	100



808
GAT



VALVE CORES

- Aircraft shock strut and hydraulic accumulator use
- Meets specifications AN-809-1 and MIL -C-5499. 0-2,000 PSI
- 0-165 degree operating temperature
- 100 PSI opening pressure
- 100/box

..... 38-830-100.



808
GAT



TIRE PRODUCTS



AIR TOOL OIL

- 10 weight, non-detergent oil

#	Size
1001-4	4 oz
1001-16	16 oz
1001-32	20 oz



507
MIL



COMPRESSOR OIL

- Working temperature: 20° F to 440° F

#	Size
1002	1 gallon
1002-32	32 oz Flip Top



507
MIL



VALVE CORES

#	Quantity
404	5/bag
404-100	100/box



507
MIL



409

507
MIL



HI-PERFORMANCE TIRE VALVE

- For use with mag, aluminum and chrome wheels
- Clamp-in type
- Fits .453 or .625 valve holes
- Maximum 80 PSI

VALVE CAPS


#	Description	Qty/ Box
434	Nickel Plated, Sealing Washer	50
435	Hex Head, Brass, Chrome Plated	50
436	Dome Type, Brass, Nickel Plated, TRVC3	100
437	Screwdriver Type, Brass, Nickel Plated, TRVC2	100
438	Dome Type, Plastic, Green for Nitrogen filled tires, Thread size: 305-32, TRVC8	100
439	Dome Type, Plastic, Thread size: 305-32, TRVC8	100



507
MIL

PLASTIC EXTENSIONS

#	Length (in)
451	3/4
452	1-1/4
453	1-1/2
454	2



507
MIL

TRUCK VALVE EXTENSIONS

- Nickel plated brass
- Nickel plated long skirt
- Thread sizes: .305-32

#	Length (in)
440	1-3/8
440-1	2-1/4
440-2	3-1/16
440-3	3-11/16
440-4	4-1/8
440-5	5-1/2



507
MIL



TIRE PRODUCTS

TRUCK & BUS CLAMP-IN TUBELESS TIRE VALVES

- Straight clamp-in type valves for 5/8" side hole mounting
- For demountable and non demountable rims

#	Size (in)	Model
481	3-17/32	TR 571
482	1-21/32	TR 501
483	2-5/32	TR 500
484	3-9/32	TR 570
485	3-29/32	TR 572
486	4-17/32	TR 573



507

MIL



507

MIL

TUBELESS AIR-LIQUID® VALVE

- TR-618A
- 2-1/2" length
- Maximum 90 PSI

..... 469



507

MIL

TUBELESS VALVE

- Use in drop center aluminum disc wheels with 5/8" bottom valve hole. (TR 510)

..... 492



OVAL SLOT TUBELESS VALVE

- Ready to use with grommet, washer, valve core, hex nut and screwdriver cap
- For Firestone 16 x 6" KS wheel with oval valve hole
- Maximum 200 PSI



507

MIL

..... 476



TUBELESS TIRE VALVES

- Snap-in type
- Ozone resistant rubber (shiny black)
- Maximum 60 PSI

#	2/card	10/box	50/box	500/box	Length (in)
TR413	S-413	413-10	413-50	413-500	1-1/4
TR414	S-414	414-10	414-50	414-500	1-1/2
TR415	S-415	415-10	415-50	415-500	1-1/4
TR423	S-423	423-10	423-50	423-500	2-1/2
TR418	S-418	418-10	418-50	418-500	2
TR425	S-425	425-10	425-50	425-500	2



507

MIL

CHROME SLEEVE TUBELESS TIRE VALVE

- Fits .453 rim holes
- Replaces TR 413, TR 418

#	Model	Length (in)	10/box	2/Card
413-1	TR 413	1-1/4	413-1	S 413-1



507

MIL




REINFORCED UNITIZED BOOTS

- Right angle cord construction
- Won't dry out or self-cure
- May be used with cement or a spotter
- Not for use on tubeless tires

#	Format	Size (in)	Plies	Qty
13-102	NailHole	3-1/4	2	20
13-103	Small	4-1/2	2	10
13-105	Medium	6	2	10
13-106	Medium-Large	7-3/8	3	10



808
GAT



REINFORCED UNITIZED BOOTS

- Small (4-1/2" x 4-1/2")

13-126



808
GAT



BIAS PLY REPAIR UNITS

- For bias ply tires only
- 4", 10/box

13-253



808
GAT



RADIAL REPAIR UNITS

- For radial tires only


#	Size (in)	Plies	Qty
13-310	2-1/4 x 3	1	20
13-312	2-3/4 x 4-1/2	2	20
13-320	3 x 4-1/2	2	10
13-322	3 x 6-3/4	2	10
13-340	4 x 7-1/4	3	5



808
GAT



808
GAT



UNIVERSAL REPAIR PATCHES

- Square woven fabric
- May be used for radial and bias ply tire
- Use with Cam-Cure® cement 13-230

#	Size (in)	Qty
13-451	2-1/2	30
13-452	3-1/4	20



TIRE PRODUCTS


PATCHES

#	Type	Size (in)	Application	Qty
14-137	Small Round	2-1/4	Radial tires	30
14-139	Medium Round	3-1/4	Radial tires	20
14-140	Large Round	4-1/8	Radial tires	10
14-152	Small Round	1-5/8	Chembond® tube and bias tires	40
14-153	Medium Round	2-1/4	Chembond® tube and bias tires	30
14-154	Large Round	3-1/8	Chembond® tube and bias tires	20
14-159	Large Oval	2-5/8 x 5-3/4	Chembond® tube and bias tires	20
14-403	Round	2-1/8	Where fabric is not required	30
14-404	Round	3-1/8	Where fabric is not required	30



808

GAT



TIRE REPAIR KITS

#	Description
14-130	Patches, .30oz cement and buffer – Tube tires
14-132	Patches, .30oz cement and buffer – Radial tire
13-134	14-400 patches, .30oz cement and thumb buffer



808

GAT



SUPER-GRIP EMERGENCY TIRE REPAIR KIT

- Contains Super-Grip probe, open-eye tool, 0.30 oz universal cement and 5 radial inserts
- For all bias ply and non-speed rated radial tires
- Refill Kit available (10 strings), order #15-161

15-162



808

GAT




EMERGENCY REPAIR KIT

- Contains 15-172 (open eye needle) and 15-174 (probe) screwdriver type tool
- For all bias ply and non-speed rated radial tires
- Refill Kit available (5 refill strips and 0.30 oz Universal Cement), order #15-164

..... 15-163




808
GAT



EMERGENCY REPAIR RADIAL TIRE KIT


- Contains 10 repair strings and a closed-eye needle
- Not for speed rated radial tires



..... 15-165



808
GAT



PERMA-STRIP PATCH KIT

- Emergency repair kit for bias ply and non-steel belted radial tires
- Contains 6 strips, cement and an open-eye needle
- Refill Kit available (12 strips, 0.30 oz Universal Cement), order #15-170



..... 15-169



808
GAT



TIRE REPAIR HAND TOOLS

#	Description
15-172	Open-Eye Repair Needle
15-174	Probe for Tire Repair
15-224	Super-Grip Open-Eye Needle
15-225	Super-Grip Tire Probe
15-227	Super-Grip Split-Eye Needle
15-231	Heavy-Duty Truck Needle
15-230	Replacement Shaft for 15-231
15-232	Spiral-Grip Cement Needle.
17-276	Corrugated style with screw tip 3/16"



808
GAT



TIRE PRODUCTS


TIRE INSERTS

#	Application	Description
15-179	Perma-Strip - Bias ply and radial tires	4" x 2" x 50 inserts
15-184	Auto and light truck radial tires	4" x 20 inserts
15-206	Bias ply and tubeless tires	7" x 50 string inserts
15-207	Bias ply and radial tire – Heavy-duty	7-1/2" x 50 string inserts
15-280	Steel belted radial tires	4" x 60 inserts
15-281	Steel belted radial tires	7" x 30 inserts



808

GAT



TIRE REPAIR DEALER KIT

- T-handle reamer and eyelet tools, 1/4 pint of Universal Cement and two boxes of 15-184 radial repairs
- Box with re-closable lid



808

GAT

..... 15-189



HEAVY-DUTY TRUCK TIRE EMERGENCY REPAIR KIT

- Contains heavy-duty all steel split-eye T-handle tools, 8" spiral cement tool, 2 oz tube of Universal Cement and 15 heavy-duty inserts



808

GAT

..... 15-282



NON-FLAMMABLE UNIVERSAL CEMENT

#	Size
12-077	2 oz. tube
12-085	1/4 pint (4 oz.)
12-086	1/2 pint (8 oz.)
12-089	1 quart



808

GAT





CAM-CURE® CEMENT

- 1/2 pint (8 oz) can

#	Description
12-087	Heavy-Duty, non-flammable
12-287	Flammable



808
GAT

RUBBER LUBRICANT

- Cleans and preserves tires, rubber parts, floor mats and vinyl tops
- 1 gallon

12-097



808
GAT

BEAD SEALER

- Prevents bead leaks and eases tire installation
- 1-quart can, with brush in cap

12-090



808
GAT

NON-FLAMMABLE LIQUID BUFFER/CLEANER

- Use to clean rubber so patches will adhere properly
- Use prior to all power buffing

#	Description
12-092	Quart can with squirt top
12-093	16 oz. aerosol can



808
GAT

"STUF" CONCENTRATED TIRE MOUNTING LUBRICANT WITH RUST INHIBITOR

- Stops rubber squeaks, easy to use and safe
- 8 lb. makes five gallons

12-095



808
GAT



TIRE PRODUCTS

PUNCTURE SEAL TIRE INFLATOR

- Patented non-flammable formula
- Sensor safe
- 510 g aerosol with 8" applicator hose

..... MI115C



205

RAD

PUNCTURE SEAL® FOR PASSENGER CARS

- 8" (203mm) applicator hose
- 680 g

..... MI120C



205

RAD

SLIME® BICYCLE TIRE SEALANT

- Instantly fills and repairs punctures up to 1/8" (3 mm)
- Remains liquid inside the tube, coating tube as it rotates

..... Size

10004 473 ml

10007 710 ml



203



SLIME® TPMS SAFE TIRE SEALANT

- Instantly fills and repairs punctures up to 1/4" (6 mm)
- Contains rust and corrosion inhibitors
- Remains liquid inside the tire, coating tire as it rotates

..... Size

10019 473 ml

10020 946 ml

10047 3,78 L

10100 473 ml



203



SLIME® FLAT TIRE REPAIR SYSTEM

- 7-minute repair
- Sensor-safe
- Includes 12 volt, 300 PSI tire inflator with built-in tire pressure gauge, emergency light and 473 ml tire sealant

..... 50048



203





SLIME® SMART SPAIR EMERGENCY TIRE REPAIR

- Repairs and inflates tires within 15 minutes
- Includes: automotive tire sealant, 473 ml, 12 volt, 300 PSI air compressor with built-in tire pressure gauge and 2 ft. air hose

..... 50057



203

SLIME® MOTO REPAIR KIT

- Repairs and inflates tires within 15 minutes
- 12 volt, 300 PSI tire inflator; air hose with quick clip, 237 ml tire sealant and durable hard shell carrying case

..... 50025



203

TIRE REPAIR KIT

- Repairs tire punctures up to 2"
- Contains 12 ml rubber cement tube, metal scuffer, one 2-7/8" round patch and two 2" round patches

..... 24016



203

TIRE PLUG REPAIR KIT

- For tubeless tires repair
- Includes: T-handle reamer, T-handle plugger, 5 tire repair strings, and 12 ml rubber cement

..... 24011



203

TIRE TACKLE REPAIR KITS

- Complete kit to repair punctures in both tubeless and tube-type tires
- Additional supplies in kit for multiple uses
- Tackle box style plastic case

..... Pieces

24032 14

24034 54



203





TIRE PRODUCTS

SLIME 3-MINUTE HEAVY-DUTY TIRE INFLATOR

- 12 volt, 150 PSI compressor
- 16 ft. air hose with quick-release coupler
- Bright LED safety light
- Built-in pressure gauge
- Canvas bag for storage
- Includes adaptors

..... 42007



203



TIRE MARKER

..... 24039

VALVE CORES

- For Schrader valve tires
- 4-pack

..... 24003



VALVE CAPS

- 4 per set

..... 24038



203



150 PSI HEAVY-DUTY COMPRESSOR WITH HOSE

- Compressor ON/OFF light switch
- 9' (3m) 15A Power cord with 12V cigarette lighter plug
- Anti-vibration rubber feet
- 16.4 ft (5m) air hose
- Includes adaptors for all your inflating needs.

..... 2115



074

ILI

12V 260 PSI CARRY CASE COMPRESSOR

- Built-in pressure gauge
- 12V DC cigarette lighter socket, and lighter plug on 12' cord
- Compressor ON/OFF switch
- Quick inflate/deflate adaptors
- Removable Emergency Light with 2' retractable power cord and magnetic base
- Quick connector adaptor with 2' hose and locking lever
- Includes adaptors for all your inflating needs.

..... 2110



074

ILI

4-WAY WHEEL WRENCH

#	Description
2145	SAE 16" (40.6cm)
2146	Metric 16" (40.6cm)



074

ILI



TIRE PRODUCTS

WINDOW INFLATOR GAUGES

- 2 lb increments
- Gauge cartridge and valve cartridge replaceable
- Window inflator gauges equipped with magnifying lens
- Built in deflator

#	Head	OSHA	PSI	Hose
501	Dual Head/Straight Foot With lock on threads both ends for inner dual	1910.177	10 to 160	5'
502	Kwik Grip Safety Chuck	--	10 to 120	3'
503	Single Head with Chuck Clip	--	10 to 120	3'
504	Straight Head Chuck	--	10 to 120	15"
505/S-505	Single Head Chuck	--	10 to 120	15"
506/S-506	Dual Head	--	10 to 120	15"
516/S-516	Dual Head/Straight Foot With lock on threads both ends for inner dual	--	10 to 120	15"



VALVE CORE TOOL

- Standard and large bore



S-444



VALVE INSERTION TOOL



S-449



DIAL TYPE TIRE PRESSURE GAUGE

- 0-15 PSI in 1/2 lb increments



S-901




TIRE PRODUCTS



VALVE REPAIR TOOL

- For rethreading inside and outside of valve stems
- Insertion or removal of valve cores
- Tap size .2108-36



TREAD DEPTH GAUGE

- Calibrated 0 to 1" in 1/32"



TIRE PRESSURE GAUGES

#	Description	Range	Increments / Sides
S-911	Passenger car gauge	5 to 50 PSI	1 lb
S-914	Truck, RV, bicycle gauge	20 to 120 PSI	2 lb
S-917	Low pressure for ATV'S, golf carts and air springs	2 to 20 PSI 20 to 140 kPa	1 lb and 10 kPa
S-920	High pressure	10 to 70 PSI 60 to 500 kPa	2 lb and 10 kPa
S-921	Passenger car gauge	5 to 50 PSI 40 to 350kPa	1 lb and 10 kPa
S-923	Straight chuck	5 to 50 PSI 40 to 350kPa	1 lb and 10 kPa
S-925	Truck, RV, bicycle	20 to 120 PSI 120 to 820 kPa	2 lb and 20 kPa
S-927	Dual chuck truck gauge	20 to 120 PSI 120 to 820 kPa	2 lb and 20 kPa
S-928	Tractor air/liquid filled gauge	5 to 50 PSI 40 to 350kPa	1 lb and 10 kPa
S-929	Straight foot/dual head truck gauge	20 to 120 PSI 120 to 820 kPa	2 lb and 20 kPa
976	Dual head truck gauge 12-3/4"	10 to 160 PSI 80 to 1100 kPa	2 lb and 20 kPa
S-986	Straight foot/dual head truck gauge 13-1/4"	10 to 160 PSI 80 to 1100 kPa	2 lb and 20 kPa
982	Large bore dual head truck gauge	10 to 160 PSI 80 to 1100 kPa	2 lb and 20 kPa






TIRE PRODUCTS

TREAD DEPTH GAUGE


- Steel indicator bar
- Calibrated from 0 to 1" in 1/32"



808
GAT

4-WAY TIRE VALVE REPAIR TOOL

..... 41-067



808
GAT

VALVE CORE EXTRACTOR

..... 41-444



808
GAT

VALVE CORE EXTRACTOR WITH PLASTIC HANDLE

..... 41-466



808
GAT

VALVE CORE EXTRACTING TOOL

..... 41-469



808
GAT

TUBELESS TIRE INSERTING TOOL

..... 41-506



808
GAT

BRASS FERRULES

- For use with hose barb fittings
- 50/box

..... 7329-50



808
GAT

PLUG-N-PATCH FOR RADIAL AND BIAS PLY TIRES

- Round molded rubber
- Designed with molded-in straight pin

#	Size	Qty
15-296	Medium	20/box
15-297	Large	15/box



808
GAT





TIRE MARKING CRAYONS

#	Description
17-235	White
17-236	Yellow
17-253	Yellow, 12 x 12-pack (144 crayons)



808
GAT

PROFESSIONAL BUFFER/STITCHER

..... 17-237



808
GAT

BALL BEARING STITCHER

• 1/16" face x 1-1/2" diameter

..... 17-244



808
GAT

COTTON APPLICATOR SWAB

..... 17-295



808
GAT

BUFFING CONES

#	Size (in)	Max. RPM
18-259	2-1/2	25,000
18-260	2	25,000



808
GAT



TIRE PRODUCTS

WHEEL CHOCKS

- Rubber wheel chocks for trailers, cars or other small vehicles Non-slip surface provides superior traction.

#	Size (in)
11984	7-1/2 x 6 x 3-3/4
11985	10-5/8 x 7 x 4-1/2

11984



11985



622

DYL

WHEEL CHOCK

- Ideal for trailers and heavily loaded vehicles
- Eyebolt for easy handling
- 8" x 6" x 10"

..... 11986



622

DYL

PNEUMATIC WHEELS

- Axle bore size is 5/8"
- Steel rims

#	Description	Tire Size	Hub Type	Tread Pattern	Load Rating (lb)
80101	CartWheel	2.50-4	Offset	Lug	180
80105	Hand&TruckWheel	4.10/3.50-4	Offset	Sawtooth	280
80109	OutdoorHand&TruckWheel	3.00-4	Offset	Diamond	260
80113	HeavyDutyHand&TruckWheel	13x5.00-6	Offset	Jag	390
80116	WheelBarrowWheel	4.80/4.00-8	Center	Smooth	390



622

DYL

FLAT FREE WHEELS

- 5/8" Axle bore size
- Perfect for wheelbarrows and carts
- Microcellular polyurethane tire, flat proof and maintenance free, with steel rims

#	Description	Tire Size	Hub Type	Tread Pattern	Load Rating (lb)
80102	CartWheel	2.50-4	Offset	Lug	160
80107	Hand & Truck Wheel	4.10/3.50-4	Offset	Jag	260
80111	Outdoor Hand & Truck Wheel	3.00-4	Offset	Diamond	240
80112	Outdoor Hand & Truck Wheel Hub on both sides	15x6.00-6	Center	Jag	400
80115	Heavy Duty Hand Truck Wheel	13x5.00-6	Offset	Smooth	370
80118	Wheel Barrow Wheel	4.80/4.00-8	Center	Jag	370



622

DYL



WHEEL WEIGHTS AW SERIES

• Application: Wide array of cars from Buick to Geo

#	Weight	Box Qty	#	Weight	Box Qty
AW025N	1/4 oz	25	AW175-N	1-3/4 oz	25
AW025-UBX	1/4 oz	25	AW175-UBX	1-3/4 oz	25
AW050-N	1/2 oz	25	AW200-N	2 oz	25
AW050-UBX	1/2 oz	25	AW200-UBX	2 oz	25
AW075-N	3/4 oz	25	AW225-N	2-1/4 oz	25
AW075-UBX	3/4 oz	25	AW225-UBX	2-1/4 oz	25
AW100N	1 oz	25	AW250-N	2-1/2 oz	25
AW100-UBX	1 oz	25	AW250-UBX	2-1/2 oz	25
AW125-N	1-1/4 oz	25	AW275-N	2-3/4 oz	25
AW125-UBX	1-1/4 oz	25	AW275-UBX	2-3/4 oz	25
AW150-N	1-1/2 oz	25	AW300-N	3 oz	25
AW150-UBX	1-1/2 oz	25			



508

KEL

WHEEL WEIGHTS EN SERIES

• Application: Acura, Audi, Honda, Mercedes Benz and Volkswagen alloy wheels

#	Weight	Box Qty	#	Weight	Box Qty
EN010	10 g	25	EN035	35 g	25
EN015	15 g	25	EN040	40 g	25
EN020	20 g	25	EN045	45 g	25
EN025	25 g	25	EN050	50 g	25
EN030	30 g	25	EN055	55 g	25



508

KEL

WHEEL WEIGHTS FN SERIES

• Application: Thicker flange alloy wheels being used on many Japanese vehicles

#	Weight	Box Qty	#	Weight	Box Qty
FN005	5 g	25	FN035	35 g	25
FN0075	7,5 g	25	FN040	40 g	25
FN010	10 g	25	FN045	45 g	25
FN0125	12,5 g	25	FN050	50 g	25
FN015	15 g	25	FN055	55 g	25
FN020	20 g	25	FN060	60 g	25
FN025	25 g	25	FN075	75 g	25
FN030	30 g	25			



508

KEL

WHEEL WEIGHTS I7 SERIES

• Application: Majority of trucks with tube-type tires.
Most popular weight for medium-duty trucks

#	Weight	Box Qty	#	Weight	Box Qty
I7-020-UBXC	2 oz	10	I7-060-UBXC	6 oz	10
I7-030	3 oz	10	I7-080	8 oz	10
I7-030-UBXC	3 oz	10	I7-100-UBXC	10 oz	10
I7-040	4 oz	10	I7-120-UBXC	12 oz	10
I7-050-UBXC	5 oz	10			



508

KEL



TIRE PRODUCTS

WHEEL WEIGHTS IAW SERIES

- Application: Import car alloy wheels. Replaces most two-piece alloy wheel weight designs commonly found on vehicles manufactured in Europe

#	Weight	Qty/Box	#	Weight	Qty/Box
IAW005	5 g	25	IAW035U	35 g	25
IAW010	10 g	25	IAW040	40 g	25
IAW015	15 g	25	IAW045	45 g	25
IAW020	20 g	25	IAW045U	45 g	25
IAW025	25 g	25	IAW050	50 g	25
IAW030	30 g	25	IAW055	55 g	25
IAW030U	30 g	25	IAW060	60 g	25
IAW035	35 g	25			



508
KEL

WHEEL WEIGHTS CT SERIES

- Application: Heavy-duty trucks with Firestone, Accuride, Budd, or Goodyear tubeless rims with straight flanges. Primarily used on rim widths of 6.75", 7.50", and 8.25"

#	Weight	Qty/Box	#	Weight	Qty/Box
CT-020-UBXC	2 oz	10	CT-080	8 oz	10
CT-040-UBXC	4 oz	10	CT-100-UBXC	10 oz	10
CT-060-UBXC	6 oz	10			



508
KEL

WHEEL WEIGHTS LH SERIES

- Application: Primarily late model Chrysler cars. Designed to fit unique wheel flange profiles

#	Weight	Qty/Box	#	Weight	Qty/Box
LH025	1/4 oz	25	LH175	1-3/4 oz	25
LH050	1/2 oz	25	LH200	2 oz	25
LH075	3/4 oz	25	LH225	2-1/4 oz	25
LH100	1 oz	25	LH250	2-1/2 oz	25
LH125	1-1/4 oz	25	LH275	2-3/4 oz	25
LH150	1-1/2 oz	25	LH300	3 oz	25



508
KEL

WHEEL WEIGHTS LTI SERIES

- Application: Light-duty trucks, and 1-ton vehicles with either tube or tubeless rims where such rims are too thick for standard passenger car weights. Also for use on heavier trucks with thin rim flanges

#	Weight	Qty/Box	#	Weight	Qty/Box
LTI-005	1/2 oz	25	LTI-040	4 oz	25
LTI-010	1 oz	25	LTI-050	5 oz	25
LTI-020	2 oz	25	LTI-060	6 oz	25
LTI-030	3 oz	25			



508
KEL

ADHESIVE WHEEL WEIGHTS

- Box contains 30—3 oz. strips pre-cut in 1/4 oz (7 gram) increments of 1/2" width

#	Application	Strip	Increments	Qty/Box
100720	General	3 oz	Precut, 1/4 oz – 1/2"	30
200624ST	Imports and sports cars (low profile)	3 oz	Precut, 1/4 oz – 3/4"	52
300360ST	Trucks and RVs	6 oz	Precut, 1/2 oz – 3/4"	30



508
KEL



TIRE PRODUCTS



WHEEL WEIGHTS MC SERIES

• Application: Many cars from AMC/ Eagle to Subaru

#	Weight	Qty/Box	#	Weight	Qty/Box
MC025N	1/4 oz	25	MC175N	1-3/4 oz	25
MC025-UBXC	1/4 oz	25	MC175-UBXC	1-3/4 oz	25
MC050N	1/2 oz	25	MC200N	2 oz	25
MC050-UBXC	1/2 oz	25	MC200-UBXC	2 oz	25
MC075N	3/4 oz	25	MC225N	2-1/4 oz	25
MC075-UBXC	3/4 oz	25	MC225-UBXC	2-1/4 oz	25
MC100N	1 oz	25	MC250N	2-1/2 oz	25
MC100-UBXC	1 oz	25	MC250-UBXC	2-1/2 oz	25
MC125N	1-1/4 oz	25	MC275N	2-3/4 oz	25
MC125-UBXC	1-1/4 oz	25	MC275-UBXC	2-3/4 oz	25
MC150N	1-1/2 oz	25	MC300N	3 oz	25
MC150-UBXC	1-1/2 oz	25	MC300-UBXC	3 oz	25



**508
KEL**

WHEEL WEIGHTS P SERIES

• Application: All standard passenger car 13"-15" steel wheels. Clips are plated and batch salt-spray tested to comply with demanding OEM corrosion resistance specs

#	Weight	Qty/Box	#	Weight	Qty/Box
P025	1/4 oz	50	P200	2 oz	50
P050	1/2 oz	50	P225	2-1/4 oz	50
P075	3/4 oz	50	P250	2-1/2 oz	50
P100	1 oz	50	P275	2-3/4 oz	50
P125	1-1/4 oz	50	P300	3 oz	50
P150	1-1/2 oz	50	P325	3-1/4 oz	25
P175	1-3/4 oz	50	P350	3-1/2 oz	25



**508
KEL**

WHEEL WEIGHTS T SERIES

• Application: 1988 and newer domestic light trucks with decorative and larger thickness steel wheels. Also used on 1997 and newer Ford F150, Ford Expedition, and Lincoln Navigator alloy wheels

#	Weight	Qty/Box	#	Weight	Qty/Box
T025N	1/4 oz	25	T200N	2 oz	25
T050N	1/2 oz	25	T225N	2-1/4 oz	25
T075N	3/4 oz	25	T250N	2-1/2 oz	25
T100N	1 oz	25	T275N	2-3/4 oz	25
T125N	1-1/4 oz	25	T300N	3 oz	25
T150N	1-1/2 oz	25	T375N	3-3/4 oz	25
T175N	1-3/4 oz	25	T500N	5 oz	25



**508
KEL**



LIGHTING AND ELECTRICAL

HALOGEN BULB

#	Watts
SL-209PDQ	1500




146

BAY

SINGLE-TAP LIGHTED END EXTENSION CORDS

#	Length (ft)	Rating (A)	Wire
SL-752L	25	15	14/3 SJTW
SL-753L	50	15	14/3 SJTW
SL-754L	100	13	14/3 SJTW
SL-757L	25	15	12/3 SJTW
SL-758L	50	15	12/3 SJTW
SL-759L	100	15	12/3 SJTW



146

BAY

ALL SEASON SINGLE-TAP & LIGHTED END

#	Length (ft)	Rating (A)	Wire
SL-990	25	13	16/3 SJEOW
SL-991	50	13	16/3 SJEOW
SL-992	100	10	16/3 SJEOW
SL-993	25	15	14/3 SJEOW
SL-994	50	15	14/3 SJEOW
SL-995	100	13	14/3 SJEOW
SL-996	25	15	12/3 SJEOW
SL-997	50	15	12/3 SJEOW
SL-998	100	15	12/3 SJEOW



146

BAY

SINGLE-TAP NON-LIGHTED END EXTENSION CORDS

#	Length (ft)	Rating (A)	Wire
SL-725	25	13	16/3 SJTW
SL-750	50	13	16/3 SJTW
SL-751	100	13	16/3 SJTW




146

BAY

TRI-TAP LIGHTED END EXTENSION CORDS

#	Length (ft)	Rating (A)	Wire
SL-740L	25	15	14/3 SJTW
SL-741L	50	15	14/3 SJTW
SL-745L	100	13	14/3 SJTW
SL-746L	25	15	12/3 SJTW
SL-747L	50	15	12/3 SJTW



146

BAY

TRI-TAP NON-LIGHTED END EXTENSION CORDS

#	Length (ft)	Rating (A)	Wire
SL-763	6.5 (2m)	13	16/3 SJTW
SL-764	9.6 (3m)	13	16/3 SJTW
SL-767	16.4 (5m)	13	16/3 SJTW
SL-768	16.4 (5m)	13	16/3 SJEOW



146

BAY





ELECTRICAL REPLACEMENT PLUGS

#	Type
SL-151	Male, 3-prong
SL-152	Female, 3-prong



TRI-TAP ADAPTER



6-WAY OUTLET STRIP WITH SURGE PROTECTOR

- 4.5', SJT 14/3 cord



SL-736



TRIPLE-TAP RETRACTABLE REELS

- Heavy-duty metal retractable reel
- Polarized plug with grounded receptacles
- Brackets for wall or ceiling mounting (included)
- LED power status light

#	Length (ft)	Wire	Receptacles
SL-800	30	16/3 SJT	3 x 10A
SL-801	30	16/4 SJT	3 x 13A



LARGE TRIPLE-TAP RETRACTABLE REELS

- 40% larger cord reel with smooth glide rewind
- Polarized plug with grounded receptacles
- Resettable circuit breaker
- LED power status light
- Mounting brackets (included)

#	Length (ft)	Wire	Receptacles
SL-8903	50	14/3 SJTW	3 x 13A
SL-8904	30	12/3 SJTW	4 x 15A





LIGHTING AND ELECTRICAL

INCANDESCENT WORKLIGHT

- Grounded handle outlet and metal cage

#	Type	Taps	Length (ft)	Rating (A)	Wire
100307	Incandescent	Single	23 (7 m)	13	16/3 SJTW
100310	Incandescent	Single	32 (10.4 m)	13	16/3 SJTW
100315	Incandescent	Single	50 (15 m)	13	16/3 SJTW



CLIPLIGHT



588

CLT

12-VOLT WORKLIGHT

#	Type	Length (ft)	Wire
100505	Incandescent	15 (5 m)	18/2 PXWT



CLIPLIGHT



588

CLT

13-WATT FLUORESCENT BULB

410113RS

CLIPLIGHT



588

CLT



50-WATT INCANDESCENT LIGHT BULB

- 12 volts, rough service

400012

CLIPLIGHT



588

CLT



HEAVY-DUTY INCANDESCENT WORKLIGHT

#	Type	Taps	Length (ft)	Rating (A)	Wire
101307	Incandescent	Single	23 (7 m)	13	16/3 SJOW rubber
101315	Incandescent	Single	50 (15 m)	13	16/3 SJOW rubber



CLIPLIGHT



588

CLT

SUPER-POWERFUL FLEX SPOT LED LAMP

- Strong base magnet
- Flexible shaft
- 3 x AA batteries included

111101



CLIPLIGHT



588

CLT

13-WATT ANGLED FLUORESCENT WORKLIGHT

- Grounded handle outlet

#	Type	Taps	Length (ft)	Rating (A)	Wire
111307	Incandescent	Single	25 (7.5 m)	11	16/3 SJT



CLIPLIGHT



588

CLT



TRI-TAP CORD REEL WORK LIGHTS

#	Type	Taps	Length (ft)	Rating (A)	Wire
221308	Tri-Tap Cord Reel	Triple	30 (9.2 m)	10	16/3 SJTW
222315	Heavy-Duty Clear Lighted Tri-Tap Cord Reel	Triple	50 (15 m)	15	12/3 SJTW
222308	Chrome Cord Reel	Triple	30 (9.2 m)	13	14/3 SJTW



HEMITECH™ LED WORKLIGHT

- Patented Uni-Beam™ technology – powerful
- Wide 84° beam with no shadows or hotspots
- Sliding hook & optional magnet
- Quick-change protective lens



#	Type	Length (ft)	Rating (A)	Wire	Beam
123107	HEMIPRO™ 1 DEL	25 (7.5 m)	620 Lumens	18/2 SJOW	84°
123307	HEMIPRO™ 3 DEL	25 (7.5 m)	540 Lumens	18/2 SJOW	70°
123407	HEMIPRO™ 4 DEL	25 (7.5 m)	720 Lumens	18/2 SJOW	70°



HEMITECH™ 4 LED WORK LIGHT WITH CHROME REEL

#	Length (ft)	Rating (A)	Wire	Beam
223412	40 (12.2 m)	720 Lumens	18/2 SJOW	70°





LIGHTING AND ELECTRICAL

LED FLASHLIGHTS

#	Description	Benefits	Battery
5109LD12	LED floating industrial lantern	Floating, shatterproof lens	1x 6V (requ.)
5109LS	LED lantern	Floating, shatterproof lens	1x 6V Energizer® Super Heavy Duty®
HDL33AINE	90° pivoting headlight 6 LED contractor	2 light modes: Spot, red for night vision	3x AAA Energizer® MAX®
PLED23AE	LED pen light	Light weight	2x AAA Energizer® MAX®
HD7L33AE	90° pivoting water-resistant PRO 7 headlight	4 modes: spot, red for night vision, maximum output, flood	3x AAA Energizer® MAX®
HAT2BU1CS	LED cap light	Hands-Free	2x CR2032 Energizer® Lithium coin cell
EVML33ASD	3 LED metal light	Aluminum casing	3x AAA Eveready® Super Heavy Duty®



731

RAL





WATCH, MINIATURE & PHOTO ELECTRONIC BATTERIES

- 0% Hg on all Zero Mercury cells
- Used in heart rate monitors, keyless entry, glucose monitors, toys and games



#	Description
357BPZ	Silver Oxide 0% Mercury Miniature 1.5V
A23BPZ-2	Battery Garage Door 12V
A76BPZ2	Alkaline Instrument 1.5V
ECR1220BP	Lithium Coin Type 3V
ECR1616BP	Lithium Coin Type 3V
ECR1620BP	Lithium Coin Type 3V
ECR2016BP	Lithium Coin Type 3V
ECR2025BP	Lithium Coin Type 3V
EL123APB2	Lithium Photo 3V 2/CG
EL123APBP	Lithium Photo 3V 1/CG
E90BP-2	Alkaline 1.5V N 2/CG
E90BP-2	Alkaline 1.5V N 2/CG

MAX® ALKALINE BATTERY

- Shelf life - up to 7 years



#	Description
E91BP12	1.5V AA 12/CG
E91BP2	1.5V AA 2/CG
E91BP4	1.5V AA 4/CG
E91BP8	1.5V AA 8/CG
E92BP2	1.5V AAA 2/CG
E92BP4	1.5V AAA 4/CG
E92BP8	1.5V AAA 8/CG
E93BP2	1.5V C 4/CG
E95BP2	1.5V D 2/CG
E95BP-4	1.5V D 4/CG

ULTIMATE LITHIUM AA BATTERIES

- Provides the longest lasting performance in your high-tech devices, including up to 8 times longer in digital cameras (vs. ordinary alkaline batteries)



#	ANSI NEDA	IEC	Volt	Qty per Pack
L91BP-2	15LF	FR6	1.5	2
L91BP-8	15LF	FR6	1.5	4
L91BP-4	15LF	FR6	1.5	8
L92BP-2	24LF	FR03	1.5	2
L92BP-4	24LF	FR03	1.5	4
L92BP-8	24LF	FR03	1.5	8

CONTRACTOR ULTRA GRIP RUBBER LIGHT

- Krypton Beam, 16.5 Lumens
- 11 hour runtime (Alkaline)
- 2 D Alkaline batteries included

4250IND





LIGHTING AND ELECTRICAL

HARD CASE LED FLASHLIGHT

#	Description	Bulb	Battery
TUF2AAPE	Task light	Bright white	2x AA Energizer® MAX®
TUF4AAPE	Project light	Bright white	4x AA Energizer® MAX®
TUFPAL3IE	Lens activated area light	Wide angled	3x AA Energizer® MAX®
TUFPL22PH	Inspection light	Bright white	2x AAA Energizer® MAX®



731
RAL



INTRINSICALLY SAFE FLASHLIGHT

#	Description	Bulb	Rating	Powered by
459	6V mine safety lantern	Krypton	Class I, Division I	6V Energizer® Alkaline
1259	2 D mine safety flashlight	Krypton	Class I, Division I	2x D Energizer® MAX®



731
RAL



EVEREADY® PREMIUM CARBON ZINC BATTERIES

• Reliable performance in low to mid-drain devices

#	Description
1209	6V Spring
1215	AA
1215SW-4	1.5V AA 4/CG
1222	9V
1222SW	9V 1/CG
1231	6V Screw
1235	C
1250	D



731
RAL



FLUORESCENT LIGHT TUBES

#	Model	Type	Length (in)	Pins	Wattage
F32T8SP41ECO	T8	Cool White	48	2	32
F34CWRSWMECO	T12	Cool White	48	2	34
F40SP65/ECO	T12	Deluxe	48	2	40
F96T12/DX	T12	Deluxe	92	1	75
F96T12/CW/WM	T12	Cool White	94	1	60
F96T8/SPX41	T8	Cool White	96	2	59



701
GEL



PAINT SHOP FLUORESCENTS

#	Model	Wattage	Length (in)	Pins
F40C50	T12	40	48	2
F30T8/D	T8	30	36	2
F40C75	T12	40	48	2



701
GEL

COMPACT FLUORESCENT - SELF-BALLASTED BULB

#	Model	Wattage	Voltage
CFL10	25182	10	120
CFL15	25183	15	120



701
GEL



INCANDESCENT LIGHT BULBS

#	Model	Wattage	Voltage
60A/S130-PK2	72529	60	120
100ARS130-12	72527	100	120
75ARS/130-6	72530	75	120
75/A/RS/ CVG-6	46895	75	120



701
GEL



INCANDESCENT/QUARTZ HALOGEN LAMP

- 500 Watt
- R7S base
- 11,100 lumens

Q500T3/CL/CD




701
GEL



LIGHTING AND ELECTRICAL

MINI STICK-ON OVAL REFLECTORS

- Fits narrow rails and tight spaces
- Mountable with two #8 screws
- Firm-stick backing for instant bond and lasting adhesion



	088	#	Color
	GRO	41032	Red
		41033	Amber

LOW PROFILE MOUNTING BRACKET

- Bracket-contained plug
- Legal mount for combination clearance/marker lamp when mounted on a 45° angle (PC)
- 3" mounting hole spacing



	088	#	43850
	GRO		

THIN-LINE SINGLE-BULB CLEARANCE/MARKER LAMP

- Narrow rail and channel mounting
- Snap-on lens for easy bulb replacement
- Attached pigtail


#	Color
45252	Red
45253	Amber

	088
	GRO



TWO-BULB OVAL PIGTAIL-TYPE CLEARANCE/MARKER LAMP

- Standard snap-on lens
- Corrosion-resistant contacts
- Reflex version is a combined side marker, clearance lamp, and reflector
- Optic lens version meets PC function only when mounted at a 45° angle



	088	#	Color
	GRO	45262	Red
		45263	Amber



2-1/2" CLEARANCE/MARKER LAMP

- Hermetic lens-to-housing seal
- Twist-on mounting
- Optic lens versions meet PC function only when mounted at a 45° angle
- Recommended bracket: 43690
- Recommended grommets: 91880, or 91890 or 92920

#	Color	Description
45812	Red	Standard
45813	Amber	Standard
45832	Red	With built-in reflector
45833	Amber	With built-in reflector

	088
	GRO





STANDARD CLEARANCE/ MARKER LAMPS

- Hermetic lens-to-housing seal
- Meets PC function only when mounted at a 45° angle

#	Color	Shape	Recommended Bracket
45822	Red	Round	43690
45823	Amber	Round	43690
46412	Red	Rectangular	43370 ou 43380
46413	Amber	Rectangular	43370 ou 43380
46742	Red	Rectangular	43850
46743	Amber	Rectangular	43850



088

GRO



TWO-BULB SQUARE-CORNER CLEARANCE/MARKER LAMP

- Duramold
- Corrosion-resistant contacts
- Snap-on lens for easy bulb replacement
- Attached blunt cut pigtail
- Meets PC function only when mounted at a 45° angle



088

GRO



#	Color
46792	Red
46793	Amber

HI COUNT® 2-1/2" LED CLEARANCE/MARKER LAMP

- Hermetic lens-to-housing seal
- Twist-on mounting for easy installation
- Fits all popular mountings and grommets
- FMVSS: Optic - P2, Reflex - A, P2
- Volts / Amps: Optic - 12V / .15A
- Volts / Amps: Reflex - 12V / .13A
- Tension / Intensité: Réflexe - 12V / .13 A

#	Color
G1032	Red
G1033	Amber



088

GRO

HI COUNT® 2" 9-DIODE LED CLEARANCE/ MARKER LAMP

- Hermetic lens-to-housing seal
- Twist-on mounting for easy installation
- Fits all popular mountings and grommets
- Material: Polycarbonate
- FMVSS: P2
- Volts / Amps: 12V / .09A

#	Color
G3002	Red
G3003	Amber



088

GRO

4" TWO-STUD STOP/TAIL/TURN LAMP

- Snap-on lens
- Rubber compression-sealed pigtail
- Removable studs for school bus application with licence window

#	Color
50852	Red



088

GRO



LIGHTING AND ELECTRICAL

ECONOMY OVAL STOP/TAIL/TURN LAMP

- Female pin connection
 - Available in both red and amber
- | # | Color |
|-------|-------|
| 52182 | Red |
| 52183 | Amber |



TORSION MOUNT® II STOP/TAIL/TURN LAMP

- 4" Gel-Mount® bulb cradle design

#	Description
52672	Red female pin – Built-in reflector
52772	Red female pin



TORSION MOUNT® III OVAL STOP/TAIL/TURN LAMP

- Gel-Mount® bulb cradle design minimizes bulb vibration
- Locking tabs ensure solid pigtail connection



#	Color
52892	Red
52893	Amber

4" ECONOMY STOP/TAIL/TURN LAMP

- Standard female connection
- Fits all competitive pigtails, brackets and grommets
- Hermetic lens-to-housing seal



#	Color
52922	Red



HI COUNT® 56-DIODE OVAL LED STOP/TAIL/TURN LAMP

- Female pin connection accepts all popular plug-in connectors
- Lower amp draw
- LEDs provide faster stop warning for trailing vehicles
- FMVSS: I,S,T, P, P2
- Finish: Red (Amber G6003 also available)
- Volts / Amps: 12V / .43A (I,S)/.05A (T)


#	G6002



HI COUNT® 4" LED STOP/TAIL/TURN LAMP

- Standard female connection accepts all popular plug-in connectors
- Concentric, high-count diode design: 24 in red, 39 in yellow
- Fits all popular mountings and grommets

#	G4002






RESEALABLE LICENSE LAMP

- Protrudes less than 2"
- Housing snaps into molded o-ring
- Gray

..... 60001



088
GRO



ECONOMY COURTESY LAMP

- Illuminates instrument panel and compartments

..... 60151



088
GRO



COURTESY LAMP

- Single-bulb unit

..... 60251



088
GRO



SMALL RECTANGULAR LICENSE LAMP

- Sonically sealed lens
- Single 15,000-hour bulb

..... 60280



088
GRO



4" TORSION MOUNT® II DUAL-SYSTEM BACKUP LAMP

- Frosted Clear
- Male Pin
- Requires two lamps to meet backup function
- Torsion Mount® II Gel-Mount® bulb cradle design
- Kit includes lamp, grommet (91740) and pigtail (67002)
- Hermetic lens-to-housing seal

..... 62171



088
GRO

4" TORSION MOUNT® II SINGLE-SYSTEM BACKUP LAMP

- Frosted clear
- Male pin
- Torsion Mount® II Gel-Mount® bulb cradle design
- Meets backup function with single-lamp system
- Hermetic lens-to-housing seal

..... 62271



088
GRO

PAR 36 UTILITY LAMP

- Incandescent lamp for versatile application as utility, fifth-wheel, backup, tractor, forklift or off-road vehicle lamp



088
GRO

#	Light Pattern	Housing Material	Light Output(CP)	Wattage (W)	Voltage (V)	Amperage (A)
64931	Tractor	Rubber	3	35	12	2.7



LIGHTING AND ELECTRICAL

3" STICK-ON CONVEX MIRROR

- Extends driver's view
- Bonds instantly
- Aluminum mirror back

..... 12004



088
GRO



DOCUMENT HOLDER

- Comes with document protector polybag
- Two mounting options for flexibility

..... 43901



088
GRO




STOP/TAIL/TURN 3-WIRE PIGTAILS

- Dual function for S/T/T lamps
- For use with ULTRA-BLUE-SEAL® trailer wiring system
- Chassis ground, blunt cut wires

#	Description	Length (in)
66843	For female pin lamps (90°)	18
67000	For female pin lamps	11-1/2
67002	For male pin lamps	11
67090	For female pin lamps (90°)	13



088
GRO



STOP/TAIL/TURN 3-WIRE PIGTAILS - SEALED

- Factory-molded plugs for use with ULTRA-BLUE-SEAL® trailer wiring system
- Fits 2", and 2 1/2" round and bee-hive style LED and incandescent lamps
- Slim-Line .180 male
- Ring terminal ground, blunt cut wire

#	Description	Length (in)
67001	Double seal	6
67050	Single seal	6




088
GRO

PIGTAILS & SOCKETS

#	Description	Terminal	Gauge
84-1006	Seal Beam & Flasher Assembly	2 ou 3	16
84-1041	Flasher & Relay Socket Assembly	4 ou 5	14



088
GRO





HEAVY DUTY 7-WAY CONNECTORS

- Automotive, marine, recreational and truck applications
- PVC wire
- Operating temperature 105°C (221°F)
- Weather resistant molded head
- Male = vehicle end
- Female = trailer end



#	Plug No.	Gauge	Connector Head	Wire Colors	Connector End
82-1030	4	16	Flat	White, Yellow, Brown, Green	Male & Female
82-1034	2	16	Flat	White, Yellow	Male & Female
82-1035	2	10	Flat	White, Yellow	Male & Female

HEAVY DUTY 7-WAY CONNECTORS

- Solid brass pin terminals
- Terminals accept 16-10 gauge wires; 8 gauge ground wire
- 40 amp. @ 6-28V DC
- 2 x 1/2" mounting holes
- Circuit identification on the back
- Meets and exceeds SAE J560



82-1002

7 WAY R.V. CONNECTORS

- High impact nylon with a stainless steel spring
- Slotted socket lid for drainage
- Tin plated copper alloy terminals



82-1059

82-1056

#	Material	Description	Plug/Socket No.
82-1058	Nylon	R.V. Socket Only	7
82-1056	Nylon	R.V. Plug Only	7



ON/OFF SWITCHES

- For trucks, off-road, automotive, marine and recreational vehicles

#	Application	Rated	Type	Terminal
82-2100	Heavy-duty push-pull switch	75amp.@6-28VD.C.	S.P.S.T. / U.P.U.D.	2 screw
82-2116	Extra heavy-duty toggle switch	15amp.@12VD.C.	S.P.S.T. / U.P.U.D.	2 screw
82-2120	Heavy-duty toggle switch	35amp.@12VD.C.	S.P.S.T. / U.P.U.D.	2 screw





LIGHTING AND ELECTRICAL

ATO/ATC AND MINI STYLE FUSE HOLDERS

#	Amps	Gauge	Size (in)	Description
82-2164	20	14	7	Black, blunt cut
82-2165	30	12	8	Orange, continuous loop
82-2166	30	12	10	Orange with protective cap and mounting tab
82-2207	20	16	7	Red with protective cap
82-2209	20	14	7	Red with protective cap & 20 amp fuse
82-2208	20	14	7	Red with protective cap (Mini Fuse Holder)



82-2164



82-2165



088

GRO



82-2208



82-2209



82-2207



82-2166

NYLON CABLE TIES - ASSORTED COLORS

- Length: 8"
- 50 lb Tensile
- Pack Qty: 50



83-6514



088

GRO

STANDARD TIES

- (PA66) Polyamide 6.6 nylon material
- UL flame rating 94V-2
- U.V. coated
- Continuous operating temperature -40° C (-40° F) to 85° C (185° F)
- Federal ASTM and FDA Specifications (ASTM: D-4066PA0111); (FDA: CFR177.1500)



088

GRO

Standard Ties

25/Pack	100/Pack	1000/Pack	Length (in)	Width (in)	Bundle (in)	Strength	Color
	83-6007	83-6007-3	5.9 (150mm)	.14 (3.5mm)	1.38 (35mm)	30 lb	Black
85-6011	83-6011	83-6011-3	11.42 (290mm)	.16 (4.0mm)	3.15 (80mm)	40 lb	Black
85-6018	83-6018	83-6018-3	7.9 (200mm)	.18 (4.6mm)	1.97 (50mm)	50 lb	White
85-6019	83-6019	83-6019-3	7.9 (200mm)	.18 (4.6mm)	1.97 (50mm)	50 lb	Black
85-6021	83-6021	83-6021-3	11.8 (300mm)	.18 (4.6mm)	3.35 (85mm)	50 lb	Black
85-6026	83-6026	83-6026-3	15.35 (390mm)	.18 (4.6mm)	4.33 (110mm)	50 lb	White
85-6025	83-6025	83-6025-3	15.35 (150mm)	.18 (4.6mm)	4.33 (110mm)	50 lb	Black

Heavy Ties

25/Pack	100/Pack	1000/Pack	Length (in)	Width (in)	Bundle (in)	Strength	Color
85-6029	83-6029	83-6029-3	15.24 (387mm)	.30 (7.6mm)	4.13 (105mm)	120 lb	Black



HEAVY DUTY CHARGING CLIPS

- Jaws accommodate up to 3/4"
- 50 amp
- Excellent for test equipment
- Use for OEM repair and custom build
- Color-coded vinyl boots




..... 84-5006



3:1 HEAT SHRINKABLE TUBING

- Industry leading dual wall, adhesive lined heat shrinkable tubing with encapsulated lining
- Minimum shrink temperature 125°C (257°F)
- Operating temperature range -55°C (-67°F) to 110°C (230°F)



#	Size (in)	Length (in)
84-4000	1/4	10
84-4001	3/8	10
84-4002	1/2	10
84-4003	3/4	10
84-4004	1	10
84-4005	3/16	10
84-4006	1/8	10



DUAL WALL – ADHESIVE LINED “HOT MELT” HEAT SHRINK TUBING

- 4:1 Shrink Ratio
- 40 x 6", Black Dual Wall Heat Shrink Tubes
- Sizes: 1/16" – 3/16"
- Wire Size: 22 – 12 gauge

..... 84-5000



14-GAUGE BRAKE CABLE

- PVC jacketed wire resists grease, oil, gasoline and acids
- Used for automotive, truck and marine applications
- Maximum temperature rating -40°C (-40°F) to 85°C (185°F)
- Internal wires meet SAE J1128 specifications



#	Conductor	Stranding (in)	Total Diam. (in)	Color	Length (ft)
82-5502	2	19 x .014	.181 x .298	Black, White	100





LIGHTING AND ELECTRICAL

PRIMARY WIRE

- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Temperature rating -40°C (40°F) to 85°C (185°F)
- Meets SAE code J1128 specifications



Color	# 25'	# 100'	# 1000'
Red	89-7000	87-7000	88-7000
Black	89-7002	87-7002	88-7002



088
GRO

ULTRA-SEAL CORROSION- PREVENTIVE SEALANT

- Added tackifiers improve adhesion and resistance to washout
- Has a 25% higher non-conductivity rating compared to the competition
- Operating range -40°F to 302°F
- 4 oz (118 ml)



#..... 99170

POLYETHYLENE SPLIT LOOM (BLACK)

- Continuous operating temperature -40° C (-40° F) to 93° C (200° F)

#	Size (in)	Length (ft)
83-8000	3/8	50 (15.2m)
83-8001	1/2	50 (15.2m)
83-8003	1/4	50 (15.2m)



088
GRO



088
GRO

HOLE GROMMETS

- Fits 2 1/2" round lamps • Fits panel thickness up to 1/8"

#	Description	Hole (in)	Lamp (in)	Panel (in)
91400	Open	2-25/32	2-1/2	1/8
92070	Closed Back	2-25/32	N/A	1/8
91410	Open	3	2-1/2	1/4
91740	Open	4-1/2	4	1/4
92120	Open	2-5/16	2	1/4
92420	Open Oval	2-1/2 x 6-3/4	6	1/4



088
GRO

MEDIUM/LOW NOISE SURROUND BACKUP ALARM

- 97 dB
- Self-grounding, eliminates potential corrosion points
- Universal integral mounting bracket
- Voltage-spike and surge-protected
- UL Approved SAE: J994 : 73090 - Type B; 73040 - Type C; 73110 - Type F
- Volts / Amps: 12V - 24V / .4A at 12V



088
GRO

#..... 73040

TRIANGLE WARNING KIT

- Set of three triangle devices (weatherproof and impact resistant) in carrying case
- Reflective up to 1/2 mile
- Exceeds legal requirements
- FMVSS: 125, SAE: J774C-Type I

#..... 71422



088
GRO



BATTERY TERMINALS

#	Description
1400	2-piece universal top post terminal
1405	8-piece universal top post terminal
1410	50-piece universal top post terminal
1425	Universal side terminal
1429	2-piece side terminal conversion clamp
1430	2-piece marine terminal adaptor
1435	2-piece side terminal post adaptor



074
ILI

MINI™ BLADE FUSE

- Voltage Rating Characteristics: 32V AC/DC Fast-Acting

- Approvals: SAE J2077

Description	Amperage	Boxed No.	Carded No.
Gray	2	MIN2	MIN2BP
Violet	3	MIN3	MIN3BP
Pink	4	MIN4	MIN4BP
Tan	5	MIN5	MIN5BP
Brown	7.5	MIN7.5	MIN7.5BP
Red	10	MIN10	MIN10BP
Blue	15	MIN15	MIN15BP
Yellow	20	MIN20	MIN20BP
Clear	25	MIN25	MIN25BP
Green	30	MIN30	MIN30BP



116
LIT

ATO® (AUTOFUSE®) BLADE FUSE

- Voltage Rating Characteristics: 32V AC/DC Fast-Acting

- Approvals: UL listed, CSA certified 3-30A, SAE J1284

Description	Amperage	Boxed No.	Carded No.
Black	1	ATO1	ATO1BP
Gray	2	ATO2	ATO2BP
Violet	3	ATO3	ATO3BP
Pink	4	ATO4	ATO4BP
Tan	5	ATO5	ATO5BP
Brown	7.5	ATO7.5	ATO7.5BP
Red	10	ATO10	ATO10BP
Blue	15	ATO15	ATO15BP
Yellow	20	ATO20	ATO20BP
Clear	25	ATO25	ATO25BP
Green	30	ATO30	ATO30BP
Orange	10	ATO40	ATO40BP



116
LIT

MAXI™ BLADE FUSE

- Voltage Rating Characteristics: 32V AC/DC Slo-Blo

- Approvals: SAE J1888

Description	Amperage	Boxed No.	Carded No.
Yellow	20	MAX20	MAX20BP
Green	30	MAX30	MAX30BP
Orange	40	MAX40	MAX40BP
Red	50	MAX50	MAX50BP
Blue	60	MAX60	MAX60BP
Tan	70	MAX70	--
Natural	80	MAX80	MAX80BP



116
LIT



LIGHTING AND ELECTRICAL

GLASS FUSES

• 32V AC/DC 250V may be substituted

Description	Boxed No.	Carded No.	Description	Boxed No.	Carded No.
20	AGC1	AGC1BP	40	AGU40	--
15	AGC1.5	AGC1.5BP	5	AGU5	--
10	AGC10	AGC10BP	50	AGU50	--
20	AGC15	AGC15BP	60	AGU60	--
2	AGC2	AGC2BP	1	AGW1	--
25	AGC20	AGC120BP	1.5	AGW1-1/2	--
2.5	AGC2-1/2	AGC2.5BP	15	AGW15	AGW15BP
30	AGC25	AGC25BP	20	AGW20	AGW20BP
3	AGC23	AGC3BP	2.5	AGW2-1/2	--
35	AGC30	AGC30BP	3	AGW3	--
40	AGC35	AGC35BP	30	AGW30	AGW30BP
4	AGC4	AGC4BP	4	AGW4	--
30	AGC5	AGC5BP	5	AGW5	AGW5BP
25	AGC6	AGC6BP	6	AGW6	--
20	AGC7.5	AGC7.5BP	2	AGX2	--
10	AGC8	AGC8BP	20	AGX20	AGC2.5BP
10	AGU10	--	25	AGX25	AGC2.5BP
20	AGU20	--	3	AGX3	--
30	AGU30	--			



ATO FUSE IN-LINE FUSEHOLDER WITH PROTECTIVE CAP

Capacity	Wire Gauge	Boxed No.	Carded No.
ATO 1-30 A	16	FHAC1	FHAC1BP
ATO: 25A, 30A	12	FHAC2	FHAC2BP
Mini: 25A, 30A	12	FHM2	FHM2BP
Mini: 2A, 20 A	14	FHM1	FHM1BP



116
LIT

JCASE™ HIGH AMP FUSE

- OEM on many new domestic and Japanese models
- Smaller space saving footprint, and increased time delay and low voltage drop
- Features ANSI standard OCR-A font for visual inspection systems.
- Voltage Rating Characteristics: 32V AC/DC Slo-Blo®

Description	Amperage	Boxed No.	Carded No.
Blue	20	JCAS 20	JCAS 20 BP
Pink	30	JCAS 30	JCAS 30 BP
Green	40	JCAS 40	JCAS 40 BP
Red	50	JCAS 50	JCAS 50 BP
Yellow	60	JCAS 60	JCAS 60 BP



116
LIT



LOW PROFILE MINI® FUSES RATED 58V


- Similar performance characteristics as the standard MINI® fuse
- Lower overall height allows for more space and weight savings
- Designed to mate with tuning-fork terminals, which provides additional weight and material savings in fuse box designs by eliminating the need for female box terminals.

	Amperage
LMIN10	10
LMIN15	15
LMIN2	2
LMIN20	20
LMIN25	25
LMIN3	3
LMIN30	30
LMIN4	4
LMIN5	5
LMIN7.5	7.5



MEGA FUSE HOLDER, WITH COVER

..... 71422.



3AG SHOCK-SAFE PANEL FUSEHOLDERS

- Designed to eliminate the possibility of electrical shock, as defined in IEC standards 65 and 257
- Low profile body, finger-grip knob and anti-tease
- Voltage Rating: 250V
- Approvals: UL listed and CSA Certified. Recognized under the Components Program of UL.



Description	Amperage	Boxed No.	Carded No.
1/4" straight NEMA/DIN quick connect terminal	20	3453LF8A	3453LF8CA
3/16" straight dual purpose solder terminal	20	3453LF8A	3453LF8CA

ATO FUSE ASSORTMENT

..... 094202.



MINI FUSE ASSORTMENT

..... 094362.



MINI FUSE EMERGENCY KIT

- Includes a puller and one of each MINI 3, 5, 7.5, 10, 15, 20, 25, 30

..... 094363.



PRO•TEK PRO

- 40 ATO and 40 MINI Fuses

..... 094409.





LIGHTING AND ELECTRICAL

BOOSTER CABLES & CLAMPS

• Remain flexible to -40°C

#	Type	Gauge/ Polarity	Rating (A)	Length (ft)
8167-32	Clamp Set	- / +	400	N/A
8167N-E	Clamp	-	400	N/A
8167P-E	Clamp	+	400	N/A
8177-32	Parrot Clamp Set	- / +	500	N/A
8177N-E	Parrot Clamp	-	500	N/A
8177P-E	Parrot Clamp	+	500	N/A
8180-32	Clamp Set	- / +	800	N/A
8180N-E	Clamp	-	800	N/A
8180P-E	Clamp	+	800	N/A
8729-91	Reach Style Clamp Set	- / +	800	N/A
8729N-31	Reach Style Clamp	-	800	N/A
8729P-31	Reach Style Clamp	+	800	N/A
8163-E	Booster Cable	8	200	12
8164-E	Booster Cable	6	400	12
8164J-E	Booster Cable	6	400	16
8164P-E	Booster Cable with Automatic Polarity Controller	6	400	16
8165F-E	Booster Cable	4	400	24
8165H-E	Booster Cable	4	400	12
8165J-E	Booster Cable	4	400	16
8165K-E	Booster Cable	4	400	20
8179F-E	Booster Cable	2	500	24
8179H-E	Booster Cable	2	500	12
8179J-E	Booster Cable	2	500	16
8179K-E	Booster Cable	2	500	20
8180B-E	Booster Cable	1	800	40
8180C-E	Booster Cable	1	800	35
8180D-E	Booster Cable	1	800	30
8180F-E	Booster Cable	1	800	24
8180H-E	Booster Cable	1	800	12
8180J-E	Booster Cable	1	800	16
8180K-E	Booster Cable	1	800	20
8731-31	Super Flex Booster Cable	4	600	20
8741-31	Super Flex Booster Cable	2	600	20
8751-31	Super Flex Booster Cable	1	600	20
8753-31	Weld Booster Cable	1		30
8761-31	Super Flex Booster Cable	1/0	600	20



089
PIC



UNIVERSAL & MARINE TERMINALS

#	Description	Size	Qty
880-11	Universal top	6-2/0	1
880-BP	Universal top	6-2/0	2
880ST-11	Side terminal	6-2/0	1
880ST-BP	Side terminal	6-2/0	2
880E-12	Epoxy top	6-2/0	1 Pair
880EN-11	Epoxy negative	6-2/0	1
880EP-11	Epoxy positive	6-2/0	1
880HD-BP	HD commercial	1-4/0	1
879NF-11	Stud/post conversion neg.	3/8"	1
879N-11	Stud/post conversion pos.	3/8"	1
898N-BP	Marine lead epoxy neg.	5/16"	1
899P-BP	Marine lead epoxy neg.	3/8"	1



089

PIC

4:1 DIESEL RESISTANT MAGMAFLO SHRINK TUBE ASSORTMENT KIT

- Resistant to diesel and solvents

30606-91



089

PIC



4:1 MAGMAFLO SHRINK TUBE ASSORTMENT KIT

- Heavy-Duty maximum flow
- Seals & protects against water, moisture & chemical ingress
- Adhesive bonds rapidly to PVC, XLPE, & PP-EPDM cable

30607-91



089

PIC





LIGHTING AND ELECTRICAL

COMPACT PART STORAGE SYSTEM KITS

- Labeled with individual part numbers for re-ordering

#	Pieces	Description
31501-91	195	Vinyl Terminals 22-18GA to 12-10GA with 350T-E Crimp Tool
31502-91	195	Vinyl Terminals 22-18GA to 12-10GA with 465T-E Crimp Tool
31503-91	90	Weatherpack Connectors & Housing + Extractor Tools
31801-91	72	Tubular Lugs 8GA to 2/0
31803-91	435	Vinyl Connectors & Terminals 22-18GA to 12-10GA
31806-91	95	Heat Shrink Connectors & Terminals 22-18GA to 12-10GA
31807-91	58	Deutsch Connectors



HEADLIGHT CONNECTOR ASSORTMENT KIT

..... 31203-91





UNIVERSAL SERVICE REPAIR PIGTAILS



089

PIC

#	Description	Application	Wire Leads	Bulbs
5407-BP	18GA Universal Sealed Beam	3-Prong Flashers	3	9003/H4
5460-BP	18GA Socket Repair Assembly	GM-Ford-Chrysler PT433 / 12117260	3	9004/9007
5461-BP	18GA Socket Repair Assembly	High beam GM PT168 / 12101898	2	H10/9145
5462-BP	18GA Socket Repair Assembly	Low beam GM PT167 / 12101897	2	9006
5507-11	Headlight Connector	N/A	3	H4/9003
5508-11	Headlight Connector	N/A	2	H7
5509-11	Headlight Connector	N/A	2	H8/H11
5510-11	Headlight Connector	N/A	2	H880
5511-11	Headlight Connector	N/A	2	H9
5513-11	Headlight Connector	N/A	3	H13/9008
5604-BP	18GA Horn Connector	Horn 1999160-161 & 10456327-28 GM 12116958 Delco PTT419 Buick, Chev,Olds, Pontiac 88-92 Cadillac 91-92	2	N/A

RELAYS

#	Voltage	Amperage
Relay Only, Use with Pigtails 5653-BP or 5663-11		
925-11	12V DC	40/30 AMP
923-11	24V DC	40/30 AMP
TRelay & Pigtail Kit – Complete unit ready to install		
926-91	12V DC	40/30 AMP
924-91	24V DC	40/30 AMP



089

PIC

BATTERY CABLE

- PVC insulation
- Abrasion & chemical resistant
- For use at 60Volts or less
- Meets or exceeds SAE J1127 Specifications



089

PIC

Black			Stranding OD			Gauge			Red		
# 25'	# 50'	# 100'				# 25'	# 50'	# 100'			
8097N-24	8097N-25	8097N-26	19	0.76	4/0	8097-5-24	8097-5-25	8097-5-26			
8098-PK	8098-B	8098-C	22	0.695	3/0	8098-5-24	8098-5-25	8098-5-26			
8099-PK	8099-B	8099-C	20	0.605	2/0	8099-5-24	8099-5-B	8099-5-C			
8100-PK	8100-B	8100-C	21	0.55	1/0	8100-5-24	8100-5-B	8100-5-C			
8101-PK	8101-B	8101-C	22	0.49	1	8101-5-PK	8101-5-B	8101-5-C			
8102-PK	8102-B	8102-C	23	0.45	2	8102-5-PK	8102-5-B	8102-5-C			
8104-PK	8104-B	8104-C	22.5	0.38	4	8104-5-PK	8104-5-B	8104-5-C			
8105-PK	8105-B	8105-C	22.5	0.33	6	8105-5-PK	8105-5-B	8105-5-C			



LIGHTING AND ELECTRICAL

PRIMARY WIRE

- Stranded annealed, single conductor copper wire, thermoplastic (GPT) PVC insulated
- For use at 60Volts or less
- Meets SAE J1128 specifications, ROHS compliant

50' & 100' Spools

	6GA		8GA		10GA		12GA		14GA		16GA		18GA	
Strand	49/12		19/21		19/23		19/25		19/27		19/29		16/30	
OD	.315		.215		.174		.142		.117		.102		.095	
Length	50"	100"	50"	100"	50"	100"	50"	100"	100"	100"	100"	100"	100"	100"
Black	8106-0-B	8106-0-C	8108-0-B	8108-0-C	8110-0-B	8110-0-C	8112-0-B	8112-0-C	8114-0-C	8116-0-C	8118-0-C			
Blue					8110-1-B	8110-1-C	8112-1-B	8112-1-C	8114-1-C	8116-1-C	8118-1-C			
Brown					8110-2-B	8110-2-C	8112-2-B	8112-2-C	8114-2-C	8116-2-C	8118-2-C			
Green			8108-3-B	8108-3-C	8110-3-B	8110-3-C	8112-3-B	8112-3-C	8114-3-C	8116-3-C	8118-3-C			
Orange					8110-4-B	8110-4-C	8112-4-B	8112-4-C	8114-4-C	8116-4-C	8118-4-C			
Red	8106-5-B	8106-5-C	8108-5-B	8108-5-C	8110-5-B	8110-5-C	8112-5-B	8112-5-C	8114-5-C	8116-5-C	8118-5-C			
White	8106-6-B	8106-6-C	8108-6-B	8108-6-C	8110-6-B	8110-6-C	8112-6-B	8112-6-C	8114-6-C	8116-6-C	8118-6-C			
Yellow					8110-7-B	8110-7-C	8112-7-B	8112-7-C	8114-7-C	8116-7-C	8118-7-C			
Grey					8110-8-B	8110-8-C	8112-8-B	8112-8-C	8114-8-C	8116-8-C	8118-8-C			
Purple					8110-9-B	8110-9-C	8112-9-B	8112-9-C	8114-9-C	8116-9-C	8118-9-C			
Pink									8114-C	8116-C	8118-C			



Mini-Spools

	10GA		12GA		14GA		16GA		18GA	
Strand	19/23		19/25		19/27		19/29		16/30	
OD	.174		.142		.117		.102		.095	
Length	8"		10"		20"		25"		35"	
Black	8110-0-MS	8112-0-MS	8114-0-MS	8116-0-MS	8118-0-MS					
Blue	8110-1-MS	8112-1-MS	8114-1-MS	8116-1-MS	8118-1-MS					
Brown	8110-2-MS	8112-2-MS	8114-2-MS	8116-2-MS	8118-2-MS					
Green	8110-3-MS	8112-3-MS	8114-3-MS	8116-3-MS	8118-3-MS					
Orange	8110-4-MS	8112-4-MS	8114-4-MS	8116-4-MS	8118-4-MS					
Red	8110-5-MS	8112-5-MS	8114-5-MS	8116-5-MS	8118-5-MS					
White	8110-6-MS	8112-6-MS	8114-6-MS	8116-6-MS	8118-6-MS					
Yellow	8110-7-MS	8112-7-MS	8114-7-MS	8116-7-MS	8118-7-MS					



089

PIC

Packaged

	6GA		8GA		10GA		12GA		14GA		16GA		18GA	
Strand	49/22		19/21		19/23		19/25		19/27		19/29		16/30	
OD	.315		.215		.174		.142		.117		.102		.095	
Length	50"	100"	50"	100"	50"	100"	50"	100"	100"	100"	100"	100"	100"	100"
Black	8106-0-PK	8106-0-47	8108-0-PK	8108-0-47	8110-0-PK	8110-0-47	8112-0-PK	8112-0-47	8114-0-PK	8116-0-PK	8118-0-PK			
Blue					8110-1-PK	8110-1-47	8112-1-PK	8112-1-47	8114-1-PK	8116-1-PK	8118-1-PK			
Brown					8110-2-PK	8110-2-47	8112-2-PK	8112-2-47	8114-2-PK	8116-2-PK	8118-2-PK			
Green			8108-3-PK	8108-3-47	8110-3-PK	8110-3-47	8112-3-PK	8112-3-47	8114-3-PK	8116-3-PK	8118-3-PK			
Orange					8110-4-PK	8110-4-47	8112-4-PK	8112-4-47	8114-4-PK	8116-4-PK	8118-4-PK			
Red	8106-5-PK	8106-5-47	8108-5-PK	8108-5-47	8110-5-PK	8110-5-47	8112-5-PK	8112-5-47	8114-5-PK	8116-5-PK	8118-5-PK			
White	8106-6-PK	8106-6-47	8108-6-PK	8108-6-47	8110-6-PK	8110-6-47	8112-6-PK	8112-6-47	8114-6-PK	8116-6-PK	8118-6-PK			
Yellow					8110-7-PK	8110-7-47	8112-7-PK	8112-7-47	8114-7-PK	8116-7-PK	8118-7-PK			



XTREME WORKLIGHT

- 60 white LEDs - 300 lumens
- Rechargeable battery/ battery life indicator
- Waterproof
- 360o swivel hooks (2x)
- Car charger and household adaptor



..... 24-455



584
PLT

24 LED WORKLIGHT

- Powerful magnet on back and 360o hidden hook
- 3AA batteries included



..... 24-457



584
PLT

PIVOTING FLASHLIGHT

- 28 + 5 LEDs
- Powerful twin magnets on base and 360o hidden hook
- 3AA batteries included



..... 24-458



584
PLT

HIGH INTENSITY TACTICAL LED LIGHT

- 1AA battery included
- Sold individually



..... 24-476



584
PLT



LIGHTING AND ELECTRICAL

SPOTLIGHT LANTERN 43 LEDS - RECHARGEABLE

- Spot light / lantern / emergency light
- Includes compass and hanging hook
- 360o swivel handle



..... 24-504



584
PLT

MAGNETIC PICK UP LED LIGHT WITH INSPECTION MIRROR

- Inspection Mirror
- Push button ON/OFF switch
- 5 lbs magnet
- LR44 disc batteries included



..... 24-882



584
PLT

MINIATURE MAGNETIC PICK UP LED LIGHT

- Push button ON/OFF switch
- LR44 disc batteries included



..... 24-883



584
PLT

MAGNETIC PICK UP LED LIGHT

- Push button ON/OFF switch
- LR44 disc batteries included



#	Description
24-888	Non-Magnetic Base
24-889	Magnetic Base



584
PLT

MAINTENANCE

KLEENEX® FACIAL TISSUE

- White
- 8.4 x 8.2" / 21.3 x 20.8cm



..... 21400



586

SCT

SCOTT® KITCHEN ROLL TOWELS

- White
- Made with ABSORBENCY POCKETS®
- More sheets on a roll - 4.9" roll diameter
- 11" x 8.78" / 27.9cm x 22.3 cm



..... 41482



586

SCT

IN-SIGHT® CENTER-PULL TOWEL DISPENSER

- Smoke grey
- 10" x 12.5" x 10.65"



..... 09335



586

SCT

SCOTT® STANDARD ROLL BATHROOM TISSUE

- White 2-ply
- Meets EPA Standards for post consumer waste content
- 4.1" x 4.0" / 10.4cm x 10.2cm



..... 48040



586

SCT

KLEENEX® COTTONELLE® BATHROOM TISSUE

#	Format	Qty
13135	2-Ply, 4" x 4.09"	500 Sheets/Roll
54080	2-Ply, 4" x 4.1"	400 Sheets/Roll
03148	2-Ply, 3.55" x 1000'	1000'/Roll



586

SCT

SCOTT® JRT JR. JUMBO ROLL TISSUE

- White, 2-ply tissue
- One roll equals nearly 5 standard rolls
- Ideal for those high traffic areas
- Meets EPA Standards for minimum post consumer waste content
- 3.55" x 1000'



..... 07805



586

SCT

SCOTT® RAGS

- White
- 55 sheets (10.4 x 11 in) per roll

..... 75011



586

SCT





SCOTT® SHOP TOWELS

- Super strong - works when wet
- Easily absorbs liquids, oils and grease
- Fits on standard towel holder

..... 75120



586

SCT



SCOTT® SHOP TOWELS

#	Format (in)	Colour	Qty
75192	10 x 13	Blue	200/ POP-UP® Box



586

SCT



SCOTT® CENTER-PULL TOWELS

- White, two-ply
- Meets EPA standards with a minimum 40% post consumer waste.
- 8.8" roll diameter
- 8" x 15" / 20.3cm x 38.1cm



..... 02068



586

SCT

..... 01010



586

SCT



KLEENEX® HARD ROLL TOWELS

- White
- ABSORBENCY POCKETS®
- Meets EPA standards with a minimum of 40% post consumer waste.
- 8" x 425' / 20.3cm x 129.5m

..... 50500



SCOTT® HARD ROLL TOWELS

- Natural
- 100% recovered materials; having a minimum of 60% post-consumer recycled waste (Meets EPA standards);
- 1.5" core diameter & 5.4" roll diameter
- 8" x 400' / 20.3cm x 121.9m



586

SCT



586

SCT

..... 02021

SCOTT® SINGLE-FOLD TOWELS

- White
- Where economy is required
- 9.3 x 10.5" / 23.6 x 26.7 cm

..... 01700



586

SCT



WYPALL® X60 WIPERS

- White
- The absorbing power of HYDROKNIT® technology to a lighter weight wiper
- 9.8" x 13.4"

..... 35401



586

SCT



MAINTENANCE

WYPALL® L20 WIPERS

- Brown, 1/4 fold
- 12.5" x 13"

..... 47000



586
SCT



WYPALL® L20 WIPERS

- 88 Count 4-Ply Pop Up Box
- Ideal for single-use parts and tool cleanups and general-purpose field utility wiping.
- Textured side for cleaning power
- Contains no binders or glue

..... 47044



586
SCT



WYPALL® X60 WIPERS

- White
- HYDROKNIT® technology
- No adhesives or binders
- Re-enforced

..... 34015



586
SCT



WYPALL® X60 WIPERS

- HYDROKNIT® material technology for a light weight wiper
- Easy One-At-A-Time dispensing
- 9.1" x 16.8"

..... 34790



586
SCT



WYPALL® X80 WIPERS - BRAG* BOX

- Blue
- 12.5" x 16.8"

..... 41041



586
SCT



WYPALL® HEAVY DUTY HAND CLEANING WIPES

- Pre-moistened wipes
- Orange, citrus

..... 58310



586
SCT





GARAGE FLOOR KLEEN

- Powdered detergent mixture designed to clean grease, oil and dirt off concrete floors, garage floors, machine shops, factory floors and other industrial workplaces



..... 1200



201

KLF

HEAVY-DUTY FLOOR SQUEEGEES WITH HANDLE

#	Blade (in)	Handle (in)	Description
840-24-116	24	54	Straight
843-24-116	24	54	Curved



515

MAL

FOAM BLADE FLOOR SQUEEGEES WITH HANDLE

#	Blade (in)	Handle (in)
846-30-54	30	54
845-24-46	24	46



515

MAL

HEAVY-DUTY FLOOR SQUEEGEES

- Handle not included

#	Size (in)	Series	Description	#	Size (in)	Series	Description
840-18	18	840	Straight	843-24	24	843	Curved
840-24	24	840	Straight	843-30	30	843	Curved
840-30	30	840	Straight	843-36	36	843	Curved
840-36	36	840	Straight	844-24	24	844	Curved, oil-resistant
841-24	24	841	Oil-Resistant	844-30	30	844	Curved, oil-resistant
841-30	30	841	Oil-Resistant	844-36	36	844	Curved, oil-resistant
841-36	36	841	Oil-Resistant				



515

MAL

MAINTENANCE

FOAM BLADE SQUEEGEES

- Handle not included



515

MAL

#	Blade (in)	Description
845-18	18	Regular
845-24	24	Regular
846-30	30	Heavy-duty (adj.socket)



TELESCOPIC WINDOW WASHER®

- 8" Plastic Squeegee Head
- Aluminum Telescopic Handle
- Extends from 24" to 39"



515

MAL

..... WSE-39A



SPONGE SQUEEGEES

- Wooden Handle

#	Blade (in)	Overall Length (in)
10NYRD-26	10	20-3/4



515

MAL



SPONGE SQUEEGEE HEAD

- Metal head with Universal socket



515

MAL

#	Blade (in)
12-810NYU	10
12-808NYU	8



SPONGE SQUEEGEE

- 6" x 9"
- Plastic handle

..... 806NY



515

MAL



WINDOW SQUEEGEE 835 SERIES

- Rubber blade head only

#	Blade (in)
835-12	12
835-14	14
835-16	16
835-18	18



515

MAL





FLOOR SQUEEGEE HANDLES

#	Handle (in)	Description
116	54	Hardwood
130-46	30	Vinyl-coated steel



515

MAL

HANDLES

#	Handle (in)	Description
118-54	54	Aluminum, univ.thread
115RED	15-3/4	Plastic
111U	20	Hardwood
112U	30	Hardwood



515

MAL

QUICKREACH® CONTRACTOR DUTY ALUMINUM POLE

- Threaded plastic cone tip
- Two external locks

#	Length (in)
117-12	59-1/4 – 144
117-16	75-1/4 – 192



515

MAL

FLOW-PRO® ALUMINUM TELESCOPIC POLE

- Extends from 63" to 12' 4"



119-12



515

MAL

RANGER MOP

#	Description
LB20C	20 oz
LB24C	24 oz

Mann 514
 MAN



CORN BROOM

..... 100

Mann 514
 MAN



FLOOR BROOMS

#	Description
2518T	18" Regular
2524T	24" Regular
2618T	18" Medium
2624T	24" Medium
518T	18" Rough
524T	24" Rough
54BM	54" Metal End Handle
54VV	54" Threaded Handle
60B	Large Broom Brace



Mann 514
 MAN





TORK® MINI JUMBO ROLL ADVANCED BATH TISSUE

- 2-ply white tissue, 7.4-inch roll
- Fewer refills
- Made from 100% recycled fiber, EcoLogo® Certified.

..... 12024402



821

SCA



TORK® JUMBO ROLL BATH TISSUE

- 2-ply white tissue, 10-inch roll
- 1600 lin.ft per roll, 6 rolls per case
- Dispenser options: 340080, 340082, 247540

..... 12021502



821

SCA



TORK® PREMIUM MULTIPURPOSE CLOTHS

#	Color	Size
520378	Blue	15.2" x 16.85" (38.61 x 42.80 cm)



821

SCA



TORK ADVANCED SHOPMAX® 450 WIPERS

#	Color	Size
450360	Blue/White	11" x 9.4" (27.94 x 23.88 cm)



821

SCA



TORK® ADVANCED CENTERFEED TOWELS

- One-at-a-time service, reduces cross-contamination
- High-absorbency, 100% recycled fibre
- White, 1000 sheets/roll



821

SCA

..... 120133



TORK® PERFORATED TOWEL ROLL

- Perforated two-ply construction, maximum absorbency

..... HB1990A



821
SCA

TORK® CENTER-FEED ROLL HAND TOWELS

- One-at-a-time service reduces waste and cross-contamination
- High capacity, high absorbency and chlorine-free

..... 121202



821
SCA

TORK® ADVANCED MINI CENTERFEED HAND TOWELS

- 2-ply high-absorbency white towels
- 100% recycled fibre, EcoLogo® Certified
- One-at-a-time service, use dispenser: 300092
- 266 sheet count, 12 per case

..... 121225



821
SCA

LIGHT DUTY TORK® UNIVERSAL WIPERS

#	Color	Size
130211B	White	9" x 13" (22.86 x 33.02 cm)
130251A	White	9" x 15.5" (22.86 x 39.37 cm)



821
SCA



MEDIUM-DUTY TORK® ADVANCED WIPERS

#	Color	Size
13244101	Blue	11" x 15.75" (27.94 x 40.01 cm)
13247501	Blue	12.8" x 16.5" (32.51 x 41.91 cm)



821
SCA





3-PANEL TORK XPRESS® TOWELS

- 9" x 10" towels
- 3-panel interfolded system (no towel "fall-out")
- Easy to refill
- 100% recycled fibre, EcoLogo® Certified.



821
SCA

..... 101291



TORK® INSTITUTION TOWELS

#	Color	Size
290089	White	7.75" x 9.5" (19.69 x 24.1 cm)



821
SCA



CORONET® 2-PLY TISSUE

..... TMI601A




821
SCA



GARBAGE BAGS

- Low-density polyethylene
- Compostable and biodegradable

#	Description	Mil	Colour	Size (in)	Qty/Roll	Qty/Case
344126	X-Strong	1.1	Black	26 x 36	25	150
334127	Regular	0.65	Black	26 x 36	25	150
334128	Strong	0.8	Black	26 x 36	25	150
334134	X-Strong	1.1	Black	35 x 50	20	100
334135	Regular	0.65	Black	35 x 50	25	150
334136	Strong	0.8	Black	35 x 50	25	125
334138	X-Strong	1.1	Black	42 x 48	10	100
334151	Regular	0.65	Clear	26 x 36	25	250



139
USP

MAINTENANCE

PAPER BAGS

• 500 per case

#	Description	Format (in)
011074	Regular paper bags	1 lb
011075	Regular paper bags	2 lb
011076	Regular paper bags	3 lb
011077	Regular paper bags	5 lb
011082	Grocery bags	10 lb
011083	Grocery bags	12 lb



KRAFT PAPER GROCERY BAGS

• 500 per case

#	Description	Colour	Size (in)	Qty/Case
11125	1 lb Grocery	Natural	3.5 x 2.25 x 7	500
19555	16/20 lb Hardware	Kraft	7.75 x 4.75 x 16.13	250



CLEAR PACKING TAPE

094553



DUSTBANE®

- Cleans and reduces airborne dust during sweeping and eases the removal of dust and dirt from sealed and unsealed wood, concrete and metal floors
- 50 lbs

154461



PUR® VALUE HAND STRETCH FILM

- 16 micron
- Clear
- 325 mm x 450 m roll, 43 per case

205113





RAGS

#	Pack	Material	Description
BXW-10C	10 lb	Premium t-shirt	White
BXW-25C	25 lb	Premium t-shirt	White
BXW-W20C	20 lb	Premium t-shirt	White, ultra-absorbent, seamless
CXW-25C	25 lb	Recycled t-shirt	White
BX-25C	25 rags	T-shirt	Color; bulk
JXC-10C	10 lb	New jersey	Color; seamless
JXC-25C	25 lb	New jersey	Color; seamless



BXW/CXW Series



JXC Series



BX Series



582

WIP

BLEACHED SHOP TOWELS

- Ultra absorbent
- Low lint, reusable and washable

#	Size (in.)	Qty/ Pack
RSTW-30P	14 x 14	30
RSTW-50P	13 x 14	50



582

WIP

MICROFIBER DETAILING CLOTHS

#	Size (in.)	Description
RMF-5R	14 x 14	Red, pack of 5



582

WIP

COLORED FLEECE WIPES

#	Pack (lb)
SXC-10C	10
SXC-20	20
SXC-25C	25



582

WIP

CHEESECLOTH

- Bleached, food-grade cheesecloth
- 1 yd x 3 yd (4-ply)

RCF-3



582

WIP

PROFESSIONAL STAIN APPLICATOR PADS

- High-density, lint-free terry
- 6" x 4" x 1"

RSAW-T641/12P



582

WIP

MAINTENANCE

SPIKLEEN PLUS GRANULAR ABSORBENT

- Absorbent clay/cellulose mix
- Non-flammable, cost effective and environmentally accepted by product material which fulfills Government guidelines on Recycling



..... 20ABB



441

THR

PREMIUM POLYMERIC ABSORBENTS

- Unique macro-porous synthetic polymer that removes soluble and insoluble impurities from water at a rate and capacity that exceeds all others by over 500%

#	Description
ETCBH-10	Polymeric absorbents X100
ETCBH-30	Polymeric absorbents X200
ETCGU-20	Polymeric absorbents X100



441

THR

BROOMS, MOPS AND HANDLES

#	Description	Dimensions	Grade	Handle
BR221P18P	Polypro Floor Brush	18W	Medium	52510
BR221P24P	Polypro Floor Brush	24W	Medium	52510
BR221P36	Polypro Floor Brush	36W	Medium	52510
BR224G18P	Polypro Floor Brush	18W	Coarse	52510
BR224G24P	Polypro Floor Brush	24W	Coarse	52510
BR224G36	Polypro Floor Brush	36W	Coarse	52510
MP3P20	3-Ply Cotton Mop Head	--	550 g (20 oz)	--
YMY16B	Cotton Yacht Mop	--	450 g (16 oz)	--
FH354T	Tapered Wood Handle	--	--	--
52510	Metal Thread Broom Handle	--	--	--
MH145W	Quick Change Metal Mop Handle	--	--	--



487

NLS



INDUSTRIAL WAREHOUSE CORN BROOM



..... CB108

LARGE HAND CORN WISK



..... CB102

BROOM BRACES

#	Description	Use With
BB7001	SMI Heavy-Duty Metal Block Brace	Plastic Heads 24" - 36"
MI351	Long Rod Push Broom Brace	Wood Block Heads 24" - 36"



487

NLS



HYGIENE AND SAFETY

CHERRY HAND CLEANER

- Fine pumice lotion formula acts quickly on oil, grease, tar, asphalt and adhesive
- Light cherry scent
- 3 L



..... 28218



203

PAINTER'S CLEAN™ HAND CLEANER (PARR®)

- Safely and effectively removes all types of paint, oil, latex, polyurethane, stains, varnishes and other tough soils
- Fresh scent contains fine pumice, aloe, lanolin and jojoba oil to help condition hands
- 1.89 L



..... 65-116



203

DL® TROUNCE® LOTION AND CREAM HAND CLEANER

- Pleasantly scented
- Finely ground pumice for deep scrubbing
- Biodegradable
- 3.78 L



..... 21-218



203

DL® BLUE LABEL™ CREAM HAND CLEANER

- Cream formula, waterless hand cleaner

#	Format
01-013	400 g
01-406	2 kg



203

FAST ORANGE® PUMICE BAR SOAP

- Contains fine pumice for thorough cleaning and leaves pleasant orange citrus scent
- 163 g



..... 25575

FAST ORANGE® SMOOTH LOTION HAND CLEANER

- Citrus power does the cleaning
- Fortified with aloe, lanolin, glycerin and other skin conditioners

#	Format
23-108	225 ml
23-116	400 ml
23-117	1.89 L
23-218	3.78 L



FAST ORANGE® PUMICE LOTION HAND CLEANER

- Fresh-smelling natural citrus
- Contains aloe, lanolin, jojoba and glycerin for added skin conditioning and protection
- Fine pumice formula gently cleans the toughest dirt

#	Format
25-108	225 ml
25-116	400 ml
25-217	1.89L
25-218	3.78 L





CHERRY GEL PUMICE HAND CLEANER

- Gel-style with cherry fragrance and pumice scrubbers
- Cleans heavy dirt, grease and oil
- pH balanced to promote skin comfort
- 10 oz



818
GOJ

#	Format
2358-02	1 gallon
7290-04	2000 ml refill
2354-08	10 oz



NATURAL ORANGE™ PUMICE HAND CLEANER

- Pumice scrubbing particles
- Orange citrus scent
- Qualifies as a USDA Bio Preferred product for Federal preferred procurement

#	Format
0957-12	415 ml
0958-06	3.78 L
0955-02	4 L



818
GOJ



PUMICE HAND CLEANER

- Fresh-scented cream formula with natural pumice scrubbers
- 4.5-lb

#	Fragrance
0915-06	Lemon
0975-06	Orange



818
GOJ



FINE ITALIAN PUMICE HAND CLEANER

- For removing heavy grease, tar and oil
- 4 lb plastic cartridge

..... 1135-06



818
GOJ



POWER GOLD® HAND CLEANER

- Removes the heaviest grease, tar and oil
- No harsh solvents
- Contains natural, non-irritating scrubbing particles
- 2000 ml refill

..... 7295-04



818
GOJ



ORIGINAL FORMULA™ PUMICE HAND CLEANER

- Easily removes the heaviest grease, tar and oil
- Contains soothing emollients, to treat dry, cracked hands

..... 0958-06



818
GOJ





HYGIENE AND SAFETY

SUPRO MAX™ HAND CLEANER

- Removes most inks, tough, sticky soils and adhesives
- Non-drying formula

#	Size	Fragrance
7282-04	2000 ml	Cherry
7272-04	2000 ml	Original



818

GOJ



CREME HAND CLEANER

- For removing grease, tar and oil
- 4.5 lb

..... 0905-06



818

GOJ



PRO™ TDX™ NATURAL ORANGE HAND SOAP

- Removes most inks, tough, sticky soils and adhesives
- Non-drying formula
- 5000 ml refill

..... 7582-02



818

GOJ



ORIGINAL FORMULA™ HAND CLEANER

- Contains soothing emollients
- For removing heavy grease, tar and oil
- 4.5 lb

..... 1115-06



818

GOJ



MULTI GREEN® HAND CLEANER REFILL

- Natural citrus solvent cleaner
- Non-abradating scrubbing particles

#	Format
7565-04	2000 ml
7565-02	5000 ml



818

GOJ



FMX-12™ LUXURY FOAM HANDWASH

- Translucent pink color and cranberry fragrance
- 1250 ml refill

..... 5161-03



818

GOJ



PURELL® INSTANT HAND SANITIZER

- The #1 instant hand sanitizer
- Kills 99.99% of most common germs
- No water or towels needed



818

GOJ

#	Size
9652-12	230 ml hand pump
2156-08	1000 ml refill





SCRUBBING WIPES

- Formulated to lift heavy dirt and grime from skin, and help prevent dryness and irritation
- Contains skin conditioners

#	Qty / Box
6396-06	72
6383-06	25



818
GOJ



FAST WIPES® HAND CLEANING TOWELS

- Ideal wherever water is not available
- 130 rags

..... 6298-04



818
GOJ



HAND MEDIC® PROFESSIONAL SKIN CONDITIONER

- Quickly absorbs, with no greasy after-feel
- Use before work, after hand washing and at night
- Silicone and fragrance-free
- 5 fl oz tube

..... 8150-12



818
GOJ



PRO™ TDX™ 5000 Dispenser

- Enhanced site window to show refill inside
- ADA compliant
- SANITARY SEALED™ refills
- Portion control helps reduce waste
- Fresh dispensing valve with each refill
- Guaranteed for life
- 5000 ml

..... 7500-1



818
GOJ



PAINT OFF™ HAND CLEANER

- Blend of specialized cleaning agents, pumice, Aloe Vera, lanolin and glycerine
- Removes everything from Urethane and Epoxies to Paint and Ink

..... Format
CUSOB 2.5 L



609
DSS



PRO™ 2000 DISPENSER

- ADA compliant, one-hand push operation
- SANITARY SEALED™ refills are easy to load, store, and handle
- Fresh dispensing valve with each refill
- 2000 ml capacity

..... 7200-01



818
GOJ



ECO-CARE NATURAL KLEEN HAND KLEENER

- Effectively removes oils, greases, paints, glue, gum and pitch
- Contains lanolin, skin conditioners and moisturizers
- Orange fragrance
- Ecological, biodegradable



201
KLF

..... Format
41 450 ml
43 3.5 L





HYGIENE AND SAFETY

EARMUFFS



#	NRR Rating	Description	Type
EM103	22	Adjustable headband	Econo
EM105	26	3-Position headband	Dielectric
EM106	25	Foldable headband	Dielectric
EM109A	28	Wire-frame foldable headband	Premium



822

CDR

DISPOSABLE EARPLUGS

- Disposable, one size fits all
- Soft, non-irritating PU foam material
- Reject buildup of dirt and moisture
- NRR Rating 32

#	Description	Qty/Pk.
FEP03	Uncorded	200 pairs
FEP03C	Corded	100 pairs



822

CDR



EARPLUG DISPENSER

- Disposable, one size fits all
- Soft, non-irritating PU foam material for comfort
- Plugs reject build-up of dirt and moisture
- NRR Rating 32
- 500 plugs included

#.....FEP03D500



822

CDR



BANDED EARPLUGS

- Disposable, one size fits all
- Soft, non-irritating PU foam material for comfort
- Rejects build-up of dirt and moisture
- NRR Rating 25

#.....FEP12



822

CDR



BASBALL STYLE BUMP CAP

- Plastic shell insert
- Adjustable sizing

#	Colour
HBC2BK	Black
HBC2GRD	Dark Green
HBC2NY	Navy
HBC2RD	Red
HBC2YW	Yellow



822

CDR

HARD HATS

- Rain trough and accessory slots
- 4 point nylon web suspension with ratchet size adjustment
- Featuring 3-level height adjustment
- CSA Type I and ANSI Type I, Class E certified

#	Couleur
HHIRCSA-GRD	Dark Green
HHIRCSA-NY	Navy
HHIRCSA-OR	Orange
HHIRCSA-RD	Red
HHIRCSA-WH	White
HHIRCSA-YW	Yellow



822

CDR





Z94.3 SAFETY EYEWEAR



822

CDR

#	Type	Description	UV Protection
CA1102UC	Visitors	Clear; Clear Temple	99.9%
CA1101B-AHC	Safety	Amber; Hard Coat	99.9%
CA1101B-CHC	Safety	Clear; Hard Coat	99.9%
CA1112CHC	Anti-Scratch/Safety	Clear; Hard Coat	N/A
CA1113AHC	Light Weight/Safety	Amber; Hard Coat	99.9%
CA1113CAF	Light Weight/Safety	Clear; Anti-Fog	99.9%
CA1113CHC	Light Weight/Safety	Clear; Hard Coat	99.9%
CA1113GHC	Light Weight/Safety	Grey; Hard Coat	99.9%
CA1113IO	Light Weight/Safety	Mirror; Indoor/Outdoor	99.9%
CA1113SM	Light Weight/Safety	Silver Mirror; Hard Coat	99.9%
CA1117B-AHC	High Impact/Safety	Amber; Hard Coat	99.9%
CA1117B-CAF	High Impact/Safety	Clear; Anti-Fog	99.9%
CA1117B-CHC	High Impact/Safety	Clear; Hard Coat	99.9%
CA1117B-SM	High Impact/Safety	Silver Mirror; Hard Coat	99.9%
CA1117B-IO	High Impact/Safety	Indoor/Outdoor; Mirror	99.9%
CA1117B-GHC	High Impact/Safety	Gray; Hard Coat	99.9%

N95 PARTICULATE DISPOSABLE RESPIRATORS

- Elastic latex-free strap
- 4151 has built-in exhalation valve reducing humidity build-up
- N95 NIOSH approved

#	Description	Qty/Box
4150	Basic Respirator	20
4151	Respirator With Valve	12



822

CDR

DISPOSABLE RESPIRATORS

- Lightweight, disposable, single use mask
- Economical
- Not NIOSH approved

..... M1001



822

CDR



HYGIENE AND SAFETY

HI-VIZ GLOVES

- Black rubber coated textured palm

#	Description	Couleur
5589...	Thermal	Red
5590...	Thermal	Green
8845...	Poly/coton	Red
8846...	Poly/coton	Green

Size Chart	
#	Size
...-7	7
...-8	8
...-9	9
...-10	10



822

CDR



COTTON & STRING KNIT GLOVES

- Machine washable
- Heavy-weight
- Natural colour



#	Size
GKIC-S	Small
GKIC-M	Medium
GKIC-L	Large
GKIC-XL	X-Large



822

CDR

NITRILE DIPPED SEAMLESS KNIT GLOVES

- Gray foam nitrile dipped palm and fingers
- Seamless nylon knit liner
- Knit wrist
- White nylon liner



#	Size
GKNIGP6	6
GKNIGP7	7
GKNIGP8	8
GKNIGP9	9
GKNIGP10	10
GKNIGP11	11



822

CDR

NITRILE COATED KNIT NYLON GLOVE

- Blue nitrile coated palm & fingers
- Seamless knit nylon liner
- Excellent abrasion resistance

#	Size
GKN2BLP6	6
GKN2BLP7	7
GKN2BLP8	8
GKN2BLP9	9
GKN2BLP10	10



822

CDR





MECHANICS GLOVES

- Goatskin leather palm and anti-slip surface
- Black spandex mesh back
- Keystone thumb
- Slip on elastic wrist with Velcro tab closure for a more comfortable fit

#	Size
GP7K-SM	Small
GP7K-MED	Medium
GP7K-LGE	Large
GP7K-XL	X-Large
GP7K-XXL	XX-Large



822
CDR

LEATHER WORK GLOVES

- Goatskin double layered padded palm
- Neoprene padded knuckle
- Black spandex mesh back and slip on elastic wrist with Velcro tab closure

#	Size
GPI4DG-SM	Small
GPI4DG-MED	Medium
GPI4DG-LGE	Large
GPI4DG-XL	X-Large
GPI4DG-XXL	XX-Large



822
CDR

NITRILE GLOVES

- Chemical, fat, and oil resistant
- Silicone-free
- Pebble finish



#	Size	Thickness (mil)	Length (in)	Lined
GRN9U7	7	9	11.5	--
GRN9U8	8	9	11.5	--
GRN9U9	9	9	11.5	--
GRN9U10	10	9	11.5	--
GRN15F7	7	15	12.5	✓
GRN15F8	8	15	12.5	✓
GRN15F9	9	15	12.5	✓
GRN15F10	10	15	12.5	✓
GRN15F11	11	15	12.5	✓



822
CDR

PREMIUM WELDING GLOVES

- One-piece split cowhide back
- Continuously welted seams
- Air-cushioned, flame retardant lining
- Palm and thumb patch sewn with 5-ply Kevlar® thread

#	Size
GWL1B-L	Large
GWL1B-XL	X-Large



822
CDR



HYGIENE AND SAFETY

NAVY SHOP COAT

- 65/35 poly/cotton
- Pre-shrunk twill fabric
- Snap front closure
- Four front pockets and side openings

#	Size
WSC1NY-S	Small
WSC1NY-M	Medium
WSC1NY-L	Large
WSC1NY-XL	X-Large
WSC1NY2XL	XX-Large
WSC1NY3XL	XXX-Large



822
CDR

COVERALLS

- Pre-shrunk navy 65/35 Poly/Cotton
- Two way YKK brass zipper front closure, 7 pockets and elastic waist

#	Size
WCA1NY38	38 reg.
WCA1NY40	40 reg.
WCA1NY42	42 reg.
WCA1NY44	44 reg.
WCA1NY46	46 reg.
WCA1NY48	48 reg.
WCA1NY50	50 reg.
WCA1NY52	52 reg.
WCA1NY54	54 reg.
WCA1NY56	56 reg.



822
CDR

HOODED MICROPOROUS COVERALLS

- Light and durable microporous Film Laminate (MFL) material
- One-time use
- Full mobility
- Zipper front and elastic wrists/ankles

#	Size
CHEALTXL	X-Large



822
CDR

BROWN LEATHER WELDING JACKETS

- Full 30" length
- Split leather cowhide with reinforced seams
- Underarm and back vents, 100% polyester inner arm and shoulder lining for easy on/off

#	Size
WJL30BR-M	Medium
WJL30BR-L	Large
WJL30BR-XL	X-Large
WJL30BR-2XL	XX-Large
WJL30BR-3XL	XXX-Large



822
CDR

ANTI-STATIC COVERALLS

- Spunbonded meltbown material (SMMS) with anti-static microporous film laminate, light and durable
- One-time use
- Anti-static MFL garment
- Minimize safety risks, such as the petro-chemical industry
- Zipper front and elastic wrists/ankles

#	Size
DCA4A-XL	X-Large



822
CDR

PVC/POLYESTER RAINWEAR

- 0.32 mm construction
- Attached drawstring hood, zipper and snap closure, snap adjustable cuffs
- Ventilated cape back and underarm air vents
- Pants feature fly front with snap closure, quick release suspenders, and snap adjustable leg openings.

#	Size
RS3PP-L	Large
RS3PP-XL	X-Large



822
CDR



FLAME RESISTANT PVC/POLY RAINWEAR

- Wind and waterproof
- Snap buttons on leg and waist, pockets on front and side, removable hood
- Meets the requirements for FR of CGSB-155.20-2000



#	Description
901FR...	3-Piece Rainsuit
901FRC...	Long Raincoat
901FRJ...	Jacket
901FRP...	Bib Pants

Size Chart	
#	Size
...-SML	Small
...-MED	Medium
...-LGE	Large
...-XL	X-Large
...-XXL	XX-Large
...-XXXL	XXX-Large



822
CDR

STANDARD TRAFFIC VESTS

- Two outside pockets and safety D-ring access slot
- 2" reflective material
- Front Velcro closure, 5-point tear-away design



..... TVI

MESH SAFETY VESTS

- 2" reflective material
- Polyester mesh
- Front Velcro closure and elastic sides



..... TV2M

CSA SURVEYOR'S VESTS

- Meets CSA Z96-02 Class 2, Level 2 requirements
- 2" 3M Scotchlite™ reflective material
- 6 pockets
- Front snap closure
- BC WCB/Worksafe/DOT configuration



..... TVCSA

PREMIUM MESH CSA TRAFFIC VESTS

- 2" 3M Scotchlite™ reflective material
- 300 denier water-proof polyester
- 5 point tear-away velcro closure and side straps
- BC WCB/worksafe/DOT configuration
- Meets CSA class 2 level 2



..... TVCSAM

#	Description	Size	#	Description	Size
TVIOR	Fluorescent Orange	One Size	TVCSA-YW-LXL	Hi-Viz yellow	Large/X-Large
TVIYW	Fluorescent Yellow	One Size	TVCSA-YW2X3X	Hi-Viz yellow	XX / XXX-Large
TV2M-OR	Fluorescent Orange	One Size	TVCSAM-OR-SM	Hi-Viz orange	Small
TV2M-YW	Fluorescent Yellow	One Size	TVCSAM-OR-LX	Hi-Viz orange	Large/X-Large
TVCSA-OR-SM	Hi-Viz orange	Small	TVCSAM-OR2X3X	Hi-Viz orange	XX / XXX-Large
TVCSA-OR-LXL	Hi-Viz orange	Large/X-Large	TVCSAM-YW-SM	Hi-Viz yellow	Small
TVCSA-OR2X3X	Hi-Viz orange	XX / XXX-Large	TVCSAM-YW-LXL	Hi-Viz yellow	Large/X-Large
TVCSA-YW-SM	Hi-Viz yellow	Small	TVCSAM-YW2X3X	Hi-Viz yellow	XX / XXX-Large



HYGIENE AND SAFETY

BC9R RUBBER CONSTRUCTION BOOT

- CSA grade 1 steel toe and plate
- 100% waterproof rubber with nylon cuff and shin protection
- Lime resistant and oil resistant



822


CDR

#	Size
BC9R7	7
BC9R8	8
BC9R9	9
BC9R10	10
BC9R11	11
BC9R12	12
BC9R13	13



TRAFFIC SAFETY CONES

- High visibility orange
- Stackable
- Wide base design (weighted)
- 100% PVC construction



#	Description
TCPVC6	6"
TCPVC12	12"
TCPVC18	18"
TCPVC18R	18" with 6" reflective collar
TCPVC28	28"
TCPVC28R	28" with 4" and 6" reflective collar



822

CDR

AMEREX FIRE EXTINGUISHERS

- Highest UL rating
- US Coast Guard approved
- Six year warranty
- Mounting bracket included
- Temperature range -65°F to 120°F (-53° to 48°)



074

ILI

#	Model	Class	Capacity (lb)	Discharge Time (sec)
7000	B417TX	ABC	2,5	10
7005	B500TX	ABC	5	14
7006	B500X	ABC	5	14
7010	B402TX	ABC	5	14
7011	B402X	ABC	5	14
7015	A411X	ABC	20	30
7018	B456X	ABC	10	20



30-PIECE FIRST AID KIT

- Adhesive bandages (4 junior size and 8 large size)
- 2 Dressing pads
- 4 Alcohol swabs
- 1 Roll adhesive tape
- 4 Cotton swabs
- 4 Safety pins
- 1 Scissors
- 1 First Aid instruction card
- 1 Durable plastic container



2505



074

ILI

62-PIECE EMERGENCY ROADSIDE SAFETY KIT

2510



074

ILI



EMERGENCY PONCHO

2520



074

ILI





THICKSTER™ 14 MIL LATEX DISPOSABLE GLOVES

- Powder-free, 12" in length
- Textured grip and beaded cuff
- Box qty: 50 gloves



#	Size
6602	Medium
6603	Large
6605	XXLarge



936
SAS

RAVEN™ 6 MIL NITRILE GLOVES

- Powder-free, ambidextrous gloves
- Superior puncture & abrasion resistance
- Textured grip and beaded cuff
- Box qty: 100 gloves



#	Size
66516	Small
66517	Medium
66518	Large
66519	XLarge
66520	XXLarge



936
SAS

DISPOSABLE NITRILE GLOVES, 100 PER BOX

#	Description	Size
08184	Powder-free	Medium
08185	Powder-free	Large
08186	Powder-free	XLarge
09184	Lightly powdered	Medium
09185	Lightly powdered	Large
09186	Lightly powdered	XLarge
09184	5 mil, Lightly powdered	Medium
09185	5 mil, Lightly powdered	Large
09186	5 mil, Lightly powdered	XLarge



203

LED INSPECTOR SAFETY GLASSES

- High-impact polycarbonate lenses
- 99.9% UV protection
- Anti-fog coating
- Ultra-bright built-in LED lights
- On/off switch, LR44 batteries included

..... 5420-50



936
SAS

REGULAR FIRST-AID KITS

- Meets ANSI Z308.1-2009 standard
- Contains an assortment of practical, single-use disposable items to treat injuries in a sanitary and simple way
- Ideal for light industry, contractors and job sites



#	# of Persons	Case
6010	10	Plastic
6010-01	10	Metal
6025	25	Plastic
6010-25	25	Metal



936
SAS



HYGIENE AND SAFETY

DELUXE FIRST-AID KITS

- Meets ANSI Z308.1-2009 Standard
- Comprehensive deluxe kits contain various first-aid supplies for treating injuries, wounds and burns

#	# of Persons	Case
6035	35	Plastic
6050	50	Plastic
6099-1	100	Metal



936
SAS

FOAM EARPLUGS

- Pre-shaped foam ear plugs
- Super-soft foam ear plugs conform to the inner ear canal
- Noise reduction rating: 30
- Box of 200 pairs

..... 6100



936
SAS



BANDIT™ N95 DISPOSABLE DUAL CARTRIDGE RESPIRATOR

- Pre-assembled respirator with organic vapor cartridges and N95 filters for easy use
- Flexible, lightweight, and form fitting
- Low profile cartridges
- Filters offer low breathing resistance

#	Size
8661-92	Medium
8661-93	Large



936
SAS



N95 PARTICULATE RESPIRATOR

- Inner foam provides a custom seal
- Exhalation valve for extra comfort

#	Box
8610	20
8611	10



936
SAS



PAINTER'S SPRAY SOCK

- Comfortable cotton blend
- Fits snugly around head and neck
- One-size-fits-all

..... 6810



936
SAS





HIGH-IMPACT POLYCARBONATE LENS

- 8" x 15 1/2", 0.06" thickness
- Pre-injected curved lens

#	Type	Shade
5150	Curved	Clear
5152	Curved	Gray
5155	Aspherical	Clear
5157	Aspherical	Dark Green



936
SAS

MODEL SPILL KIT I, 20L

- An ideal quick response solution for laboratories, stores, warehouses and vehicles and perfect for containing small spills
- Kit includes 2 oil-only socks (1.2m x 8cm), 10 oil-only pads, 1 disposal bag with tie and 1 instruction sheet, in a printed carry bag



441
THR

..... ETCTD-80

FOAM EAR PLUGS

- Soft foam, comfortable fit
- Recommended for high noise

#	Application
1100	High noise
1110	Moderate to high noise - Corded



130
MMM



RESPIRATOR CLEANING WIPE 504

- Used to clean elastomeric face piece respirators
- Alcohol free

..... 07065



130
MMM

ORGANIC VAPOR CARTRIDGE

- Trapezoid design for unobstructed vision

..... 07046



130
MMM



PARTICULATE RESPIRATOR

- Advanced Electret Media (AEM) and adjustable nose clip

..... 07048



130
MMM



FACE SHIELD COVER

- Replaceable protective covering for the lens of the 3M™ 6000 Series full face piece respirator

..... 07142



130
MMM





SEASONAL PRODUCTS

WATER REMOVER

- 3-in-1 fuel treatment that fights gas freeze-up, helps prevent rust and corrosion and cleans the entire fuel system
- Contains no alcohol
- 155 ml

..... 17114



162
STP

LOCK D-ICER

..... 15-276



424
REC

UNIVERSAL GAS LINE ANTI-FREEZE

- Prevents fuel lines from freezing
- 150 ml

..... 15-356



424
REC

FUEL INJECTION GAS LINE ANTI-FREEZE

- Does not contain methanol
- 150 ml

..... 15-316



424
REC

GAS LINE ANTI-FREEZE

- 150 ml

..... G206



205
RAD

LOCK DE-ICER

- 30 ml

..... L301



205
RAD

SEASONAL PRODUCTS



LOCK-DE-ICER

- Instantly de-freezes all types of locks
- Absorbs water from lock and lubricates internal lock mechanism preventing next freezing

#	Format
612	18 g
615	35 ml



201
KLF

ICE-OFF® WINDSHIELD SPRAY DE-ICER

- Melts ice, snow, and frost on contact - Thaws frozen locks and is effective to sub-zero temperatures
- Harmless to car finish
- 340 g

..... 75346



218
CRC

QUIK MELT ICE MELTER

- Quickly eliminates ice and snow from steps, sidewalks, driveways, parking lots and roads
- Works faster than salt
- Not harmful to plants, shrubs or grass
- Will not flow or roll away



201
KLF

#	Format
780	3.6 kg
781	6.81 kg
784	20 kg
785	40 kg



SUPREME GAS LINE ANTI-FREEZE

- Prevents frozen gas lines during winter and vapour lock during summer

#	Format
409	150 ml
412	500 ml



201
KLF





SEASONAL PRODUCTS

TELESCOPIC SNOW BRUSHES

#	Head (in)	Handle (in)
511-E	7	23 - 36
581-E	8	30 - 48
595-E	5 x 16	32 - 52



**515
MAL**

PIVOT HEAD SPORT TELEBROOMS®

• Rubber squeegee

#	Head (in)	Handle (in)	Description
583EP	10	52	
584EP	10	53	Heavy-duty lock



**515
MAL**

SNOW BRUSHES

#	Size (in)	Description
203	25	Wood
889-35	35	Aluminum, long reach
523	24	Plastic
532	26	Plastic, contoured
989-34	34	Plastic, contoured



**515
MAL**



HAND SNOW BRUSH

..... 518.



BIG BLADE SCRAPER

- 10" Long
- 3-7/8" Wide

..... 898-35



MAXX XS 16" SCRAPER

..... 994



EMERGENCY SHOVEL WITH FOAM GRIP

- Extends from 30" to 40"

..... 222-E





MISCELLANEOUS

LITTLE TREES® AIR FRESHENERS

#	Description
UIP-10221	Ocean Mist
UIP-10318	Cinna-Berry
UIP-10311	Wild Cherry
UIP-10109	Forest Fresh
UIP-10319	Peachy Peach
UIK-10312	Strawberry
UIP-11755	Victory Lane
UIP-10316	Green Apple
UIP-10228	Morning Fresh
UIP-17343	Blackberry Clove
UIP-10320	Watermelon
UIP-10103	Spice
UIP-10338	Cinnamon Apple
UIP-10967	Pina Colada
UIP-10102	Bouquet
UIP-10433	Jasmin
UIP-10431	Fresh Lilacs
UIP-10315	Fresh Squeezed Orange
UIP-10601	Royal Pine
UIP-17366	Black Forest
UIP-10358	Berry Patch
UIP-10341	Sweet Pear
UIP-17115	Silly Citrus/Orange
UIP-17105	Very Vanilla/Yellow
UIP-10339	Mango
UIP-10313	Lively Lemon
UIP-17118	Bubble Berry/Pink
UIP-10605	Vanillaroma
UIP-10225	Powder
UIP-10435	Lavender
UIP-17037	No Smoking
UIP-10279	Night Sky
UIP-10689	New Car Scent
UIP-17137	Ice Blue
UIP-10595	Applewoods
UIK-10155	Black Ice scent, black tree
UIK-10189	New car scent, blue tree
UIK-10105	Black Ice scent, black tree
UIK-10101	Royal Pine scent, dark
UIK-10317	Coconut scent, brown tree
UIK-10290	Leather scent, brown and black leather look tree



235

CFR



LITTLE TREES® ASSORTMENTS

• 24 per display strip

#	Description
UHS1010012	Classic Assorted Trees
UHS1030012	Fruit Assorted Trees



235
CFR

LITTLE TREES® CLASSIC FRAGRANCE ASSORTMENT

• 48 assorted singles per card



..... U48-10100-12



235
CFR

LITTLE TREES® PUMP AIR FRESHENERS

#	Description
UPS-05089	New Car 2 oz



235
CFR



FRESH GEL XL JUST RIGHT®

#	Description
07761-32	Cherry
07760-32	New Car
07757-32	Fresh Berries
07763-32	Mountain Air
07756-32	Vanilla



235
CFR



MISCELLANEOUS

BIG HORN

- Meets all Coast Guard requirements with a loud output of 125 dB at one meter
- Ideal for many different applications such as sporting events, graduations or marine



..... Format Decibel
IC-65808-23 8 oz 125




292
SIG

HORN WITH UNIVERSAL BRACKET

..... Voltage Sound
72002-23 12V High Note
72012-23 12V Low Note



292
SIG



HK-9 VIBRATOR SERIES

- High frequency performance for general vehicle use, standard on many O.E.M. import cars
- Heavy-duty copper wire motor; universal mounting bracket, and a corrosion resistant finish
- Life cycle of over 300,000 honks
- Meets or exceeds O.E.M., S.A.E., and EEC specifications



..... Frequency Decibel Amp Draw Voltage Sound
40310-23 430 130 4 12 High Note
40365-23 335 130 4 12 Low Note



292
SIG

AM-80S FREEWAY BLASTER

- Extra-loud for passing, safety approved to EEC Regulation 28

..... Frequency Decibel Amp Draw Voltage Sound
72102-23 485 130 5 12 High Note
72112-23 405 130 5 12 Low Note



292
SIG




ANIMAL ALERT

..... 470



074
ILI



12-VOLT PORTABLE WET/DRY VACUUM

..... 760



NYLON LICENSE FASTENERS

..... 283



074
ILI



074
ILI



DEFENDER ELECTROMAGNETIC MODULE

- Produces an RF pulse signal creating surface currents over the steel body of the vehicle
- Breaks down the Zinc Oxide wall, allowing the Zinc galvanizing to once again protect the steel surface and slowing down the corrosion process (by a factor of a 100 or up to a 99.7% reduction)



#	Application	Power
44001	Automobile, light trucks, SUV's	12V
44005	Heavy-duty vehicles over 25' long	12/24V
44007	Hybrid module (trailers, equipment, etc.)	8 x C Batteries



658
DFP

RUBBER TARP STRAPS

#	Length (ft)	Capacity (lb)	Qty.
11191	10	50	10
11192	15	50	10
11193	21	50	10
11194	31	50	10



622
DYL

ELASTIC TOW ROPE

- Stretches and recoils from 5 ft. (1.5 m) to 13 ft. (4 m)
- Towing Capacity: 6,000 lb



#.....11195



622
DYL

'C' SERIES PREMIER SPLASHGUARDS

- Custom series designed for full-size pickups, vans and sport utilities
- Universal fit
- Stays flexible down to -40°F (-40°C)
- 18" height x 10-3/8" wide



587
PWR

#	Description
4318	GMC, Black
4319	Chevrolet, Black
4320	4X4, Black
4322	Plain, Black



'A' SERIES PREMIER SPLASHGUARDS

- Designed to fit most fender configurations
- Universal fit
- Molded to OE specifications
- Remain flexible down to -40°F (-40°C)
- 12-3/4" height x 7-3/8" wide

#	Description
4406	Plain, Black



587
PWR



ULTIMATE FIT™ & BIG MUDDER™ SPLASHGUARDS

- The perfect fit for your vehicle
- Fully molded, looks like OE
- Sold in pairs



587
PWR

#	Description	Size
3101	Stainless Steel Accents	2.5" L x 8.5" W
3102	Extreme Splashguards – large	17.5" L x 10" W
3103	Extreme Splashguards - extra large	20" L x 12" W





MISCELLANEOUS

TRUCK & TRAILER RUBBER SPLASHGUARDS

- Reinforced to not crack or tear
- Easy to cut and custom fit around unique applications
- Universal fit to most flatbed trucks, trailers, and equipment
- Heavy-duty rubber that stays soft and flexible even in extreme temperatures
- Designed for single or dual-wheel installation
- One pair per package



587

PWR

#	Description (in)
5525	14 x 8 (36 x 20 cm)
5526	18 x 12 (46 x 30 cm)
5527	15 x 20 (38 x 51 cm)

SPLASHGUARDS PRO-FIT

- Direct fit
- Flexible down to -40°F (-40°C)
- Fits all cars, trucks, vans, SUVs and crossover vehicles
- Black rubber, 1 pair



587

PWR

#	Description
6401	Trucks, Vans, SUV, etc
6402	Car
6403	Car
6404	Trucks and Vans
6416	Trucks and Vans
6417	Trucks

HEAVY-DUTY RUBBER SPLASHGUARDS

- Black
- All rubber
- Universal fit
- Will not crack or weather

..... 4590



587

PWR



LARGE CAR, MINI VAN & TRUCK SPLASHGUARDS

- New design, OE approved
- Remain flexible down to -40°F (-40°C)

..... 4754



587

PWR



UNIVERSAL TRUCK SPLASH GUARDS

- Universal front or rear
- 1 pair

..... 6418



587

PWR





12-VOLT ACCESSORY POWER OUTLET

#.....2135C



12-VOLT LONG CIGARETTE LIGHTER

#.....2141C



12-VOLT CIGARETTE LIGHTER REPLACEMENT WELL

#.....2A41C



HEAVY-DUTY 50 AMP ON/OFF TOGGLE SWITCH

#.....540



AM/FM AUTO ANTENNA

- AM/FM
- 1 section
- Black rubber
- Top or side mount
- 16"



FLEX AM/FM AUTO ANTENNA

- Universal top or side mount swivel base with heavy duty spring
- 3 section chrome mast
- Mast: 120 cm (48")
- Lead: 135 cm (53")



AM/FM TOP ANTENNA

- Universal Top Mount
- Chrome, 3 sections, AM/FM
- Mast: 120 cm (48")
- Lead: 135 cm (54")





MISCELLANEOUS

DRIVEWAY MARKERS

- 46" driveway marker with reflector top
- Features a sonically sealed reflex reflector head
- 1/4" diameter fibreglass shaft and small foot spike

#	Description
2661	Red
2662	Blue



587
PWR



DRIVEWAY MARKERS

#	Description
2668	Address Post with Number Kit
2667	72", Reflex Design with Tape Top
2665	72", Telescopic Red/White Round reflector with foot spike
2666	72", Telescopic Blue/White Round reflector with foot spike



587
PWR



DRIVEWAY MARKERS

- Heavy duty 46" driveway markers
- 5/16" fibreglass shaft
- Dual mount system - foot spike/ screwed

#	Description
2663	Red
2664	Blue



587
PWR



INDEX

Acetone	43, 121
Additives	
Fuel.....	108
Lead substitute	117
Octane boosters.....	106, 108, 112, 114, 117-118
Oil	107, 109, 112, 114-118
Transmission	109, 113, 115-116
Adhesives	
Cement glue.....	234-235
Cold weld.....	72, 78
Epoxy.....	23, 44, 72-74, 77-80
Filler	72-75, 77-78, 84
Glue	32, 73-74, 77-79, 86
Instant glue	73, 78-79
Kits.....	86
Panels and trim.....	23-24, 44, 69, 77-78, 86
Paste.....	78, 84-85
Retention compound	75
Shoe glue	77
Aerosol filling kit.....	47
Air chucks.....	166
Air fresheners.....	316-317
Air hoses.....	169-172
Alcohol	120
Antennas.....	321
Anti-corrosion gel.....	138
Anti-corrosion module.....	319
Anti-freeze.....	89, 92-94, 125
Anti-freeze, fuel	111, 118, 310-311
Anti-spatter spray	58
Applicator pads.....	215, 289
Applicators	25, 48
Backup alarm.....	266
Bags	287-288
Batteries.....	255, 256
Acid neutralizer.....	91
Boxes.....	147
Cable.....	273
Posts	267, 271
Belt dressing.....	124, 126, 131-132
Blades, razor (plastic)	49
Blades, knives.....	149
Blades, saw	156-157
Blow-guns	168
Booster cables.....	265, 270
Brake anti-freeze	91, 95, 97
Brake cables.....	265
Brake fluid.....	94, 96, 143
Brooms.....	284, 290-291
Brushes, welding.....	59
Bucket.....	210
Bug remover.....	217, 219
Bulbs.....	250, 252, 257-258
Butane/gas cylinders	52, 55
Cable ties	264
Car wash brushes	210
Carbide drill bits.....	162-163
Caulking gun.....	82
Chamois	219
Cheese cloth	289
Cigarette lighter	321
Cleaners	
Air intake.....	106, 110, 115, 117-118
Battery.....	88, 96-98
Brake parts.....	88, 90-91, 96, 98
Bumper.....	204, 208
Car wash.....	206, 208, 212-213, 218
Carpet	204, 208, 217
Contact	88, 96, 102-103
Degreasers	215, 217

INDEX

Cleaners (cont'd)	
Engine	111, 113, 116-120
Floor	281
Glass	208-209, 215
Injectors, carburetors	106-108, 110-113, 115-120
Leather	204, 212
Multi-purpose	119, 206, 208-209, 215, 217
Paintgun	50
Radiators	108-109, 112, 117
Shine	205, 209, 211, 217
Stainless steel	207
Transmission	118
Wheels	213, 217
Cleaning brushes	48
Cleaning pads	12, 19
Cleaning wipes, respirator	307
Cloth roll	8
Compartment boxes	272
Compressors (portable)	239
Conditioners/protectant finishes	205, 207, 209, 212-213
Connectors	262-263
Cooling fluid	115
Couplers	166-167
Covers, seats/carpets/wheels	36, 50
Cup brushes	9, 17
Cutting tips	55, 58
Discs	
Abrasive	5-6, 9, 17-18
Cleaning	9
Conditioning	9, 12-14
Finishing	4-6, 12
Foam	7
Document holder	262
Drain pans	147
Drill bits, hole enlarging	154-156, 158-161, 164
Drive tools	148
Drying towel	210
Duster aerosol	103
Electrical wire	266
Exhaust fluid, diesel	95
Extension cords	250
Fabric deodorizer	217
Fiberglass filler	25, 27, 35, 44-45
Fiberglass resin and sheets	35, 45-46, 49-50
Fire extinguishers	304
First aid kits	304-306
Flashlights	254-256, 275-276
Flux	53, 58
Foam, expansion	100
Fogging oil	126
Freezing fluid	126, 129
Fuel	
Conditioners	94, 97, 110-112
Liquefier	88, 97
Stabilizers	106, 111-114, 116
Sterilizer	113
Water eliminator	310
Funnels	151-152
Fuse holders	264, 268-269
Fuses	267-269
Gasket makers	73-75, 80-83, 85
Gasket solvent	82
Gauges, inflator	240
Gauges, pressure	169, 241
Grease, dielectric	126-127, 131
Grease, white	127-128, 132-133, 135-136
Grinding wheels	10-11, 14-16
Hammer, chipping	59
Hand lotion	294, 297
Handles	283, 290
Headlamp connector assortments	272-273
Headlight restoration kit	24, 204, 218

INDEX

Heat shrinkable tubing.....	265, 271
Hole grommets.....	266
Hole saw kit.....	157
Horns.....	318
Hoses, air.....	169-172
Hoses, welding.....	59
Hydraulic fluid.....	124, 128
Jerrycans and accessories.....	146-147
Knives and blades.....	149
Lamps, marker/signal.....	258-261
Lighters.....	52, 59
Lock de-icer.....	310-311
Lubricants	
Anti-seize.....	129-131, 133
Brakes.....	88-90, 98
Diesel.....	111
Gears.....	129, 132, 136, 138-143
Multi-purpose.....	130, 135, 138-139, 141-143
Paste.....	130
Specialized.....	124, 126-128, 130-135, 139-140
Tires.....	235
Tools.....	114, 124, 127-128, 140, 229
Water pump.....	113, 117
Marker pens.....	151
Markers.....	321
Masking paper/film.....	64, 67, 69
Methyl hydrate.....	121
Mirror.....	262
Mixing cups.....	24, 35, 50, 154
Mop.....	284
Mud flaps.....	319-320
Nuts.....	222-224
Nylon tie wraps.....	318
Oil	
Compressor.....	126, 144, 229
Cutting.....	132
Engine.....	125, 132, 136-137, 141
Hydraulic.....	132
Stabilizers.....	114
Oilers.....	153
Outlet, replacement.....	251
Outlet, strip.....	251
Oxydation remover.....	212
Oxygen cylinders.....	52
Paint	
Anti-slip.....	32
Bumper and trim.....	34, 40
Enamel.....	28, 38-39, 42
Filter.....	26
Lacquer.....	28, 42
Primer.....	29, 31, 36-41, 43
Protective coatings.....	24, 29, 31-34, 37, 47
Rust converter.....	43
Rustproof.....	33-34, 36-37, 47
Solvents and strippers.....	34, 36, 43, 47, 120-121
Specialized.....	28, 38-42
Paint thinner.....	34, 47, 121
Paintbrushes.....	30
Paper towel dispenser.....	278
Paper towels, rolls.....	278-279, 285-287
Pigtails.....	262
Plastic wrap.....	288
Plugs.....	166-167, 321
Polishing compounds.....	22-23, 100, 204-205, 207, 211
Polishing compounds for tires.....	235
Pouring containers.....	153-154
Power steering fluid.....	125, 128, 134, 136, 140, 142-143
Propane cylinders.....	52, 59
Protective apparel	
Boots.....	304
Coveralls.....	302
Ear protection.....	298

INDEX

Protective apparel (cont'd)	
Glasses	299, 305
Gloves.....	300-301, 305
Grinding shield	60
Helmet.....	298
Painters spray sock.....	306
Paintsuit.....	26, 33
Rainwear	302-304
Respirator.....	299, 306-307
Traffic vests	303
Visors.....	19-307
Welder jacket.....	302
Welding gloves.....	61
Welding goggles.....	60
Prussian blue	85
Rags, fabric.....	289
Reels.....	251, 253
Refrigerant.....	102
Regulators.....	169
Relays	273
Remover.....	34, 36, 47, 212
Rethreading kits.....	179-180
Rivets	180-182, 184-185
Rubbing compound.....	22-23
Sandblasting products.....	19
Sanding pads	8-9
Sanding paper	7-8
Scrapers.....	313
Screwdriver bits.....	148
Seal conditioner.....	101-102
Sealants	83-86
All weather.....	109
Ceramic.....	109
Ignition.....	112
Wire.....	266
Coating.....	26, 31, 43
Leak stoppers	100-102
Seam sealer	24, 33
Sheet metal.....	26
Shop towels.....	279-280, 285-286
Shovels.....	313
Silica sand.....	18
Snow brooms.....	312-313
Soap dispensers	297
Soap, hand	294-297
Soapstone.....	61
Soldering	
Guns/irons	54-55
Rods and electrodes	56
Solder	53, 58
Wire.....	57
Spill absorbent.....	290
Spill kit.....	307
Sponges and mitts	208, 210, 219
Spray bottles.....	134, 150, 208
Squeegees	281-282
Starting fluid.....	88, 91, 96
Straps	319
Sweeping compound	288
Switches	263, 321
Tack cloths.....	49
Tape	
Double-sided, foam.....	68
Duct.....	66
Electrical.....	64, 66
Liquid.....	67, 69
Masking.....	64-67
Transparent	288
Vinyl	66
Tapping bits.....	162