

## Mobile Brake and Parts Washer

### Model UBB70-USN

Ideal for brake cleaning and other portable applications!

- Cleaning Solvent can be aqueous or petroleum based
- 13 or 16 US gallons solvent drum stored inside cabinet
- Stainless steel trays
- Position the upper tray under the brake using swivel arm and telescopic post
- Clean all heavy brake parts in the lower fixed tray using 3 air-powered cleaning guns: flow-through solvent brush gun, flow-through gun scraper and air blow gun.



UBB70-USN

## Parts Pressure Washers

### Models UMW16AG / UMW16EG / UMW16AGS / UMW16EGS

- Wash solvent flows under high pressure for faster cleaning
- Clean parts using spigot or flow-through brush with independent controls
- Use a "hands-free" foot pedal to activate solvent flow
- May be connected to a Uni-ram Solvent Recycler.

UMW16AG: Green Painted Sink, Air Powered

UMW16EG: Green Painted Sink, Electric Powered

UMW16AGS: Stainless Sink, Air Powered

UMW16EGS: Stainless Sink, Electric Powered



UMW16AG



UMW16AGS



C280



C930



C20



C216



C300

### Aqueous Portable Brake Washer / Parts Cleaner Model C280

- Heavy-duty air pump
- Features "on-off valve"
- Dual filtration system
- 15-gallon. Heavy-duty drum for stable, long life machine performance.

### Economy Heated Drum Mounted Parts Washer Model C930

Designed for use with aqueous based cleaning solutions. - Designed to help protect the environment.

- Corrosion resistant heavy-duty pump
- Flo-thru brush with adjustable fluid control
- Designed for easy servicing, heater pump and thermostat module can be removed in minutes from sink basin
- Operating fluid capacity: 20-25 gallons
- Automatic thermostat preset to 110 degrees
- Ground fault circuit interrupter for added safety
- 115 Volts, 15 amps
- Individual switches for heater and pump.

### Economy Parts Washer Model C20

- Rugged welded steel
- Convenient removable work shelf
- Parts basket for shaking small parts in solvent
- Self-Latching fuse linked fire cover
- 110 Volts / 60 Cycle Solvent Pump
- Recirculates 10-12 Litre/Min of solvent
- Tank Capacity: 20 Gallons
- Solvent Capacity: 12 Gallons
- ULC Approved.

### 14 Gauge Galvanized Sinks Models C216 / C230

- Solvent comes out of flex hose and flo-thru brush
- Flo-thru brush has an on-off valve
- Fire safety lid
- Electric pump now available in 220 V, 50 or 60 cycle
- CSA approved.

#### Specifications

Model	C216	C230
Cleaning Area	31 x 21 x 9"	35 x 27 x 9"

### Parts Washers

#### Models C300 / C310 / CC390

- Fire Safety Lid
- Electric Pump located in middle of pail
- CSA approved
- Parts tray with drain holes
- Available in 220 V, 50 or 60 cycle
- Unique water trap stops solvent from mixing with grease and dirt. Solvent lasts longer
- Model C310 and C390 comes with 10 Gal./45.5 L. pail for use in busy shops.

#### Specifications

Model	C300	C310	C390
Cleaning Area	31 x 16 x 11"	31 x 16 x 11"	37 x 19 x 11"
Solvent Capacity	5 gal./20 L	10 gal./45.5 L	10 gal./45.5 L



CODE 557

## Recirculating Parts Washer (40 gallons)

### Model KPW-240

- Safety lever has fusible link which shuts cover in case of fire
- 3-way filtration traps grime
- Flush hose delivers flow of solvent to rinse parts clean, quickly and easily.

## Recirculating Parts Washer (20 gallons)

### Model KPW-220

- Safety lever has fusible link which shuts cover in case of fire
- Flush hose delivers flow of solvent to rinse parts clean, quickly and easily.



KPW-220



KPW-240



634

**Parts Washer (20 gallons)****Model 634**

- Lid equipped with fusible link for added safety
- 45-litre working capacity tank includes parts basket and work shelf
- Screened inlet protects pump from foreign material.

**Parts Washer (40 gallons)****Model 635**

- Extra large (70-83 litre) working capacity
- Comes with Ground Fault Interrupt Plug
- Incorporates two safety lever hinge assemblies
- CUL approved.



635