

**5000W Silent Diesel Generator With Electric Start****Model KCG-5000DES**

- Powerful 10 HP, 4 stroke air cooled “silent” diesel engine
- Glow plug heater element included for cold weather start
- AC Circuit breaker and DC fuse for safe operation.

6500W Gasoline Generator With Electric Start**Model KCG-6500GE**

- Powerful 13 HP, 4 stroke air cooled OHV engine
- AC Circuit breaker and DC fuse for safe operation.

3000W Gasoline Generator**Model KCG-3000G**

- Powerful 6.5 HP, 4 stroke air cooled OHV engine
- Low oil shut-off with indicator light protects the engine
- Easy start recoil starter
- Volt meter, voltage switch and ground terminal
- AC Circuit breaker and DC fuse for safe operation.

Specifications

Model	KCG-5000DES	KCG-6500GE	KCG-3000G
Peak Wattage (starting)	5000W	6500W	3000W
Running Wattage	4200W	5500W	2500W
AC Outputs	3 (2x 120V/35A) (1x 240V/17.5A)	3 (2x 120V/50A) (1x 240V/25A)	3 (2x 120V/20.8A) (1x 240V/10.4A)
DC Output	12V (8.3A)	12V (8.3A)	12V (8.3A)
Displacement (cc)	406	389	196
Fuel	Diesel	Unleaded Gasoline	Unleaded Gasoline
Fuel tank (L)	16	25	15
Oil capacity (L)	1.65	1.4	0.6
Run time	6-7 hrs.	6-7 hrs.	8-9 hrs.
Noise level	70 dB(A)	73 dB(A)	67 dB(A)

1500W Gasoline Generator**Model KCG-1500G**

- Powerful 2.5 HP, 4 stroke air cooled OHV engine
- AC and DC circuit breakers for safe operation.

950W Portable Generator**Model KCG-950G**

- Powerful 1.5 HP, 2 stroke air cooled motor
- AC and DC circuit breakers and reset buttons for safe operation.

Specifications

Model	KCG-1500G	KCG-950G
Peak Wattage (starting)	1500W	950W
Running Wattage	1200W	800W
AC Outputs	2x 120V/10A	120V (6.7A)
DC Output	12V (8A)	12V (8.3A)
Displacement (cc)	81	63
Fuel	Unleaded Gasoline	Gas-oil 50:1
Fuel tank (L)	6	4.2
Oil capacity (L)	0.4	N/A
Run time	6-7 hrs.	4-5 hrs.
Noise level	65 dB(A)	57 dB(A)



KCG-5000DES



KCG-6500GE



KCG-3000G



KCG-1500G



KCG-950G



GSD5000LX

GSD Series 5300W Silent Diesel Generator

Model GSD5000LXB

- Engine: 10 HP Diesel, Single Cylinder
- Ignition Type: Electric start
- Battery.

GSD Series 5300W Diesel Generator

Model GSD5000LX

- Engine: 10 HP Diesel, Single Cylinder
- Ignition Type: Electric start
- Battery.

GSE Series 8500W Gas Generator

Model GSE7500W

- Engine: 15 HP 4-stroke, OHV, Single Cylinder
- Ignition Type: Electric start
- Battery.

GSE Series 7000W Gas Generator

Model GSE6501W

- Engine: 13 HP 4-stroke, OHV, Single Cylinder
- Ignition Type: Electric start
- Battery.



GSE7500W



GSE6501W

Specifications

Model	GSD5000LXB	GSD5000LX	GSE7500W	GSE6501W
Peak Wattage (starting)	5300W	5300W	8500W	7000 W
Running Wattage	4600W	4600W	7000W	6000 W
AC Outputs	3 (2x 120V/20A) (1x 240V/30A)	3 (2x 120V/20A) (1x 240V/30A)	4 (2x 120V/20A) (1x 120/240V/30A) (1x 120V/30A)	4(2x120V/20A) (1x120/240V/30A) (1x 120V/30A)
DC Output	12V (8.3A)	12V (8.3A)	12V (8.3A)	12 V (8.3 A)
Fuel	Diesel	Diesel	Unleaded	Unleaded
Fuel tank (L)	12.5	12.5	25	25
Noise level	69 dB(A)	83 dB(A)	76 dB(A)	76 dB(A)



GSD5000LXB

3500W Gas Generator

Model GS3001W

- Engine: 6.5 HP 4-stroke, OHV, Single Cylinder
- Ignition Type: TCI.

1500W Gas Generator

Model GS1200W

- Motor: 2.4 HP, 4-stroke, OHV, one cylinder
- Ignition type: TCI.

Specifications

Model	GS3001W	GS1200W
Peak Wattage (starting)	3500W	1500W
Running Wattage	3000W	1200W
AC Outputs	5 (4x 120V/20A)(1x 120/240V/30A)	2 (2x 120V/9.5A)
DC Output	12V (8.3A)	12V (5A)
Fuel	Unleaded	Unleaded
Fuel tank (L)	12	5
Noise level	67 dB(A)	64 dB(A)

GS3001W



GS1200W





G12000i

1000W Gas Inverter

Model G12000i

- Engine: 50 cc 4-stroke, OHV, Single Cylinder
- Ignition Type: TCI.

1600W Gas Generator

Model GS2000S

- Engine: 4 HP 4-stroke, OHV, Single Cylinder
- Ignition Type: TCI.

1000W Gas Generator

Model GS1000S

- Engine: 2.5 hp 4-stroke, OHV, Single Cylinder
- Electronic Ignition
- Automatic Voltage Regulation.

950W Gas Generator

Model GS950W

- Engine: 63 cc 2-stroke, OHV, Single Cylinder
- Ignition Type: TCI.



GS2000S



GS1000S

Specifications				
Model	GS1200i	GS2000S	GS1000S	GS950W
Peak Wattage (starting)	1000W	1600W	1000W	950W
Running Wattage	950W	1400W	900W	800W
AC Outputs	1 (1x 120V/8.3A)	2 (2x 120V/20A)	1 (1x 120V/8.3A)	1 (1x 120V/6.7A)
DC Output	12V (5A)	12V (8.3A)	12V (5A)	12V (5A)
Fuel	Unleaded	Unleaded	Unleaded	Unleaded
Fuel tank (L)	5	7.5	5	4
Noise level	60 dB(A)	78 dB(A)	59 dB(A)	64 dB(A)



GS950W